



TESLA CABLES

CABLES & WIRES

PRICE LIST - EXPORT

of cables and wires up to 1 kV

November 2022.



CONTENT

PVC insulated wires

| | | |
|--------|------------|---|
| H07V-U | (P) (Ye) | 1 |
| H07V-R | (P/M) (Ym) | 1 |
| H07V-K | (P/F) (Yf) | 1 |

PVC sheathed wires

| | | |
|---------|--------------------|---|
| YM | (PP) (NYM) ((N)YM) | 2 |
| PP/R | (NYIFY) | 2 |
| H03VH-H | (P/L) | 2 |
| H03VV-F | (PP/L) | 2 |
| H05VV-F | (PP/J) | 3 |

Rubber insulated wires and cables

| | | |
|---------|--------|---|
| H05RR-F | (GG/J) | 3 |
| H07RN-F | | 4 |
| H01N2-D | | 4 |

Control cables

| | | |
|-------|-------------------|-----|
| YSLY | (LS-YY) (Y-JZ) | 5-6 |
| YSLCY | (LS-YCVY) (CY-JZ) | 6-7 |

Energy cables

| | | |
|----------------|--------------|-----|
| E-YY | (PP00) (NYY) | 7-8 |
| N2XH | | 8-9 |
| NYCY | (PP40) | 9 |
| NHXH FE180/E30 | | 10 |
| NHXH FE180/E90 | | 11 |
| FG16OR16 | | 12 |

| | |
|-----------------------|----|
| E-AYY (PP00-A) (NAYY) | 13 |
|-----------------------|----|

Solar cables

| | |
|-------|----|
| Solar | 13 |
|-------|----|

Non-insulated rope and tape

| | |
|------------|----|
| Cu rope | 13 |
| Fe/Zn tape | 13 |

Self-supported cable bundle

| | | |
|-----|----------------------------|----|
| SKS | (X00-A, X00/0-A, N1XD4-AR) | 14 |
|-----|----------------------------|----|

Silicone and PUR insulated wires and cables

| | | |
|---------|--|----|
| SiF | | 14 |
| SiHF | | 14 |
| H07BQ-F | | 15 |

Fire alarm cables

| | | |
|-----------|--|----|
| JB-Y(St)Y | | 15 |
|-----------|--|----|

Telecommunication cables

| | | |
|-------------------|--------------|-------|
| J-Y(St)Y | (TI-44) | 15-16 |
| TK 59 | (A-2YF(L)2Y) | 16 |
| YYSch | | 16 |
| JE-H(St)H E30/E90 | | 17 |

Coaxial cables

| | | |
|------|-------------|----|
| Koax | (RG) (CATV) | 17 |
|------|-------------|----|

Loudspeaker cables

17

Alarm cables

| | | |
|--------------|--|----|
| Alarm AF CCA | | 17 |
| Alarm AF Cu | | 18 |

Electronic cables

| | | |
|----------|--|-------|
| LiYCY | | 18-19 |
| LiYCY TP | | 19 |

Data Cables LAN

20

Fibre optic cables

| | | |
|------------|--|----|
| Multimode | | 20 |
| Singlemode | | 20 |

| H07V-U | | | | | | P / Ye |
|----------------------------------|--------------|--|---------------|------------|------------|----------------|
| Cross-section (mm ²) | Price (€/km) | | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| 1,5 | 221,44 | | 2,6 | 14,4 | | 19 |
| 2,5 | 366,65 | | 3,2 | 24,0 | | 31 |
| 4 | 624,20 | | 3,7 | 38,4 | | 46 |
| 6 | 914,24 | | 4,2 | 57,6 | | 62 |
| 10 | 1525,60 | | 5,3 | 96,0 | | 104 |

| H07V-R | | | | | | P/M / Ym |
|----------------------------------|--------------|--|---------------|------------|------------|-----------------|
| Cross-section (mm ²) | Price (€/km) | | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| 10 | 1500,08 | | 5,7 | 96,0 | | 108 |
| 16 | 2399,90 | | 6,7 | 153,6 | | 162 |
| 25 | 3924,70 | | 8,2 | 240,0 | | 253 |
| 35 | 5607,24 | | 9,3 | 336,0 | | 343 |
| 50 | 7591,38 | | 10,7 | 480,0 | | 500 |
| 70 | 11073,01 | | 12,7 | 672,0 | | 710 |
| 95 | 15000,71 | | 14,5 | 912,0 | | 980 |
| 120 | 19059,79 | | 16,0 | 1152,0 | | 1200 |
| 150 | 24480,48 | | 17,7 | 1440,0 | | 1500 |

| H07V-K | | | | | | P/F / Yf |
|----------------------------------|--------------|--|---------------|------------|------------|-----------------|
| Cross-section (mm ²) | Price (€/km) | | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| 0,5 | 103,22 | | 2,0 | 4,8 | | 8 |
| 0,75 | 159,56 | | 2,2 | 7,2 | | 11 |
| 1 | 197,25 | | 2,4 | 9,6 | | 13 |
| 1,5 | 221,29 | | 2,8 | 14,4 | | 20 |
| 2,5 | 373,01 | | 3,5 | 24,0 | | 31 |
| 4 | 580,28 | | 4,0 | 38,4 | | 45 |
| 6 | 882,78 | | 5,0 | 57,6 | | 64 |
| 10 | 1513,85 | | 6,7 | 96,0 | | 110 |
| 16 | 2402,25 | | 7,6 | 153,6 | | 164 |
| 25 | 3603,19 | | 8,1 | 240,0 | | 290 |
| 35 | 5188,54 | | 9,2 | 336,0 | | 380 |
| 50 | 7016,57 | | 11,6 | 480,0 | | 550 |
| 70 | 9961,37 | | 13,4 | 672,0 | | 716 |
| 95 | 13578,76 | | 15,5 | 912,0 | | 976 |
| 120 | 17168,66 | | 17,1 | 1152,0 | | 1214 |
| 150 | 20197,26 | | 22,0 | 1440,0 | | 1530 |
| 185 | 26394,62 | | 25,0 | 1776,0 | | 1900 |
| 240 | 35648,80 | | 28,0 | 2304,0 | | 2450 |

| YM (AT-N05VV-U) | | | PP / NYM / (N)YM | | | |
|----------------------------------|--------------|--|-------------------------|------------|------------|----------------|
| Cross-section (mm ²) | Price (€/km) | | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| 2 x 1,5 | 590,78 | | 7,9 | 28,8 | | 81 |
| 3 x 1,5 R50/R100 | 722,19 | | 8,3 | 43,2 | | 99 |
| 3 x 1,5 buban | 737,98 | | 8,3 | 43,2 | | 99 |
| 4 x 1,5 | 1006,88 | | 9,9 | 57,6 | | 121 |
| 5 x 1,5 R50/R100 | 1209,91 | | 9,7 | 72,0 | | 144 |
| 5 x 1,5 buban | 1247,07 | | 9,7 | 72,0 | | 144 |
| 7 x 1,5 | 2158,43 | | 10,4 | 100,8 | | 208 |
| 2 x 2,5 | 1267,08 | | 9,2 | 48,0 | | 135 |
| 3 x 2,5 R50/R100 | 1196,76 | | 9,7 | 72,0 | | 141 |
| 3 x 2,5 buban | 1207,54 | | 9,7 | 72,0 | | 141 |
| 4 x 2,5 | 1659,68 | | 10,5 | 96,0 | | 175 |
| 5 x 2,5 R50/R100 | 2035,17 | | 11,5 | 120,0 | | 209 |
| 5 x 2,5 buban | 2003,65 | | 11,5 | 120,0 | | 209 |
| 3 x 4 | 2616,36 | | 10,7 | 115,2 | | 232 |
| 4 x 4 | 2624,37 | | 12,0 | 153,6 | | 271 |
| 5 x 4 | 3123,49 | | 13,5 | 192,0 | | 323 |
| 3 x 6 | 3995,76 | | 12,3 | 172,8 | | 322 |
| 4 x 6 | 3820,21 | | 13,7 | 230,4 | | 344 |
| 5 x 6 | 4504,26 | | 15,0 | 288,0 | | 410 |
| 4 x 10 | 7031,93 | | 16,4 | 384,0 | | 555 |
| 5 x 10 | 8027,52 | | 18,0 | 480,0 | | 665 |

| PP/R | | | NYIFY | | | |
|----------------------------------|--------------|--|---------------|------------|------------|----------------|
| Cross-section (mm ²) | Price (€/km) | | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| 2 x 1,5 | 607,12 | | 3,0 | 28,8 | | 60 |
| 3 x 1,5 | 788,77 | | 3,2 | 43,2 | | 86 |
| 3 x 2,5 | 1297,24 | | 4,0 | 72,0 | | 130 |

| H03VH-H | | | P/L | | | |
|----------------------------------|--------------|--|---------------|------------|------------|----------------|
| Cross-section (mm ²) | Price (€/km) | | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| 2 x 0,75 | 307,22 | | 2,7 | 9,6 | | 33 |

| H03VV-F | | | PP/L | | | |
|----------------------------------|--------------|--|---------------|------------|------------|----------------|
| Cross-section (mm ²) | Price (€/km) | | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| 2 x 0,75 | 304,90 | | 5,2 | 14,4 | | 45 |
| 3 x 0,75 | 441,46 | | 5,5 | 21,6 | | 53 |
| 4 x 0,75 | 553,26 | | 6,1 | 28,8 | | 66 |
| 5 x 0,75 | 646,33 | | 6,8 | 36,0 | | 81 |

| H05VV-F | | | | | | PP/J |
|----------------------------------|--------------|--|---------------|------------|------------|----------------|
| Cross-section (mm ²) | Price (€/km) | | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| 2 x 1 | 383,21 | | 6,2 | 19,2 | | 67 |
| 3 x 1 | 523,06 | | 6,6 | 28,8 | | 79 |
| 4 x 1 | 835,76 | | 7,4 | 38,4 | | 86 |
| 5 x 1 | 1025,81 | | 8,1 | 48,0 | | 102 |
| 7 x 1 | 1657,76 | | 9,0 | 67,2 | | 136 |
| | | | | | | |
| 2 x 1,5 | 521,31 | | 7,0 | 28,8 | | 89 |
| 3 x 1,5 | 771,19 | | 7,6 | 43,2 | | 111 |
| 4 x 1,5 | 960,57 | | 8,5 | 57,6 | | 141 |
| 5 x 1,5 | 1291,06 | | 9,5 | 72,0 | | 177 |
| 7 x 1,5 | 2104,77 | | 10,6 | 100,8 | | 189 |
| | | | | | | |
| 2 x 2,5 | 1836,97 | | 8,8 | 48,0 | | 116 |
| 3 x 2,5 | 1281,66 | | 9,5 | 72,0 | | 169 |
| 4 x 2,5 | 1588,89 | | 10,4 | 96,0 | | 207 |
| 5 x 2,5 | 2055,19 | | 11,5 | 120,0 | | 259 |
| | | | | | | |
| 4 x 4 | 3264,15 | | 12,0 | 153,6 | | 257 |
| 5 x 4 | 3310,21 | | 13,3 | 192,0 | | 311 |
| | | | | | | |
| 4 x 6 | 4887,73 | | 14,5 | 230,4 | | 377 |
| 5 x 6 | 6220,51 | | 16,0 | 288,0 | | 455 |

| H05RR-F | | | | | | GG/J |
|----------------------------------|--------------|--|---------------|------------|------------|----------------|
| Cross-section (mm ²) | Price (€/km) | | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| 2 x 1,5 | 1089,57 | | 8,5 | 28,8 | | 110 |
| 3 x 1,5 | 1275,71 | | 9,0 | 43,2 | | 130 |
| 4 x 1,5 | 1704,18 | | 10,0 | 57,6 | | 160 |
| 5 x 1,5 | 2070,25 | | 11,5 | 72,0 | | 200 |
| | | | | | | |
| 2 x 2,5 | 2063,18 | | 10,5 | 48,0 | | 150 |
| 3 x 2,5 | 2049,81 | | 11,0 | 72,0 | | 190 |
| 4 x 2,5 | 2755,64 | | 12,0 | 96,0 | | 240 |
| 5 x 2,5 | 3379,50 | | 13,0 | 120,0 | | 290 |

| H07RN-F | | | | | | |
|----------------------------------|--------------|--|---------------|------------|------------|----------------|
| Cross-section (mm ²) | Price (€/km) | | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| 2 x 1,5 | 1208,25 | | 10,0 | 28,8 | | 130 |
| 3 x 1,5 | 1475,30 | | 11,0 | 43,2 | | 170 |
| 4 x 1,5 | 1963,62 | | 12,0 | 57,6 | | 200 |
| 5 x 1,5 | 2627,38 | | 13,0 | 72,0 | | 240 |
| 7 x 1,5 | 4046,98 | | 16,0 | 100,8 | | 342 |
| 12 x 1,5 | 7644,05 | | 19,0 | 172,8 | | 505 |
| | | | | | | |
| 2 x 2,5 | 1877,72 | | 12,0 | 48,0 | | 190 |
| 3 x 2,5 | 2221,11 | | 12,5 | 72,0 | | 240 |
| 4 x 2,5 | 2915,95 | | 14,0 | 96,0 | | 275 |
| 5 x 2,5 | 3794,06 | | 15,5 | 120,0 | | 340 |
| 7 x 2,5 | 7030,80 | | 18,0 | 168,0 | | 485 |
| 12 x 2,5 | 12073,49 | | 23,0 | 288,0 | | 799 |
| | | | | | | |
| 4 x 4 | 4552,30 | | 16,5 | 153,6 | | 410 |
| 5 x 4 | 5469,62 | | 18,5 | 192,0 | | 500 |
| | | | | | | |
| 4 x 6 | 6335,77 | | 19,0 | 230,4 | | 500 |
| 5 x 6 | 7231,57 | | 21,0 | 288,0 | | 650 |
| | | | | | | |
| 4 x 10 | 11486,53 | | 24,5 | 384,0 | | 930 |
| 5 x 10 | 13553,99 | | 26,5 | 480,0 | | 1120 |
| | | | | | | |
| 4 x 16 | 17224,88 | | 27,5 | 614,4 | | 1260 |
| 5 x 16 | 21483,70 | | 30,5 | 768,0 | | 1550 |
| | | | | | | |
| 4 x 25 | 26545,18 | | 34,0 | 960,0 | | 1890 |
| 5 x 25 | 31035,27 | | 37,5 | 1200,0 | | 2300 |
| | | | | | | |
| 4 x 35 | 38528,68 | | 37,0 | 1344,0 | | 2410 |
| 5 x 35 | 39823,62 | | 43,0 | 1680,0 | | 3008 |
| | | | | | | |
| 4 x 50 | 52355,97 | | 43,5 | 1920,0 | | 3350 |
| 4 x 70 | 69414,34 | | 49,5 | 2688,0 | | 4460 |
| 4 x 95 | 91977,42 | | 55,5 | 3648,0 | | 5750 |

| H01N2-D | | | | | | | KZS |
|----------------------------------|--------------|--|---------------|------------|------------|----------------|------------|
| Cross-section (mm ²) | Price (€/km) | | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) | |
| 16 | 4900,52 | | 9,5 | 153,6 | | 210 | |
| 25 | 6378,03 | | 11,0 | 240,0 | | 300 | |
| 35 | 8158,05 | | 12,0 | 336,0 | | 400 | |
| 50 | 11943,10 | | 14,0 | 480,0 | | 560 | |
| 70 | 16411,87 | | 16,5 | 672,0 | | 780 | |
| 95 | 24029,50 | | 18,5 | 912,0 | | 1010 | |

| YSLY | | LS-YY / Y-JZ | | | |
|----------------------------------|--------------|---------------------|------------|------------|----------------|
| Cross-section (mm ²) | Price (€/km) | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| 2 x 0,5 | 351,23 | 6,0 | 9,6 | | 45 |
| 3 x 0,5 | 447,41 | 6,2 | 14,4 | | 50 |
| 4 x 0,5 | 574,51 | 6,5 | 19,2 | | 60 |
| 5 x 0,5 | 680,64 | 7,0 | 24,0 | | 70 |
| 7 x 0,5 | 969,43 | 7,5 | 33,6 | | 85 |
| 10 x 0,5 | 1617,82 | 9,5 | 48,0 | | 125 |
| 12 x 0,5 | 1715,53 | 10,0 | 57,6 | | 140 |
| 14 x 0,5 | 2190,11 | 10,5 | 67,2 | | 160 |
| 21 x 0,5 | 3409,51 | 12,5 | 100,8 | | 230 |
| 25 x 0,5 | 3629,46 | 14,0 | 120,0 | | 280 |
| 2 x 0,75 | 422,70 | 6,5 | 14,4 | | 50 |
| 3 x 0,75 | 585,35 | 6,5 | 21,6 | | 65 |
| 4 x 0,75 | 749,51 | 7,5 | 28,8 | | 75 |
| 5 x 0,75 | 946,54 | 8,0 | 36,0 | | 95 |
| 6 x 0,75 | 1339,95 | 8,5 | 43,2 | | 105 |
| 7 x 0,75 | 1236,33 | 8,5 | 50,4 | | 120 |
| 10 x 0,75 | 1884,16 | 11,0 | 72,0 | | 160 |
| 12 x 0,75 | 2267,66 | 11,5 | 86,4 | | 180 |
| 21 x 0,75 | 4073,63 | 14,0 | 151,2 | | 310 |
| 25 x 0,75 | 4848,75 | 16,5 | 180,0 | | 390 |
| 2 x 1 | 553,89 | 7,0 | 19,2 | | 65 |
| 3 x 1 | 776,50 | 7,5 | 28,8 | | 75 |
| 4 x 1 | 1023,96 | 8,0 | 38,4 | | 95 |
| 5 x 1 | 1287,50 | 8,5 | 48,0 | | 120 |
| 7 x 1 | 1781,05 | 9,0 | 67,2 | | 140 |
| 10 x 1 | 2708,53 | 11,5 | 96,0 | | 200 |
| 12 x 1 | 3166,76 | 12,0 | 115,2 | | 220 |
| 14 x 1 | 3551,28 | 13,0 | 134,4 | | 270 |
| 16 x 1 | 3861,90 | 14,0 | 153,6 | | 300 |
| 18 x 1 | 4572,78 | 14,5 | 172,8 | | 330 |
| 21 x 1 | 5646,92 | 15,5 | 201,6 | | 390 |
| 25 x 1 | 5994,69 | 17,5 | 240,0 | | 480 |
| 34 x 1 | 9025,85 | 20,0 | 326,4 | | 640 |
| 2 x 1,5 | 761,61 | 7,5 | 28,8 | | 80 |
| 3 x 1,5 | 1030,31 | 8,0 | 43,2 | | 100 |
| 4 x 1,5 | 1352,73 | 8,5 | 57,6 | | 120 |
| 5 x 1,5 | 1696,27 | 9,5 | 72,0 | | 150 |
| 6 x 1,5 | 2326,91 | 10,5 | 86,4 | | 170 |
| 7 x 1,5 | 2202,08 | 10,5 | 100,8 | | 190 |
| 10 x 1,5 | 3743,29 | 13,5 | 144,0 | | 290 |
| 12 x 1,5 | 4039,62 | 14,0 | 172,8 | | 320 |
| 14 x 1,5 | 5593,25 | 15,0 | 201,6 | | 380 |
| 16 x 1,5 | 6215,97 | 16,0 | 230,4 | | 420 |
| 18 x 1,5 | 7035,17 | 17,0 | 259,2 | | 470 |
| 21 x 1,5 | 7956,65 | 17,5 | 302,4 | | 520 |
| 25 x 1,5 | 9512,60 | 20,5 | 360,0 | | 660 |
| 2 x 2,5 | 1279,63 | 9,0 | 48,0 | | 120 |
| 3 x 2,5 | 1628,67 | 9,5 | 72,0 | | 140 |
| 4 x 2,5 | 2235,97 | 10,0 | 96,0 | | 180 |
| 5 x 2,5 | 2849,10 | 11,0 | 120,0 | | 220 |
| 7 x 2,5 | 3929,74 | 12,5 | 168,0 | | 290 |
| 12 x 2,5 | 7419,77 | 17,0 | 288,0 | | 490 |
| 18 x 2,5 | 11348,27 | 20,0 | 432,0 | | 710 |
| 50 x 2,5 | 34381,66 | 32,5 | 1200,0 | | 1860 |

| Cross-section (mm ²) | Price (€/km) | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
|----------------------------------|--------------|---------------|------------|------------|----------------|
| 3 x 4 | 3135,41 | 11,0 | 115,2 | | 220 |
| 4 x 4 | 4038,63 | 12,5 | 153,6 | | 280 |
| 5 x 4 | 4856,02 | 13,5 | 192,0 | | 350 |
| 7 x 4 | 6855,74 | 15,5 | 268,8 | | 460 |
| 4 x 6 | 5587,02 | 14,5 | 230,4 | | 400 |
| 5 x 6 | 7115,39 | 16,0 | 288,0 | | 480 |
| 7 x 6 | 10063,11 | 17,5 | 403,2 | | 640 |
| 4 x 10 | 10047,86 | 19,5 | 384,0 | | 710 |
| 5 x 10 | 12120,20 | 21,5 | 480,0 | | 870 |
| 7 x 10 | 16844,78 | 23,5 | 672,0 | | 1140 |
| 4 x 16 | 15341,22 | 20,5 | 614,4 | | 950 |
| 5 x 16 | 19259,42 | 23,0 | 768,0 | | 1160 |
| 7 x 16 | 26857,37 | 25,0 | 1075,2 | | 1530 |
| 4 x 25 | 24064,81 | 29,5 | 960,0 | | 1590 |

| YSLCY | | | LS-YCVY / C-JZ | | |
|----------------------------------|--------------|---------------|-----------------------|------------|----------------|
| Cross-section (mm ²) | Price (€/km) | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| 2 x 0,75 | 1038,74 | 8,5 | 41,3 | | 120 |
| 3 x 0,75 | 1285,85 | 9,0 | 49,9 | | 130 |
| 4 x 0,75 | 1542,06 | 9,5 | 58,6 | | 150 |
| 5 x 0,75 | 2138,39 | 10,5 | 69,1 | | 170 |
| 7 x 0,75 | 2799,82 | 11,0 | 85,4 | | 200 |
| 12 x 0,75 | 4007,09 | 13,5 | 132,5 | | 280 |
| 25 x 0,75 | 8121,60 | 19,5 | 268,8 | | 570 |
| 34 x 0,75 | 10641,21 | 22,0 | 342,7 | | 740 |
| 2 x 1 | 1255,25 | 9,0 | 49,0 | | 120 |
| 3 x 1 | 1627,88 | 9,5 | 59,5 | | 140 |
| 4 x 1 | 2045,93 | 10,0 | 71,0 | | 160 |
| 5 x 1 | 2545,91 | 11,0 | 84,5 | | 190 |
| 7 x 1 | 3115,44 | 11,5 | 107,5 | | 220 |
| 12 x 1 | 5425,43 | 14,5 | 167,0 | | 340 |
| 18 x 1 | 7183,89 | 17,5 | 257,3 | | 500 |
| 25 x 1 | 10353,47 | 21,0 | 339,8 | | 680 |
| 34 x 1 | 13307,42 | 23,5 | 439,7 | | 870 |
| 2 x 1,5 | 1586,64 | 10,0 | 62,4 | | 150 |
| 3 x 1,5 | 2131,90 | 10,5 | 78,7 | | 170 |
| 4 x 1,5 | 2472,31 | 11,0 | 96,0 | | 200 |
| 5 x 1,5 | 3374,45 | 12,0 | 114,2 | | 230 |
| 7 x 1,5 | 4397,76 | 13,0 | 147,8 | | 280 |
| 12 x 1,5 | 7260,67 | 17,5 | 257,3 | | 460 |
| 18 x 1,5 | 10486,38 | 20,0 | 358,1 | | 660 |
| 25 x 1,5 | 14208,44 | 24,5 | 508,8 | | 940 |
| 34 x 1,5 | 18699,74 | 26,5 | 658,6 | | 1190 |
| 3 x 2,5 | 3584,22 | 11,5 | 114,2 | | 230 |
| 4 x 2,5 | 4176,97 | 12,5 | 143,0 | | 270 |
| 5 x 2,5 | 5069,65 | 13,5 | 171,8 | | 320 |
| 7 x 2,5 | 6580,26 | 15,5 | 243,8 | | 410 |
| 12 x 2,5 | 11200,53 | 20,0 | 390,7 | | 670 |
| 18 x 2,5 | 20342,71 | 24,0 | 585,6 | | 950 |

| Cross-section (mm ²) | Price (€/km) | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
|----------------------------------|--------------|---------------|------------|------------|----------------|
| 4 x 4 | 6412,03 | 15,0 | 229,4 | | 410 |
| 5 x 4 | 7366,85 | 16,5 | 276,5 | | 480 |
| 4 x 6 | 9099,73 | 17,5 | 320,6 | | 560 |
| 5 x 6 | 10748,32 | 19,0 | 386,9 | | 650 |
| 4 x 10 | 14440,19 | 22,5 | 497,3 | | 920 |
| 5 x 10 | 19171,13 | 25,0 | 635,5 | | 1150 |
| 4 x 16 | 22735,50 | 24,0 | 776,6 | | 1220 |
| 5 x 16 | 27446,50 | 26,5 | 950,4 | | 1470 |

| E-YY | | | PP00 / NY Y | | |
|----------------------------------|--------------|---------------|--------------------|------------|----------------|
| Cross-section (mm ²) | Price (€/km) | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| 1 x 16 | 2774,22 | 9,4 | 153,6 | | 218 |
| 1 x 25 | 4268,02 | 11,3 | 240,0 | | 324 |
| 1 x 35 | 5805,25 | 12,4 | 336,0 | | 419 |
| 1 x 50 | 8146,50 | 13,8 | 480,0 | | 554 |
| 1 x 70 | 11367,16 | 15,8 | 672,0 | | 772 |
| 1 x 95 | 15141,27 | 17,6 | 912,0 | | 1016 |
| 1 x 120 | 18164,79 | 19,1 | 1152,0 | | 1286 |
| 1 x 150 | 22470,87 | 20,8 | 1440,0 | | 1578 |
| 1 x 185 | 28642,26 | 25,5 | 1776,0 | | 2088 |
| 1 x 240 | 38071,57 | 27,9 | 2304,0 | | 2652 |
| 1 x 300 | 47581,58 | 30,7 | 2880,0 | | 3331 |
| 2 x 1.5 | 852,06 | 10,1 | 28,8 | | 152 |
| 2 x 2,5 | 1225,80 | 10,9 | 48,0 | | 189 |
| 3 x 1.5 RE | 872,45 | 10,5 | 43,2 | | 135 |
| 3 x 2.5 RE | 1357,58 | 11,4 | 72,0 | | 183 |
| 3 x 4 RE | 2362,99 | 13,1 | 115,2 | | 305 |
| 3 x 6 RE | 3529,87 | 14,1 | 172,8 | | 383 |
| 4 x 1.5 RE | 1132,74 | 11,2 | 57,6 | | 159 |
| 4 x 2,5 RE | 1738,89 | 12,2 | 96,0 | | 213 |
| 4 x 4 RE | 2844,09 | 14,1 | 153,6 | | 322 |
| 4 x 6 RE | 3839,64 | 15,3 | 230,4 | | 402 |
| 4 x 10 RE | 6316,41 | 17,2 | 384,0 | | 606 |
| 4 x 16 RM | 9900,98 | 21,1 | 614,4 | | 913 |
| 4 x 25 RM | 15341,95 | 25,3 | 960,0 | | 1379 |
| 4 x 35 SM | 22500,12 | 26,0 | 1344,0 | | 1578 |
| 4 x 50 SM | 30242,78 | 28,4 | 1920,0 | | 2125 |
| 4 x 70 SM | 42051,03 | 31,4 | 2688,0 | | 2975 |
| 4 x 95 SM | 57965,23 | 39,3 | 3648,0 | | 4079 |
| 4 x 120 SM | 75604,34 | 41,8 | 4608,0 | | 5060 |
| 4 x 150 SM | 90538,41 | 49,0 | 5760,0 | | 6258 |
| 4 x 185 SM | 114973,89 | 52,0 | 7104,0 | | 7787 |
| 4 x 240 SM | 148773,50 | 58,9 | 9216,0 | | 10094 |
| 5 x 1.5 RE | 1375,87 | 12,0 | 72,0 | | 185 |
| 5 x 2.5 RE | 2144,92 | 13,1 | 120,0 | | 248 |
| 5 x 4 RE | 3262,00 | 15,3 | 192,0 | | 379 |
| 5 x 6 RE | 4623,17 | 16,6 | 288,0 | | 481 |
| 5 x 10 RE | 7769,69 | 18,8 | 480,0 | | 737 |
| 5 x 16 RM | 12175,77 | 23,7 | 768,0 | | 1118 |
| 5 x 25 RM | 19557,22 | 27,7 | 1200,0 | | 1694 |
| 5 x 35 RM | 28541,82 | 31,0 | 1680,0 | | 2233 |

| Cross-section (mm ²) | Price (€/km) | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
|----------------------------------|--------------|---------------|------------|------------|----------------|
| 7 x 1.5 RE | 2541,50 | 12,9 | 100,8 | | 282 |
| 10 x 1.5 RE | 3842,86 | 15,7 | 144,0 | | 401 |
| 12 x 1.5 RE | 4628,83 | 16,1 | 172,8 | | 437 |
| 14 x 1.5 RE | 5675,18 | 16,8 | 201,6 | | 484 |
| 16 x 1.5 RE | 6399,05 | 17,7 | 230,4 | | 539 |
| 19 x 1.5 RE | 6852,16 | 18,5 | 273,6 | | 609 |
| 24 x 1.5 RE | 9267,00 | 21,9 | 345,6 | | 816 |
| 30 x 1.5 RE | 11534,78 | 23,0 | 432,0 | | 937 |
| 7 x 2.5 RE | 4386,52 | 14,1 | 168,0 | | 374 |
| 10 x 2.5 RE | 6534,95 | 17,3 | 240,0 | | 534 |
| 12 x 2.5 RE | 8537,17 | 17,8 | 288,0 | | 630 |
| 14 x 2,5 RE | 8931,11 | 18,6 | 336,0 | | 660 |
| 16 x 2.5 RE | 10671,32 | 20,1 | 384,0 | | 765 |
| 19 x 2.5 RE | 12593,92 | 21,1 | 456,0 | | 873 |
| 24 x 2.5 RE | 14320,86 | 24,8 | 576,0 | | 1146 |
| 30 x 2.5 RE | 20539,22 | 26,1 | 720,0 | | 1331 |
| 7 x 4 RE | 7214,17 | 16,5 | 268,8 | | 541 |
| 10 x 4 RE | 12518,44 | 21,1 | 384,0 | | 827 |
| 14 x 4 RE | 16059,07 | 26,0 | 537,6 | | 1170 |
| 19 x 4 RE | 21517,89 | 28,0 | 729,6 | | 1360 |
| 7 x 6 RE | 10166,28 | 18,0 | 403,2 | | 704 |

| N2XH | | | | | |
|----------------------------------|--------------|---------------|------------|------------|----------------|
| Cross-section (mm ²) | Price (€/km) | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| 1 x 16 | 3617,29 | 9,8 | 153,6 | | 226 |
| 1 x 25 | 5125,82 | 11,4 | 240,0 | | 327 |
| 1 x 35 | 7576,77 | 12,6 | 336,0 | | 429 |
| 1 x 50 | 10379,80 | 13,8 | 480,0 | | 555 |
| 1 x 70 | 15022,03 | 15,7 | 672,0 | | 765 |
| 1 x 95 | 19906,44 | 17,6 | 912,0 | | 1024 |
| 1 x 120 | 24820,66 | 19,1 | 1152,0 | | 1270 |
| 1 x 150 | 32581,48 | 20,9 | 1440,0 | | 1550 |
| 1 x 185 | 38171,63 | 23,5 | 1776,0 | | 1950 |
| 1 x 240 | 49457,82 | 25,8 | 2304,0 | | 2550 |
| 1 x 300 | 60305,59 | 29,0 | 2880,0 | | 3200 |
| 2 x 1.5 | 1187,52 | 9,3 | 28,8 | | 130 |
| 2 x 2,5 | 1686,19 | 10,1 | 48,0 | | 160 |
| 3 x 1.5 RE | 975,18 | 9,7 | 43,2 | | 142 |
| 3 x 2.5 RE | 1510,28 | 10,7 | 72,0 | | 184 |
| 4 x 1.5 RE | 1605,35 | 10,4 | 57,6 | | 166 |
| 4 x 2,5 RE | 2361,19 | 11,4 | 96,0 | | 220 |
| 4 x 4 RE | 3904,21 | 13,8 | 153,6 | | 305 |
| 4 x 6 RE | 5324,43 | 13,8 | 230,4 | | 400 |
| 4 x 10 RE | 8449,74 | 16,3 | 384,0 | | 601 |
| 4 x 16 RM | 13538,85 | 19,2 | 614,4 | | 900 |
| 4 x 25 RM | 19917,15 | 24,0 | 960,0 | | 1400 |
| 4 x 35 SM | 26973,42 | 26,5 | 1344,0 | | 1850 |
| 4 x 50 SM | 41763,38 | 29,0 | 1920,0 | | 2226 |
| 4 x 70 SM | 55077,84 | 32,0 | 2688,0 | | 3050 |
| 4 x 95 SM | 71938,98 | 37,0 | 3648,0 | | 4250 |

| Cross-section (mm ²) | Price (€/km) | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
|----------------------------------|--------------|---------------|------------|------------|----------------|
| 4 x 120 SM | 88511,23 | 40,8 | 4608,0 | | 5320 |
| 4 x 150 SM | 115552,34 | 50,0 | 5760,0 | | 6350 |
| 4 x 185 SM | 147035,09 | 51,0 | 7104,0 | | 7850 |
| 4 x 240 SM | 196745,91 | 56,6 | 9216,0 | | 10235 |
| 5 x 1.5 RE | 1792,09 | 11,3 | 72,0 | | 195 |
| 5 x 2.5 RE | 2715,46 | 12,4 | 120,0 | | 260 |
| 5 x 4 RE | 4031,57 | 13,8 | 192,0 | | 360 |
| 5 x 6 RE | 5978,95 | 15,5 | 288,0 | | 490 |
| 5 x 10 RE | 9599,67 | 17,9 | 480,0 | | 730 |
| 5 x 16 RM | 15590,94 | 22,0 | 768,0 | | 1120 |
| 5 x 25 RM | 23368,22 | 27,1 | 1200,0 | | 1460 |

| NYCY | | | | | | PP40 |
|----------------------------------|--------------|---------------|------------|------------|----------------|-------------|
| Cross-section (mm ²) | Price (€/km) | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) | |
| 2 x 1,5 / 1,5 | 1773,83 | 12,5 | 48,0 | | 198 | |
| 2 x 2,5 / 2,5 | 2451,68 | 13,9 | 75,0 | | 257 | |
| 2 x 4 / 4 | 3034,87 | 15,5 | 110,0 | | 345 | |
| 2 x 6 / 6 | 4140,88 | 16,8 | 165,0 | | 425 | |
| 3 x 1,5 / 1,5 | 2054,77 | 13,4 | 59,0 | | 215 | |
| 3 x 2,5 / 2,5 | 2771,77 | 14,1 | 90,0 | | 275 | |
| 4 x 1,5 / 1,5 | 2539,34 | 14,1 | 72,0 | | 245 | |
| 4 x 2,5 / 2,5 | 3214,21 | 15,1 | 117,0 | | 335 | |
| 4 x 4 / 4 | 5263,46 | 17,4 | 182,0 | | 455 | |
| 4 x 6 / 6 | 7566,38 | 18,4 | 272,0 | | 575 | |
| 5 x 2,5 / 2,5 | 4297,76 | 16,2 | 139,0 | | 380 | |
| 7 x 1,5 / 2,5 | 3953,25 | 15,5 | 125,0 | | 350 | |
| 10 x 1,5 / 2,5 | 5855,88 | 18,1 | 165,0 | | 451 | |
| 12 x 1,5 / 2,5 | 6093,12 | 19,2 | 188,0 | | 465 | |
| 16 x 1,5 / 4 | 7031,08 | 20,5 | 262,0 | | 645 | |
| 19 x 1,5 / 4 | 8534,79 | 22,3 | 299,0 | | 665 | |
| 24 x 1,5 / 6 | 10932,66 | 25,2 | 388,0 | | 915 | |
| 7 x 2,5 / 2,5 | 6659,26 | 17,2 | 185,0 | | 440 | |
| 10 x 2,5 / 4 | 7356,04 | 20,1 | 270,0 | | 600 | |
| 12 x 2,5 / 4 | 8741,60 | 20,9 | 305,0 | | 656 | |
| 16 x 2,5 / 6 | 10759,15 | 22,4 | 428,0 | | 815 | |
| 19 x 2,5 / 6 | 15175,43 | 23,8 | 483,0 | | 933 | |
| 24 x 2,5 / 10 | 18313,99 | 26,6 | 636,0 | | 1160 | |

| NHXH FE180/E30 | | | | E30 | | |
|----------------------------------|--------------|---------------|------------|------------|----------------|--|
| Cross-section (mm ²) | Price (€/km) | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) | |
| 1 x 16 | 4196,17 | 12,0 | 153,6 | | 218 | |
| 1 x 25 | 6096,92 | 13,0 | 240,0 | | 324 | |
| 1 x 35 | 7983,70 | 15,0 | 336,0 | | 419 | |
| 1 x 50 | 9099,09 | 16,0 | 480,0 | | 554 | |
| 1 x 70 | 12272,58 | 18,0 | 672,0 | | 772 | |
| 1 x 95 | 16018,37 | 20,0 | 912,0 | | 1016 | |
| 1 x 120 | 19835,78 | 22,0 | 1152,0 | | 1286 | |
| 1 x 150 | 24797,68 | 24,0 | 1440,0 | | 1578 | |
| 1 x 185 | 30088,95 | 27,0 | 1776,0 | | 2088 | |
| 1 x 240 | 37658,43 | 30,0 | 2304,0 | | 2652 | |
| 1 x 300 | 49633,43 | 33,0 | 2880,0 | | 3331 | |
| 2 x 1.5 | 1887,55 | 12,1 | 28,8 | | 190 | |
| 2 x 2,5 | 2405,90 | 12,2 | 48,0 | | 220 | |
| | 0,00 | | | | | |
| 3 x 1.5 RE | 2006,16 | 13,0 | 43,2 | | 210 | |
| 3 x 2.5 RE | 2629,04 | 14,0 | 72,0 | | 260 | |
| 3 x 4 RE | 3875,44 | 15,0 | 115,2 | | 320 | |
| 3 x 6 RE | 5253,00 | 16,0 | 172,8 | | 400 | |
| 4 x 1.5 RE | 2447,09 | 15,0 | 57,6 | | 240 | |
| 4 x 2,5 RE | 3200,10 | 16,0 | 96,0 | | 300 | |
| 4 x 4 RE | 5369,68 | 17,0 | 153,6 | | 390 | |
| 4 x 6 RE | 6902,62 | 18,0 | 230,4 | | 490 | |
| 4 x 10 RE | 9926,21 | 21,0 | 384,0 | | 670 | |
| 4 x 16 RM | 16732,83 | 25,0 | 614,4 | | 950 | |
| 4 x 25 RM | 23095,71 | 26,0 | 960,0 | | 1430 | |
| 4 x 35 SM | 29884,47 | 29,0 | 1344,0 | | 1890 | |
| 4 x 50 SM | 39961,40 | 34,0 | 1920,0 | | 2510 | |
| 4 x 70 SM | 52859,12 | 38,0 | 2688,0 | | 3650 | |
| 4 x 95 SM | 76003,42 | 44,0 | 3648,0 | | 4750 | |
| 4 x 120 SM | 98535,24 | 48,0 | 4608,0 | | 5910 | |
| 4 x 150 SM | 118422,92 | 52,0 | 5760,0 | | 7240 | |
| 5 x 1.5 RE | 3532,01 | 18,0 | 72,0 | | 280 | |
| 5 x 2.5 RE | 4358,68 | 19,0 | 120,0 | | 354 | |
| 5 x 4 RE | 6888,63 | 21,0 | 192,0 | | 450 | |
| 5 x 6 RE | 8113,62 | 22,0 | 288,0 | | 570 | |
| 5 x 10 RE | 12421,63 | 25,0 | 480,0 | | 820 | |
| 5 x 16 RM | 19713,13 | 27,0 | 768,0 | | 1140 | |
| 5 x 25 RM | 27568,18 | 31,0 | 1200,0 | | 1710 | |
| 7 x 1.5 RE | 4842,51 | 16,0 | 100,8 | | 330 | |
| 12 x 1.5 RE | 7421,91 | 20,5 | 172,8 | | 500 | |
| 19 x 1.5 RE | 11291,95 | 24,0 | 273,6 | | 720 | |
| 24 x 1.5 RE | 13623,19 | 28,0 | 345,6 | | 890 | |
| 30 x 1.5 RE | 16354,65 | 31,0 | 432,0 | | 1090 | |
| 7 x 2.5 RE | 6364,15 | 18,0 | 168,0 | | 430 | |
| 12 x 2.5 RE | 9164,16 | 25,0 | 288,0 | | 650 | |
| 19 x 2.5 RE | 16156,90 | 26,0 | 456,0 | | 950 | |
| 24 x 2.5 RE | 19786,09 | 30,5 | 576,0 | | 1210 | |
| 30 x 2.5 RE | 23722,20 | 32,5 | 720,0 | | 1470 | |

| NHXX FE180/E90 | | | | | E90 | |
|----------------------------------|--------------|--|---------------|------------|------------|----------------|
| Cross-section (mm ²) | Price (€/km) | | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| 1 x 16 | 7659,12 | | 11,0 | 153,6 | | 250 |
| 1 x 25 | 10893,61 | | 13,0 | 240,0 | | 355 |
| 1 x 35 | 12619,89 | | 14,0 | 336,0 | | 460 |
| 1 x 50 | 16223,61 | | 16,0 | 480,0 | | 610 |
| 1 x 70 | 24572,31 | | 18,0 | 672,0 | | 810 |
| 1 x 95 | 24331,02 | | 20,0 | 912,0 | | 1100 |
| 1 x 120 | 30030,90 | | 21,0 | 1152,0 | | 1350 |
| 1 x 150 | 39376,06 | | 24,0 | 1440,0 | | 1650 |
| 1 x 185 | 44520,55 | | 26,0 | 1776,0 | | 2050 |
| 1 x 240 | 55189,75 | | 29,0 | 2304,0 | | 2650 |
| 1 x 300 | 90952,90 | | 32,0 | 2880,0 | | 3275 |
| | | | | | | |
| 2 x 1.5 | 3404,51 | | 13,0 | 28,8 | | 200 |
| | | | | | | |
| 3 x 1.5 RE | 3734,74 | | 13,5 | 43,2 | | 210 |
| 3 x 2.5 RE | 4690,54 | | 14,6 | 72,0 | | 243 |
| 3 x 4 RE | 6466,93 | | 15,5 | 115,2 | | 302 |
| 3 x 6 RE | 10895,70 | | 16,5 | 172,8 | | 399 |
| | | | | | | |
| 4 x 1.5 RE | 6065,75 | | 15,0 | 57,6 | | 245 |
| 4 x 2,5 RE | 7459,26 | | 16,0 | 96,0 | | 299 |
| 4 x 4 RE | 9472,31 | | 17,0 | 153,6 | | 376 |
| 4 x 6 RE | 10837,49 | | 18,5 | 230,4 | | 474 |
| 4 x 10 RE | 14517,66 | | 20,5 | 384,0 | | 657 |
| 4 x 16 RM | 24183,06 | | 24,0 | 614,4 | | 973 |
| 4 x 25 RM | 35824,36 | | 26,5 | 960,0 | | 1422 |
| 4 x 35 SM | 52033,90 | | 30,0 | 1344,0 | | 1858 |
| 4 x 50 SM | 56323,04 | | 35,0 | 1920,0 | | 2900 |
| 4 x 70 SM | 85188,65 | | 40,5 | 2688,0 | | 3900 |
| 4 x 95 SM | 114645,04 | | 45,5 | 3648,0 | | 5200 |
| 4 x 120 SM | 135458,65 | | 50,0 | 4608,0 | | 6300 |
| 4 x 150 SM | 164184,65 | | 55,0 | 5760,0 | | 6800 |
| | | | | | | |
| 5 x 1.5 RE | 6126,72 | | 15,5 | 72,0 | | 290 |
| 5 x 2.5 RE | 7636,25 | | 17,0 | 120,0 | | 359 |
| 5 x 4 RE | 10249,02 | | 18,5 | 192,0 | | 457 |
| 5 x 6 RE | 15182,28 | | 20,0 | 288,0 | | 577 |
| 5 x 10 RE | 17614,25 | | 22,0 | 480,0 | | 807 |
| 5 x 16 RM | 28862,73 | | 26,5 | 768,0 | | 1145 |
| 5 x 25 RM | 42164,69 | | 30,0 | 1200,0 | | 1765 |
| | | | | | | |
| 7 x 1.5 RE | 9577,41 | | 18,0 | 100,8 | | 282 |
| 12 x 1.5 RE | 16540,30 | | 23,5 | 172,8 | | 437 |
| 24 x 1.5 RE | 33475,45 | | 21,9 | 345,6 | | 816 |

FG16OR16

| Cross-section (mm ²) | Price (€/km) | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
|----------------------------------|--------------|---------------|------------|------------|----------------|
| 1 x 16 | 3897,56 | 11,4 | 153,6 | | 220 |
| 1 x 25 | 5146,06 | 13,2 | 240,0 | | 310 |
| 1 x 35 | 7039,23 | 14,6 | 336,0 | | 410 |
| 1 x 50 | 10039,08 | 16,4 | 480,0 | | 560 |
| 1 x 70 | 14315,82 | 18,3 | 672,0 | | 760 |
| 1 x 95 | 19007,26 | 20,4 | 912,0 | | 960 |
| 1 x 120 | 23913,05 | 22,4 | 1152,0 | | 1210 |
| 1 x 150 | 28032,74 | 24,8 | 1440,0 | | 1480 |
| 1 x 185 | 34333,16 | 27,0 | 1776,0 | | 1790 |
| 1 x 240 | 45180,28 | 30,2 | 2304,0 | | 2320 |
| 1 x 300 | 58520,03 | 33,0 | 2880,0 | | 2840 |
| 1 x 400 | 79143,91 | 36,5 | 3840,0 | | 3735 |
| 2 x 1,5 | 1211,56 | 12,0 | 28,8 | | 130 |
| 2 x 2,5 | 1709,01 | 13,0 | 48,0 | | 165 |
| 3 x 1,5 | 1480,18 | 12,5 | 43,2 | | 150 |
| 3 x 2,5 | 2094,91 | 13,6 | 72,0 | | 190 |
| 3 x 4 | 2737,16 | 14,9 | 115,2 | | 250 |
| 3 x 6 | 3724,13 | 16,2 | 172,8 | | 320 |
| 3 x 10 | 6202,90 | 18,2 | 288,0 | | 470 |
| 4 x 1,5 | 1939,29 | 13,4 | 57,6 | | 170 |
| 4 x 2,5 | 2778,24 | 14,6 | 96,0 | | 220 |
| 4 x 4 | 4093,58 | 16,0 | 153,6 | | 295 |
| 4 x 6 | 5772,81 | 17,5 | 230,4 | | 385 |
| 4 x 10 | 9407,12 | 19,8 | 384,0 | | 575 |
| 4 x 16 | 14140,78 | 22,4 | 614,4 | | 795 |
| 4 x 25 | 21831,49 | 26,8 | 960,0 | | 1205 |
| 3 x 35 + 1 x 25 | 26206,35 | 29,2 | 1248,0 | | 1535 |
| 3 x 50 + 1 x 25 | 35271,60 | 32,4 | 1680,0 | | 2020 |
| 3 x 70 + 1 x 35 | 50467,35 | 37,0 | 2352,0 | | 3030 |
| 3 x 95 + 1 x 50 | 68712,74 | 42,0 | 3216,0 | | 3915 |
| 3 x 120 + 1 x 70 | 89543,69 | 46,9 | 4128,0 | | 5040 |
| 3 x 150 + 1 x 95 | 120776,87 | 52,5 | 5232,0 | | 6300 |
| 5 x 1,5 | 2131,25 | 14,4 | 72,0 | | 195 |
| 5 x 2,5 | 3069,22 | 15,6 | 120,0 | | 260 |
| 5 x 4 | 4965,46 | 17,3 | 192,0 | | 345 |
| 5 x 6 | 6927,28 | 18,9 | 288,0 | | 455 |
| 5 x 10 | 12093,66 | 21,5 | 480,0 | | 680 |
| 5 x 16 | 17626,61 | 24,4 | 768,0 | | 970 |
| 5 x 25 | 25218,97 | 29,3 | 1200,0 | | 1470 |
| 5 x 35 | 34052,68 | 32,8 | 1680,0 | | 1990 |
| 7 x 1,5 | 3517,71 | 15,4 | 100,8 | | 260 |

| Solar | | | PV1-F | | | |
|----------------------------------|--------------|--|---------------|------------|------------|----------------|
| Cross-section (mm ²) | Price (€/km) | | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| 4 | 1302,07 | | 6,5 | 38,4 | | 60 |
| 6 | 1614,01 | | 7,0 | 57,6 | | 79 |
| 10 | 2735,78 | | 8,7 | 96,0 | | 130 |
| 16 | 4868,06 | | 9,4 | 153,6 | | 210 |

| Copper rope | | | | | | |
|----------------------------------|--------------|--|---------------|------------|------------|----------------|
| Cross-section (mm ²) | Price (€/km) | | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| 25 | 4206,16 | | 6,0 | 223,0 | | 223 |
| 35 | 5471,93 | | 7,0 | 309,0 | | 309 |
| 50 | 7544,02 | | 8,0 | 417,0 | | 417 |
| 70 | 11496,84 | | 10,0 | 616,0 | | 616 |
| 95 | 15902,66 | | 12,0 | 822,0 | | 822 |

| Fe/Zn tape | | | | | | |
|----------------------------------|--------------|--|---------------|------------|------------|----------------|
| Cross-section (mm ²) | Price (€/km) | | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| 20 x 3 | 2055,52 | | | | | 519 |
| 25 x 3 | 2150,00 | | | | | 647 |
| 25 x 4 | 2012,74 | | | | | 860 |
| 30 x 4 | 2030,70 | | | | | 1036 |
| 40 x 4 | 2144,83 | | | | | 1383 |

| E-AYY | | | PP00-A / NAYY | | | |
|----------------------------------|--------------|--|----------------------|------------|------------|----------------|
| Cross-section (mm ²) | Price (€/km) | | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| 4 x 16 RM | 2402,66 | | 20,1 | | 220 | 780 |
| 4 x 25 RM | 3692,28 | | 25,3 | | 290 | 852 |
| 4 x 35 SM | 4339,13 | | 25,6 | | 406 | 771 |
| 4 x 50 SM | 5662,52 | | 28,4 | | 580 | 1023 |
| 4 x 70 SM | 7792,82 | | 31,4 | | 812 | 1349 |
| 4 x 95 SM | 10534,70 | | 36,9 | | 1102 | 1846 |
| 4 x 120 SM | 13032,22 | | 39,9 | | 1392 | 2206 |
| 4 x 150 SM | 16405,84 | | 46,0 | | 1740 | 2617 |
| 4 x 185 SM | 20349,25 | | 51,7 | | 2176 | 3570 |
| 4 x 240 SM | 24527,05 | | 57,9 | | 2822 | 4380 |

| SKS | | | | | | | N1XD4-AR, N1XD9-AR | |
|----------------------------------|----------------|--|---------------|------------|------------|----------------|---------------------------|------|
| Cross-section (mm ²) | Price (€/km) | | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) | | |
| 2 x 16 | 924,46 | | | | 93 | | | 130 |
| 4 x 16 | 1777,00 | | | | 186 | | | 260 |
| 3 x 35 + 70 | 5415,19 | | | | 508 | | | 682 |
| 3 x 35 + 70 + 2 x 16 | 6261,54 | | | | 600 | | | 812 |
| 3 x 70 + 70 | 7714,08 | | | | 812 | | | 1018 |
| 3 x 70 + 70 + 2 x 16 | 8571,36 | | | | 907 | | | 1148 |

| SiF | | | | | | |
|----------------------------------|-----------------|--|---------------|------------|------------|----------------|
| Cross-section (mm ²) | Price (€/km) | | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| 0,75 | 243,96 | | 2,4 | 7,7 | | 12 |
| 1 | 313,37 | | 2,5 | 9,6 | | 14 |
| 1,5 | 443,09 | | 2,8 | 14,4 | | 18 |
| 2,5 | 712,45 | | 4,0 | 24,0 | | 35 |
| 4 | 1154,29 | | 5,5 | 38,4 | | 55 |
| 6 | 1778,22 | | 5,2 | 57,6 | | 71 |
| 10 | 2790,23 | | 6,3 | 96,0 | | 110 |
| 16 | 5406,17 | | 8,0 | 153,6 | | 188 |
| 25 | 8456,15 | | 9,9 | 240,0 | | 296 |
| 35 | 11960,26 | | 11,2 | 336,0 | | 400 |
| 50 | 16934,23 | | 13,8 | 480,0 | | 570 |
| 70 | 23040,89 | | 15,0 | 672,0 | | 740 |

| SiHF | | | | | | |
|----------------------------------|----------------|--|---------------|------------|------------|----------------|
| Cross-section (mm ²) | Price (€/km) | | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| 2 x 0,75 | 840,25 | | 6,4 | 14,4 | | 57 |
| 3 x 0,75 | 1193,59 | | 6,8 | 22,1 | | 67 |
| 2 x 1,5 | 1377,02 | | 7,5 | 28,8 | | 81 |
| 3 x 1,5 | 2040,08 | | 8,0 | 43,2 | | 83 |
| 4 x 1,5 | 2514,18 | | 8,8 | 57,6 | | 120 |
| 5 x 1,5 | 3843,34 | | 9,5 | 72,0 | | 145 |
| 3 x 2,5 | 3161,76 | | 9,5 | 72,0 | | 125 |
| 4 x 2,5 | 4130,80 | | 10,5 | 96,0 | | 180 |
| 5 x 2,5 | 5882,97 | | 11,7 | 120,0 | | 270 |

| H07BQ-F | | | | | | |
|----------------------------------|--------------|--|---------------|------------|------------|----------------|
| Cross-section (mm ²) | Price (€/km) | | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| 2 x 1,5 | 1662,74 | | 8,8 | 28,8 | | 88 |
| 3 x 1,5 | 2066,59 | | 9,3 | 43,2 | | 110 |
| 4 x 1,5 | 2821,48 | | 10,3 | 57,6 | | 140 |
| 5 x 1,5 | 3260,49 | | 11,2 | 72,0 | | 169 |
| | | | | | | |
| 3 x 2,5 | 3157,51 | | 11,0 | 72,0 | | 163 |
| 4 x 2,5 | 4176,63 | | 12,2 | 96,0 | | 208 |
| 5 x 2,5 | 4888,32 | | 13,5 | 120,0 | | 257 |
| | | | | | | |
| 4 x 4 | 6588,64 | | 14,0 | 154,0 | | 293 |
| 4 x 6 | 9867,46 | | 15,2 | 230,0 | | 346 |
| 4 x 10 | 17045,47 | | 20,2 | 384,0 | | 702 |
| 4 x 16 | 24765,32 | | 22,8 | 614,4 | | 981 |
| | | | | | | |
| 5 x 4 | 7260,09 | | 15,6 | 192,0 | | 365 |
| 5 x 6 | 10776,11 | | 17,6 | 288,0 | | 504 |
| 5 x 10 | 18412,06 | | 23,2 | 480,0 | | 962 |
| 5 x 16 | 20980,40 | | 27,1 | 768,0 | | 1379 |

| JB-Y(St)Y | | | | | | |
|----------------------------------|--------------|--|---------------|------------|------------|----------------|
| Cross-section (mm ²) | Price (€/km) | | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| 1 x 2 x 0,8 | 297,36 | | 5,7 | 11,0 | | 39 |
| 2 x 2 x 0,8 | 523,28 | | 6,1 | 21,0 | | 54 |
| 4 x 2 x 0,8 | 1068,89 | | 8,7 | 41,0 | | 94 |
| 6 x 2 x 0,8 | 1517,38 | | 10,1 | 62,0 | | 135 |
| 10 x 2 x 0,8 | 2652,28 | | 13,1 | 103,0 | | 205 |
| 20 x 2 x 0,8 | 5295,34 | | 15,6 | 204,0 | | 352 |
| 30 x 2 x 0,8 | 7928,11 | | 19,4 | 304,0 | | 522 |

| J-Y(St)Y | | | | TI-44 | | |
|----------------------------------|--------------|--|---------------|--------------|------------|----------------|
| Cross-section (mm ²) | Price (€/km) | | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| 1 x 2 x 0,6 | 202,74 | | 4,0 | 11,0 | | 20 |
| 2 x 2 x 0,6 | 332,63 | | 4,5 | 13,0 | | 30 |
| 3 x 2 x 0,6 | 458,70 | | 6,5 | 19,0 | | 50 |
| 4 x 2 x 0,6 | 597,19 | | 7,0 | 25,0 | | 60 |
| 5 x 2 x 0,6 | 797,64 | | 7,5 | 30,0 | | 70 |
| 6 x 2 x 0,6 | 884,69 | | 8,0 | 35,0 | | 80 |
| 10 x 2 x 0,6 | 1378,52 | | 10,0 | 59,0 | | 110 |
| 20 x 2 x 0,6 | 2863,60 | | 12,0 | 115,0 | | 190 |
| 30 x 2 x 0,6 | 4165,41 | | 14,0 | 172,0 | | 280 |
| 50 x 2 x 0,6 | 7047,82 | | 17,0 | 286,0 | | 430 |
| 100 x 2 x 0,6 | 13514,29 | | 23,5 | 569,0 | | 820 |

| Cross-section (mm ²) | Price (€/km) | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
|----------------------------------|--------------|---------------|------------|------------|----------------|
| 1 x 2 x 0,8 | 293,91 | 5,5 | 18,0 | | 40 |
| 2 x 2 x 0,8 | 508,00 | 7,0 | 22,0 | | 60 |
| 3 x 2 x 0,8 | 819,62 | 8,5 | 31,0 | | 80 |
| 4 x 2 x 0,8 | 1004,36 | 9,0 | 42,0 | | 100 |
| 5 x 2 x 0,8 | 1358,69 | 9,5 | 52,0 | | 120 |
| 6 x 2 x 0,8 | 1543,66 | 11,0 | 62,0 | | 140 |
| 10 x 2 x 0,8 | 2700,23 | 14,0 | 103,0 | | 220 |
| 20 x 2 x 0,8 | 5411,03 | 17,0 | 203,0 | | 370 |
| 30 x 2 x 0,8 | 9078,42 | 21,0 | 304,0 | | 550 |
| 50 x 2 x 0,8 | 13278,10 | 25,5 | 506,0 | | 880 |
| 100x 2 x 0,8 | 26737,95 | 36,0 | 1008,0 | | 1700 |

| TK 59 | | | | | |
|----------------------------------|--------------|---------------|------------|------------|----------------|
| A-2YF(L)2Y | | | | | |
| Cross-section (mm ²) | Price (€/km) | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| 2 x 2 x 0,6 | 643,06 | 8,3 | 11,0 | | 69 |
| 6 x 2 x 0,6 | 1573,04 | 11,0 | 34,0 | | 129 |
| 10 x 2 x 0,6 | 2501,21 | 12,5 | 54,0 | | 185 |
| 20 x 2 x 0,6 | 4265,99 | 15,8 | 111,0 | | 315 |
| 30 x 2 x 0,6 | 5887,85 | 19,0 | 165,0 | | 425 |
| 50 x 2 x 0,6 | 9591,51 | 22,2 | 272,0 | | 626 |
| 100 x 2 x 0,6 | 17892,21 | 30,3 | 547,0 | | 1235 |
| 2 x 2 x 0,8 | 965,28 | 8,8 | 21,0 | | 88 |
| 6 x 2 x 0,8 | 2572,77 | 12,0 | 60,0 | | 169 |
| 10 x 2 x 0,8 | 4164,11 | 14,0 | 100,0 | | 240 |
| 20 x 2 x 0,8 | 6638,15 | 19,1 | 200,0 | | 459 |
| 30 x 2 x 0,8 | 9596,57 | 22,0 | 300,0 | | 595 |
| 50 x 2 x 0,8 | 15929,59 | 26,0 | 500,0 | | 1060 |

| YYSch | | | | | |
|----------------------------------|--------------|---------------|------------|------------|----------------|
| Cross-section (mm ²) | Price (€/km) | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| 2 x 0,6 | 193,54 | 3,0 | 5,6 | | 12 |
| 3 x 0,6 | 227,67 | 3,2 | 8,4 | | 16 |
| 4 x 0,6 | 303,92 | 3,4 | 11,2 | | 20 |
| 5 x 0,6 | 362,40 | 3,7 | 14,0 | | 26 |
| 6 x 0,6 | 432,37 | 4,0 | 16,8 | | 29 |
| 10 x 0,6 | 714,18 | 6,0 | 28,0 | | 54 |
| 16 x 0,6 | 1287,83 | 6,8 | 45,0 | | 78 |
| 26 x 0,6 | 1618,59 | 8,2 | 72,8 | | 110 |

| JE-H(ST)H E30/E90 | | | | | | |
|----------------------------------|--------------|--|---------------|------------|------------|----------------|
| Cross-section (mm ²) | Price (€/km) | | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| 1 x 2 x 0,8 E30 | 692,17 | | 5,5 | 19,0 | | 40 |
| 1 x 2 x 0,8 E90 | 737,85 | | 5,5 | 19,0 | | 40 |
| 2 x 2 x 0,8 E30 | 1208,79 | | 6,8 | 25,0 | | 61 |
| 2 x 2 x 0,8 E90 | 1351,37 | | 6,8 | 25,0 | | 61 |

| Koax | | | RG / CATV | | | |
|----------------------------------|--------------|--|------------------|------------|------------|----------------|
| Cross-section (mm ²) | Price (€/km) | | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| RG 6 75 Ω | 218,70 | | 5,0 | 20,0 | | 45 |
| RG 11 75 Ω | 1996,36 | | 10,3 | 55,6 | | 188 |
| RG 58 C/U 50 Ω | 744,70 | | 5,0 | 21,3 | | 39 |
| RG 59 B/U 75 Ω | 858,05 | | 6,2 | 26,0 | | 57 |
| RG 213 U 50 Ω | 2486,63 | | 10,3 | 85,0 | | 157 |
| RG 214 U 50 Ω | 5233,94 | | 10,8 | 90,0 | | 200 |
| 1,13 / 4,8 Tri-shield | 680,98 | | 7,0 | 16,3 | | 48 |
| 1,02 / 4,57 Tri-shield Coax10 AD | 647,96 | | 6,9 | 7,5 | | 44 |

| Loudspeaker cables | | | LFZ-XY/NYFAZ | | | |
|----------------------------------|--------------|--|---------------------|------------|------------|----------------|
| Cross-section (mm ²) | Price (€/km) | | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| 2 x 0,75 red/black | 327,35 | | 2,20x4,40 | 14,4 | | 22 |
| 2 x 1 red/black | 434,70 | | 2,54x4,90 | 19,2 | | 28 |
| 2 x 1,5 red/black | 619,44 | | 2,90x5,90 | 28,8 | | 36 |
| 2 x 2,5 red/black | 952,24 | | 3,60x7,20 | 48,0 | | 58 |
| 2 x 4 red/black | 1953,65 | | 4,70x9,40 | 76,8 | | 100 |
| 2 x 1,5 transparent | 781,21 | | 2,90x5,90 | 28,8 | | 40 |
| 2 x 2,5 transparent | 1305,50 | | 3,60x7,20 | 48,0 | | 60 |
| 2 x 4 transparent | 2515,46 | | 4,70x9,40 | 76,8 | | 103 |

| Alarm AF CCA | | | Security | | | |
|----------------------------------|--------------|--|-----------------|------------|------------|----------------|
| Cross-section (mm ²) | Price (€/km) | | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| 4 AF 22 | 262,68 | | 3,3 | | | 21 |
| 6 AF 22 | 343,41 | | 4,2 | | | 28 |
| 8 AF 22 | 431,96 | | 4,6 | | | 35 |
| 10 AF 22 | 531,91 | | 5,2 | | | 41 |
| 12 AF 22 | 601,76 | | 5,4 | | | 50 |
| 4 AF 22 + 2 x 0,50 | 441,76 | | 4,2 | | | 40 |
| 6 AF 22 + 2 x 0,75 | 606,63 | | 5,4 | | | 50 |

| Alarm AF Cu | | | Security | | | |
|----------------------------------|--------------|--|-----------------|------------|------------|----------------|
| Cross-section (mm ²) | Price (€/km) | | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| 4 AF 22 | 295,48 | | 3,3 | | | 22 |
| 6 AF 22 | 394,91 | | 4,2 | | | 29 |
| 8 AF 22 | 505,80 | | 4,6 | | | 36 |
| 10 AF 22 | 613,88 | | 5,2 | | | 42 |
| 12 AF 22 | 711,72 | | 5,4 | | | 51 |
| 4 AF 22 + 2 x 0,50 | 519,20 | | 4,2 | | | 41 |
| 6 AF 22 + 2 x 0,75 | 689,96 | | 5,4 | | | 51 |

| LiYCY | | | | | | |
|----------------------------------|--------------|--|---------------|------------|------------|----------------|
| Cross-section (mm ²) | Price (€/km) | | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| 2 x 0,14 | 522,75 | | 3,5 | 13,0 | | 20 |
| 3 x 0,14 | 602,91 | | 3,7 | 15,0 | | 26 |
| 4 x 0,14 | 698,16 | | 4,0 | 17,0 | | 28 |
| 5 x 0,14 | 761,42 | | 4,3 | 20,0 | | 33 |
| 6 x 0,14 | 898,37 | | 4,7 | 23,0 | | 38 |
| 7 x 0,14 | 983,94 | | 4,8 | 25,0 | | 41 |
| 10 x 0,14 | 1404,60 | | 5,7 | 30,0 | | 56 |
| 12 x 0,14 | 1601,72 | | 6,1 | 33,0 | | 63 |
| 14 x 0,14 | 1776,01 | | 6,5 | 36,0 | | 69 |
| 16 x 0,14 | 2107,23 | | 6,8 | 42,0 | | 80 |
| 2 x 0,25 | 583,89 | | 3,7 | 15,0 | | 25 |
| 3 x 0,25 | 731,13 | | 4,1 | 18,0 | | 32 |
| 4 x 0,25 | 832,31 | | 4,7 | 22,0 | | 40 |
| 5 x 0,25 | 990,95 | | 5,0 | 26,0 | | 47 |
| 6 x 0,25 | 1266,22 | | 5,2 | 30,0 | | 54 |
| 7 x 0,25 | 1182,14 | | 5,4 | 35,0 | | 56 |
| 10 x 0,25 | 1631,70 | | 6,5 | 44,0 | | 80 |
| 12 x 0,25 | 1898,71 | | 7,0 | 50,0 | | 95 |
| 16 x 0,25 | 2529,84 | | 7,8 | 74,0 | | 116 |
| 20 x 0,25 | 3834,99 | | 9,5 | 83,0 | | 124,7 |
| 2 x 0,34 | 662,24 | | 4,6 | 18,0 | | 33 |
| 3 x 0,34 | 811,50 | | 5,0 | 22,0 | | 41 |
| 4 x 0,34 | 1020,67 | | 5,4 | 26,0 | | 54 |
| 5 x 0,34 | 1434,54 | | 5,8 | 32,0 | | 60 |
| 2 x 0,50 | 664,10 | | 5,1 | 24,0 | | 43 |
| 3 x 0,50 | 957,65 | | 5,4 | 32,0 | | 54 |
| 4 x 0,50 | 1179,30 | | 6,1 | 37,0 | | 64 |
| 5 x 0,50 | 1469,11 | | 6,7 | 55,0 | | 84 |
| 6 x 0,50 | 1849,04 | | 7,2 | 63,0 | | 95 |
| 7 x 0,50 | 1994,78 | | 7,2 | 68,0 | | 102 |
| 10 x 0,50 | 2867,17 | | 8,6 | 93,0 | | 137 |
| 2 x 0,75 | 798,39 | | 5,4 | 32,0 | | 53 |
| 3 x 0,75 | 1021,76 | | 5,8 | 40,0 | | 66 |
| 4 x 0,75 | 1352,58 | | 6,4 | 60,0 | | 78 |
| 5 x 0,75 | 1918,24 | | 7,1 | 72,0 | | 99 |
| 7 x 0,75 | 2088,47 | | 7,9 | 92,0 | | 129 |

| Cross-section (mm ²) | Price (€/km) | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
|----------------------------------|--------------|---------------|------------|------------|----------------|
| 2 x 1,0 | 1079,31 | 6,0 | 50,0 | | 63 |
| 3 x 1,0 | 1450,95 | 6,4 | 60,0 | | 82 |
| 4 x 1,0 | 1871,13 | 6,9 | 74,0 | | 97 |
| 5 x 1,0 | 2257,63 | 7,8 | 89,0 | | 121 |
| 2 x 1,5 | 1289,11 | 7,1 | 57,0 | | 84 |
| 3 x 1,5 | 1795,28 | 7,5 | 74,0 | | 106 |
| 4 x 1,5 | 2510,58 | 8,4 | 92,0 | | 136 |
| 5 x 1,5 | 2990,14 | 9,5 | 111,0 | | 178 |

| LiYCY-TP | | | | | | Twisted pair |
|----------------------------------|--------------|---------------|------------|------------|----------------|---------------------|
| Cross-section (mm ²) | Price (€/km) | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) | |
| 2 x 2 x 0,25 | 1000,33 | 5,1 | 28,0 | | 44 | |
| 3 x 2 x 0,25 | 1216,86 | 5,7 | 44,0 | | 56 | |
| 4 x 2 x 0,25 | 1428,89 | 6,6 | 57,0 | | 71 | |
| 5 x 2 x 0,25 | 1929,07 | 7,4 | 63,0 | | 82 | |
| 6 x 2 x 0,25 | 2267,61 | 7,5 | 68,0 | | 99 | |
| 2 x 2 x 0,34 | 1269,41 | 6,6 | 45,0 | | 66 | |
| 3 x 2 x 0,34 | 1607,11 | 7,5 | 54,0 | | 80 | |
| 4 x 2 x 0,34 | 1886,51 | 8,5 | 67,0 | | 101 | |
| 2 x 2 x 0,5 | 1375,65 | 7,2 | 52,0 | | 79 | |
| 3 x 2 x 0,5 | 1801,47 | 8,6 | 67,0 | | 106 | |
| 4 x 2 x 0,5 | 2172,49 | 9,3 | 83,0 | | 126 | |
| 6 x 2 x 0,5 | 3556,51 | 12,0 | 112,0 | | 186 | |
| 8 x 2 x 0,5 | 4309,69 | 13,2 | 132,0 | | 232 | |
| 12 x 2 x 0,5 | 6280,63 | 15,4 | 196,0 | | 313 | |
| 2 x 2 x 0,75 | 1520,71 | 7,7 | 68,0 | | 96 | |
| 3 x 2 x 0,75 | 2310,27 | 9,3 | 85,0 | | 132 | |
| 4 x 2 x 0,75 | 2903,80 | 9,8 | 124,0 | | 164 | |
| 6 x 2 x 0,75 | 4819,91 | 11,6 | 145,0 | | 251 | |

| LAN | | | Data | | | |
|------------------------|--------------|--|---------------|------------|------------|----------------|
| Cross-section | Price (€/km) | | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| Cat.5e U/UTP PVC | 408,63 | | 5,0 | 17,5 | | 35 |
| Cat.5e U/UTP LSOH | 385,91 | | 5,1 | 17,5 | | 35 |
| Cat.5e F/UTP | 549,68 | | 5,9 | 19,8 | | 36 |
| Cat.5e S/FTP | 787,88 | | 6,4 | 30,0 | | 46 |
| Cat.5e flex UTP | 635,45 | | 4,9 | 11,0 | | 25 |
| Cat.5e flex FTP | 769,85 | | 5,0 | 12,0 | | 25 |
| Cat.6 U/UTP PVC | 633,37 | | 6,2 | 18,0 | | 39 |
| Cat.6 U/UTP LSOH | 621,32 | | 6,2 | 18,0 | | 39 |
| Cat.6 F/UTP PVC | 812,01 | | 6,5 | 24,0 | | 44 |
| Cat.6 F/UTP LSOH | 821,42 | | 6,5 | 24,0 | | 44 |
| Cat.6 S/FTP | 1032,03 | | 6,9 | 29,0 | | 49 |
| Cat.5e FTP PE Outdoor | 787,57 | | 6,0 | 20,0 | | 39 |
| Cat.6 FTP PE Outdoor | 1427,59 | | 6,5 | 24,0 | | 53 |
| Cat.7 S/FTP PE Outdoor | 1511,28 | | 7,9 | 44,0 | | 81 |
| Cat.7 S/FTP | 1108,38 | | 7,5 | 44,0 | | 75 |

| Fibre optic cables | | | Multimode | | | |
|---------------------------|--------------|--|------------------|------------|------------|----------------|
| Cross-section | Price (€/km) | | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| A/J-DQ(ZN)H 4 G 50 / 125 | 907,61 | | 7,5 | | | 35 |
| A/J-DQ(ZN)H 8 G 50 / 125 | 1221,60 | | 7,5 | | | 35 |
| A/J-DQ(ZN)H 12 G 50 / 125 | 1507,06 | | 7,5 | | | 35 |
| A/J-DQ(ZN)H 24 G 50 / 125 | 2445,44 | | 7,5 | | | 35 |

| Fibre optic cables | | | Singlemode (without rodent protection) | | | |
|---------------------------|--------------|--|--|------------|------------|----------------|
| Cross-section | Price (€/km) | | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| A-DQ(ZN)2Y 3x4 E9/125 | 1364,75 | | 9,7 | | | 70 |
| A-DQ(ZN)2Y 6x4 E9/125 | 1746,40 | | 9,7 | | | 70 |
| A-DQ(ZN)2Y 6x8 E9/125 | 2632,06 | | 9,7 | | | 70 |
| A-DQ(ZN)2Y 6x12 E9/125 | 3354,86 | | 9,7 | | | 70 |
| A-DQ(ZN)2Y 8x12 E9/125 | 4599,35 | | 9,7 | | | 70 |

| Fibre optic cables | | | Singlemode (with rodent protection) | | | |
|---------------------------|--------------|--|---|------------|------------|----------------|
| Cross-section | Price (€/km) | | Diameter (mm) | Cu (kg/km) | Al (kg/km) | Weight (kg/km) |
| A-DQ(ZN)B2Y 3x4 E9/125 | 1344,58 | | 11,5 | | | 100 |
| A-DQ(ZN)B2Y 6x4 E9/125 | 1879,00 | | 11,5 | | | 100 |
| A-DQ(ZN)B2Y 6x8 E9/125 | 2277,52 | | 11,5 | | | 100 |
| A-DQ(ZN)B2Y 6x12 E9/125 | 5871,75 | | 11,5 | | | 100 |
| A-DQ(ZN)B2Y 8x12 E9/125 | 3979,65 | | 11,5 | | | 100 |

Price list is formed on 1.11.2022 and it depends on daily movement of Cu and Al on LME

TESLA KABELI d.o.o.

Industrijska 20, 10431 Sv. Nedelja

tel: +385 1 2362-900

fax: +385 1 2362-901

e-mail: info@teslacables.com

Contacts:

| | | |
|-------------------|--|-------------|
| Hrvoje Buljan | hrvoje.buljan@teslacables.com | 01/2362-909 |
| Igor Balentović | igor.balentovic@teslacables.com | 01/2362-904 |
| Toni Gulam | toni.gulam@teslacables.com | 01/2362-920 |
| Sandra Kostelac | sandra.kostelac@teslacables.com | 01/2362-905 |
| Iskra Radman | iskra.radman@teslacables.com | 01/2362-907 |
| Antonio Šiljković | antonio.siljkovic@teslacables.com | 01/2362-909 |
| Davor Dubajić | davor.dubajic@teslacables.com | 01/2362-919 |
| Marko Joka | marko.joka@teslacables.com | 01/2362-903 |
| Sven Novoselić | sven.novoselic@teslacables.com | 01/2362-910 |