



TESLA CABLES

CABLES & WIRES

PRICE LIST - EXPORT

of cables and wires up to 1 kV

January 2017



TESLA CABLES

www.teslacables.com

CONTENT

PVC insulated wires

H07V-U	(P) (Ye)	1
H07V-R	(P/M) (Ym)	1
H07V-K	(P/F) (Yf)	1

PVC sheathed wires

YM	(PP) (NYM) ((N)YM)	2
PP/R	(NYIFY)	2
H03VH-H	(P/L)	2
H03VV-F	(PP/L)	2
H05VV-F	(PP/J)	3

Rubber insulated wires and cables

H05RR-F	(GG/J)	3
H07RN-F		4
H01N2-D		4

Control cables

YSLY	(LS-YY)(Y-JZ)	5
YSLCY	(LS-YYCVY)(CY-JZ)	6

Energy cables

E-YY	(PP00)(NYY)	7-8
N2XH		8-9
NYCY	(PP40)	9
NHXH FE180/E30		10
NHXH FE180/E90		11
FG7OR		12
E-AYY	(PP00-A)(NAYY)	13

Solar cables

Solar		12
-------	--	----

Non-insulated rope and tape

Copper rope		13
Fe/Zn tape		13



Self-supported cable bundle

SKS	(X00-A, X00/0-A, N1XD4-AR)	13
-----	----------------------------	----

Silicone and PUR insulated wires and cables

SiF		14
SiHF		14
H07BQ-F		14

Fire alarm cables

JB-Y(St)Y		15
-----------	--	----

Telecommunication cables

J-Y(St)Y	(TI-44)	15
TK 59	(A-2YF(L)2Y)(xZTKMXpw)(TCEPKPFLE)	16
YYSch		16
JE-H(St)H E30/E90		16

Coaxial cables

Coax	(RG)(CATV)	16
------	------------	----

Loudspeaker cables

17

Alarm cables

Alarm AF CCu		17
Alarm AF Cu		17

Electronic cables



LiYCY		18
LiYCY-TP		19

Data cables LAN

19


















Fibre optic cables




Multimode		20
Singlemode		20

H07V-U						P / Ye
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1,5	 121,37		2,6	14,4		19
2,5	 196,44		3,2	24,0		31
4	337,31		3,7	38,4		46
6	505,98		4,2	57,6		62
10	845,62		5,3	96,0		104

H07V-R						P/M / Ym
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
10	839,47		5,7	96,0		108
16	1309,12		6,7	153,6		162
25	2092,23		8,2	240,0		253
35	2908,14		9,3	336,0		343
50	4055,92		10,7	480,0		500
70	5889,95		12,7	672,0		710
95	7957,86		14,5	912,0		980
120	9912,74		16,0	1152,0		1200
150	12341,66		17,7	1440,0		1500

H07V-K						P/F / Yf
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
0,5	59,39		2,0	4,8		8
0,75	82,10		2,2	7,2		11
1	106,75		2,4	9,6		13
1,5	119,73		2,8	14,4		20
2,5	199,73		3,5	24,0		31
4	320,88		4,0	38,4		45
6	472,11		5,0	57,6		64
10	817,38		6,7	96,0		110
16	1271,71		7,6	153,6		164
25	1921,82		8,1	240,0		290
35	2760,18		9,2	336,0		380
50	3829,07		11,6	480,0		550
70	5429,90		13,4	672,0		716
95	7223,82		15,5	912,0		976
120	9237,18		17,1	1152,0		1214
150	11256,76		22,0	1440,0		1530
185	14151,64		25,0	1776,0		1900
240	19381,32		28,0	2304,0		2450

YM			PP / NYM / (N)YM			
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	 325,75		7,9	28,8		81
3 x 1,5 R50/R100	 394,40		8,3	43,2		99
3 x 1,5 bubanj	 401,32		8,3	43,2		99
4 x 1,5	 545,81		9,9	57,6		121
5 x 1,5 R50/R100	 651,32		9,7	72,0		144
5 x 1,5 bubanj	 661,33		9,7	72,0		144
7 x 1,5			10,4	100,8		208
2 x 2,5			9,2	48,0		135
3 x 2,5 R50/R100	 639,39		9,7	72,0		141
3 x 2,5 bubanj	 649,37		9,7	72,0		141
4 x 2,5	 873,97		10,5	96,0		175
5 x 2,5 R50/R100	 1050,46		11,5	120,0		209
5 x 2,5 bubanj	 1063,59		11,5	120,0		209
3 x 4			10,7	115,2		232
4 x 4	 1405,61		12,0	153,6		271
5 x 4	 1682,03		13,5	192,0		323
3 x 6			12,3	172,8		322
4 x 6	 2027,74		13,7	230,4		344
5 x 6	 2440,38		15,0	288,0		410
4 x 10	 3824,10		16,4	384,0		555
5 x 10	 4378,93		18,0	480,0		665

PP/R			NYIFY			
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	 315,53		3,0	28,8		60
3 x 1,5	 433,66		3,2	43,2		86
3 x 2,5	 704,45		4,0	72,0		130

H03VH-H			P/L			
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75			2,7	9,6		33

H03VV-F			PP/L			
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75			5,2	14,4		45
3 x 0,75			5,5	21,6		53
4 x 0,75			6,1	28,8		66
5 x 0,75			6,8	36,0		81

H05VV-F						PP/J
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1	242,90		6,2	19,2		67
3 x 1	323,05		6,6	28,8		79
4 x 1	501,72		7,4	38,4		86
5 x 1	617,05		8,1	48,0		102
7 x 1	1045,04		9,0	67,2		136
2 x 1,5	322,41		7,0	28,8		89
3 x 1,5	427,85		7,6	43,2		111
4 x 1,5	575,91		8,5	57,6		141
5 x 1,5	726,57		9,5	72,0		177
7 x 1,5	1310,33		10,6	100,8		189
2 x 2,5	1100,84		8,8	48,0		116
3 x 2,5	711,64		9,5	72,0		169
4 x 2,5	908,15		10,4	96,0		207
5 x 2,5	1160,85		11,5	120,0		259
4 x 4	1907,71		12,0	153,6		257
5 x 4	1905,67		13,3	192,0		311
4 x 6	2655,58		14,5	230,4		377
5 x 6	3648,64		16,0	288,0		455

H05RR-F						GG/J
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	641,97		8,5	28,8		110
3 x 1,5	748,27		9,0	43,2		130
4 x 1,5	1036,93		10,0	57,6		160
5 x 1,5	1231,90		11,5	72,0		200
2 x 2,5	1081,71		10,5	48,0		150
3 x 2,5	1173,26		11,0	72,0		190
4 x 2,5	1603,44		12,0	96,0		240
5 x 2,5	1945,87		13,0	120,0		290

H07RN-F

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	756,43	10,0	28,8		130
3 x 1,5	872,76	11,0	43,2		170
4 x 1,5	1152,55	12,0	57,6		200
5 x 1,5	1373,57	13,0	72,0		240
7 x 1,5	2643,57	16,0	100,8		342
12 x 1,5	4258,94	19,0	172,8		505
2 x 2,5	1100,29	12,0	48,0		190
3 x 2,5	1315,18	12,5	72,0		240
4 x 2,5	1745,36	14,0	96,0		275
5 x 2,5	2207,35	15,5	120,0		340
7 x 2,5	4057,15	18,0	168,0		485
12 x 2,5	6736,33	23,0	288,0		799
4 x 4	2560,45	16,5	153,6		410
5 x 4	3228,03	18,5	192,0		500
4 x 6	3589,35	19,0	230,4		500
5 x 6	4358,66	21,0	288,0		650
4 x 10	6774,86	24,5	384,0		930
5 x 10	8326,52	26,5	480,0		1120
4 x 16	9741,40	27,5	614,4		1260
5 x 16	11826,04	30,5	768,0		1550
4 x 25	14865,88	34,0	960,0		1890
5 x 25	19101,60	37,5	1200,0		2300
4 x 35	19675,33	37,0	1344,0		2410
5 x 35	25040,75	43,0	1680,0		3008
4 x 50	27959,95	43,5	1920,0		3350
4 x 70	38262,17	49,5	2688,0		4460
4 x 95	50432,98	55,5	3648,0		5750

H01N2-D

KZS

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
16	2876,11	9,5	153,6		210
25	3607,50	11,0	240,0		300
35	4205,03	12,0	336,0		400
50	6026,21	14,0	480,0		560
70	8553,17	16,5	672,0		780
95	13310,07	18,5	912,0		1010

YSLY		LS-YY / Y-JZ			
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,5	236,53	6,0	9,6		45
3 x 0,5	290,13	6,2	14,4		50
4 x 0,5	367,57	6,5	19,2		60
5 x 0,5	425,73	7,0	24,0		70
7 x 0,5	622,85	7,5	33,6		85
10 x 0,5	941,62	9,5	48,0		125
12 x 0,5	1094,08	10,0	57,6		140
14 x 0,5	1274,51	10,5	67,2		160
21 x 0,5	2015,53	12,5	100,8		230
25 x 0,5	2337,07	14,0	120,0		280
2 x 0,75	278,63	6,5	14,4		50
3 x 0,75	362,96	6,5	21,6		65
4 x 0,75	468,69	7,5	28,8		75
5 x 0,75	579,13	8,0	36,0		95
6 x 0,75	824,34	8,5	43,2		105
7 x 0,75	780,40	8,5	50,4		120
10 x 0,75	1182,16	11,0	72,0		160
12 x 0,75	1426,11	11,5	86,4		180
21 x 0,75	2584,43	14,0	151,2		310
25 x 0,75	3071,05	16,5	180,0		390
2 x 1	347,29	7,0	19,2		65
3 x 1	481,93	7,5	28,8		75
4 x 1	618,60	8,0	38,4		95
5 x 1	792,14	8,5	48,0		120
7 x 1	1102,68	9,0	67,2		140
10 x 1	1650,78	11,5	96,0		200
12 x 1	1932,04	12,0	115,2		220
14 x 1	2282,53	13,0	134,4		270
16 x 1	2391,66	14,0	153,6		300
18 x 1	2700,24	14,5	172,8		330
21 x 1	3456,93	15,5	201,6		390
25 x 1	3694,92	17,5	240,0		480
34 x 1	5336,43	20,0	326,4		640
2 x 1,5	467,78	7,5	28,8		80
3 x 1,5	618,89	8,0	43,2		100
4 x 1,5	797,68	8,5	57,6		120
5 x 1,5	991,05	9,5	72,0		150
6 x 1,5	1428,44	10,5	86,4		170
7 x 1,5	1315,42	10,5	100,8		190
10 x 1,5	2182,03	13,5	144,0		290
12 x 1,5	2313,61	14,0	172,8		320
14 x 1,5	3197,42	15,0	201,6		380
16 x 1,5	3457,48	16,0	230,4		420
18 x 1,5	3992,12	17,0	259,2		470
21 x 1,5	4722,93	17,5	302,4		520
25 x 1,5	5487,80	20,5	360,0		660
2 x 2,5	725,15	9,0	48,0		120
3 x 2,5	930,28	9,5	72,0		140
4 x 2,5	1267,96	10,0	96,0		180
5 x 2,5	1616,65	11,0	120,0		220
7 x 2,5	2249,73	12,5	168,0		290
12 x 2,5	4209,82	17,0	288,0		490
18 x 2,5	6406,66	20,0	432,0		710
50 x 2,5	21192,33	32,5	1200,0		1860

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
3 x 4	1757,95	11,0	115,2		220
4 x 4	2319,63	12,5	153,6		280
5 x 4	2826,47	13,5	192,0		350
7 x 4	3857,10	15,5	268,8		460
4 x 6	3111,62	14,5	230,4		400
5 x 6	4070,62	16,0	288,0		480
7 x 6	5581,94	17,5	403,2		640
4 x 10	5687,20	19,5	384,0		710
5 x 10	6945,81	21,5	480,0		870
7 x 10	9440,06	23,5	672,0		1140
4 x 16	8726,39	20,5	614,4		950
5 x 16	10784,34	23,0	768,0		1160
7 x 16	14788,40	25,0	1075,2		1530
4 x 25	13578,32	29,5	960,0		1590

YSLCY		LS-YCVY / C-JZ			
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75	610,84	8,5	41,3		120
3 x 0,75	789,61	9,0	49,9		130
4 x 0,75	944,39	9,5	58,6		150
5 x 0,75	1232,33	10,5	69,1		170
7 x 0,75	1609,98	11,0	85,4		200
12 x 0,75	2492,38	13,5	132,5		280
25 x 0,75	4821,41	19,5	268,8		570
34 x 0,75	6859,10	22,0	342,7		740
2 x 1	711,87	9,0	49,0		120
3 x 1	912,03	9,5	59,5		140
4 x 1	1205,54	10,0	71,0		160
5 x 1	1464,83	11,0	84,5		190
7 x 1	1774,24	11,5	107,5		220
12 x 1	3132,35	14,5	167,0		340
18 x 1	4445,37	17,5	257,3		500
25 x 1	5844,64	21,0	339,8		680
34 x 1	8524,33	23,5	439,7		870
2 x 1,5	899,16	10,0	62,4		150
3 x 1,5	1172,91	10,5	78,7		170
4 x 1,5	1474,35	11,0	96,0		200
5 x 1,5	1953,65	12,0	114,2		230
7 x 1,5	2568,62	13,0	147,8		280
12 x 1,5	4185,83	17,5	257,3		460
18 x 1,5	6096,97	20,0	358,1		660
25 x 1,5	7987,16	24,5	508,8		940
34 x 1,5	11633,98	26,5	658,6		1190
3 x 2,5	1926,32	11,5	114,2		230
4 x 2,5	2364,55	12,5	143,0		270
5 x 2,5	2897,89	13,5	171,8		320
7 x 2,5	3984,32	15,5	243,8		410
12 x 2,5	6166,51	20,0	390,7		670
18 x 2,5	11414,53	24,0	585,6		950

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 x 4	3582,71	15,0	229,4		410
5 x 4	4462,76	16,5	276,5		480
4 x 6	5159,59	17,5	320,6		560
5 x 6	6036,96	19,0	386,9		650
4 x 10	8355,78	22,5	497,3		920
5 x 10	11345,55	25,0	635,5		1150
4 x 16	12816,27	24,0	776,6		1220
5 x 16	15522,29	26,5	950,4		1470

E-YY**PP00 / NYY**

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	1567,40	9,4	153,6		218
1 x 25	2282,92	11,3	240,0		324
1 x 35	3139,46	12,4	336,0		419
1 x 50	4361,39	13,8	480,0		554
1 x 70	6100,36	15,8	672,0		772
1 x 95	8087,15	17,6	912,0		1016
1 x 120	9893,86	19,1	1152,0		1286
1 x 150	12289,27	20,8	1440,0		1578
1 x 185	15548,32	25,5	1776,0		2088
1 x 240	20389,67	27,9	2304,0		2652
1 x 300	25187,05	30,7	2880,0		3331
2 x 1.5	466,26	10,1	28,8		152
2 x 2,5	659,31	10,9	48,0		189
3 x 1.5 RE	469,96	10,5	43,2		135
3 x 2.5 RE	716,89	11,4	72,0		183
3 x 4 RE	1330,39	13,1	115,2		305
3 x 6 RE	1947,61	14,1	172,8		383
4 x 1.5 RE	609,18	11,2	57,6		159
4 x 2,5 RE	926,57	12,2	96,0		213
4 x 4 RE	1501,35	14,1	153,6		322
4 x 6 RE	2131,97	15,3	230,4		402
4 x 10 RE	3414,09	17,2	384,0		606
4 x 16 RM	5443,44	21,1	614,4		913
4 x 25 RM	8445,73	25,3	960,0		1379
4 x 35 SM	11901,44	26,0	1344,0		1578
4 x 50 SM	16167,19	28,4	1920,0		2125
4 x 70 SM	22737,89	31,4	2688,0		2975
4 x 95 SM	31509,40	39,3	3648,0		4079
4 x 120 SM	41034,91	41,8	4608,0		5060
4 x 150 SM	49338,77	49,0	5760,0		6258
4 x 185 SM	61981,09	52,0	7104,0		7787
4 x 240 SM	82529,20	58,9	9216,0		10094
5 x 1.5 RE	741,86	12,0	72,0		185
5 x 2.5 RE	1152,99	13,1	120,0		248
5 x 4 RE	1811,24	15,3	192,0		379
5 x 6 RE	2587,70	16,6	288,0		481
5 x 10 RE	4269,98	18,8	480,0		737
5 x 16 RM	6729,00	23,7	768,0		1118
5 x 25 RM	10501,23	27,7	1200,0		1694
5 x 35 RM	15245,98	31,0	1680,0		2233

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
7 x 1.5 RE	1378,86	12,9	100,8		282
10 x 1.5 RE	2198,89	15,7	144,0		401
12 x 1.5 RE	2504,53	16,1	172,8		437
14 x 1.5 RE	3212,31	16,8	201,6		484
16 x 1.5 RE	3766,89	17,7	230,4		539
19 x 1.5 RE	3906,63	18,5	273,6		609
24 x 1.5 RE	5049,77	21,9	345,6		816
30 x 1.5 RE	6480,11	23,0	432,0		937
7 x 2.5 RE	2342,13	14,1	168,0		374
10 x 2.5 RE	3636,34	17,3	240,0		534
12 x 2.5 RE	4356,88	17,8	288,0		630
14 x 2,5 RE	4956,80	18,6	336,0		660
16 x 2.5 RE	5970,62	20,1	384,0		765
19 x 2.5 RE	6715,21	21,1	456,0		873
24 x 2.5 RE	8258,88	24,8	576,0		1146
30 x 2.5 RE	11038,23	26,1	720,0		1331
7 x 4 RE	4036,65	16,5	268,8		541
10 x 4 RE	6534,41	21,1	384,0		827
14 x 4 RE	8734,94	26,0	537,6		1170
19 x 4 RE	11643,39	28,0	729,6		1360
7 x 6 RE	5229,07	18,0	403,2		704

N2XH			N2XH		
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	1933,08	9,8	153,6		226
1 x 25	2859,27	11,4	240,0		327
1 x 35	4180,73	12,6	336,0		429
1 x 50	5438,82	13,8	480,0		555
1 x 70	7641,03	15,7	672,0		765
1 x 95	10431,19	17,6	912,0		1024
1 x 120	13146,20	19,1	1152,0		1270
1 x 150	16766,41	20,9	1440,0		1550
1 x 185	19865,79	23,5	1776,0		1950
1 x 240	25698,69	25,8	2304,0		2550
1 x 300	31956,95	29,0	2880,0		3200
2 x 1.5	702,09	9,3	28,8		130
2 x 2,5	957,99	10,1	48,0		160
3 x 1.5 RE	595,22	9,7	43,2		142
3 x 2.5 RE	858,63	10,7	72,0		184
4 x 1.5 RE	919,32	10,4	57,6		166
4 x 2,5 RE	1309,32	11,4	96,0		220
4 x 4 RE	2053,64	13,8	153,6		305
4 x 6 RE	2852,60	13,8	230,4		400
4 x 10 RE	4570,79	16,3	384,0		601
4 x 16 RM	7002,64	19,2	614,4		900
4 x 25 RM	10598,65	24,0	960,0		1400
4 x 35 SM	14107,31	26,5	1344,0		1850
4 x 50 SM	20766,02	29,0	1920,0		2226
4 x 70 SM	27887,43	32,0	2688,0		3050
4 x 95 SM	37680,17	37,0	3648,0		4250

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 x 120 SM	47273,51	40,8	4608,0		5320
4 x 150 SM	59098,19	50,0	5760,0		6350
4 x 185 SM	78609,72	51,0	7104,0		7850
4 x 240 SM	102244,51	56,6	9216,0		10235
5 x 1.5 RE	1037,89	11,3	72,0		195
5 x 2.5 RE	1501,62	12,4	120,0		260
5 x 4 RE	2176,17	13,8	192,0		360
5 x 6 RE	3115,97	15,5	288,0		490
5 x 10 RE	5199,24	17,9	480,0		730
5 x 16 RM	8166,49	22,0	768,0		1120
5 x 25 RM	12334,74	27,1	1200,0		1460

NYCY						PP40
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
2 x 1,5 / 1,5	1116,45	12,5	48,0		198	
2 x 2,5 / 2,5	1462,27	13,9	75,0		257	
2 x 4 / 4	1833,82	15,5	110,0		345	
2 x 6 / 6	2468,04	16,8	165,0		425	
3 x 1,5 / 1,5	1291,69	13,4	59,0		215	
3 x 2,5 / 2,5	1614,96	14,1	90,0		275	
4 x 1,5 / 1,5	1525,06	14,1	72,0		245	
4 x 2,5 / 2,5	1917,99	15,1	117,0		335	
4 x 4 / 4	3084,05	17,4	182,0		455	
4 x 6 / 6	4332,84	18,4	272,0		575	
5 x 2,5 / 2,5	2519,10	16,2	139,0		380	
7 x 1,5 / 2,5	2310,09	15,5	125,0		350	
10 x 1,5 / 2,5	3307,56	18,1	165,0		451	
12 x 1,5 / 2,5	3634,40	19,2	188,0		465	
16 x 1,5 / 4	4211,87	20,5	262,0		645	
19 x 1,5 / 4	4848,38	22,3	299,0		665	
24 x 1,5 / 6	6434,22	25,2	388,0		915	
7 x 2,5 / 2,5	3802,48	17,2	185,0		440	
10 x 2,5 / 4	4304,45	20,1	270,0		600	
12 x 2,5 / 4	5032,56	20,9	305,0		656	
16 x 2,5 / 6	6165,87	22,4	428,0		815	
19 x 2,5 / 6	8689,81	23,8	483,0		933	
24 x 2,5 / 10	10450,13	26,6	636,0		1160	

NHXX FE180/E30**E30**

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	2907,54	12,0	153,6		218
1 x 25	4224,21	13,0	240,0		324
1 x 35	5534,84	15,0	336,0		419
1 x 50	6323,22	16,0	480,0		554
1 x 70	8529,49	18,0	672,0		772
1 x 95	11110,31	20,0	912,0		1016
1 x 120	13823,96	22,0	1152,0		1286
1 x 150	17171,38	24,0	1440,0		1578
1 x 185	20928,70	27,0	1776,0		2088
1 x 240	26241,26	30,0	2304,0		2652
1 x 300	34499,66	33,0	2880,0		3331
2 x 1.5	1311,37	12,1	28,8		190
2 x 2,5	1666,67	12,2	48,0		220
3 x 1.5 RE	1398,18	13,0	43,2		210
3 x 2.5 RE	1827,76	14,0	72,0		260
3 x 4 RE	2689,79	15,0	115,2		320
3 x 6 RE	3638,43	16,0	172,8		400
4 x 1.5 RE	1697,63	15,0	57,6		240
4 x 2,5 RE	2219,23	16,0	96,0		300
4 x 4 RE	3725,21	17,0	153,6		390
4 x 6 RE	4798,52	18,0	230,4		490
4 x 10 RE	6871,75	21,0	384,0		670
4 x 16 RM	11638,22	25,0	614,4		950
4 x 25 RM	16075,45	26,0	960,0		1430
4 x 35 SM	20826,24	29,0	1344,0		1890
4 x 50 SM	27830,42	34,0	1920,0		2510
4 x 70 SM	36985,92	38,0	2688,0		3650
4 x 95 SM	52942,82	44,0	3648,0		4750
4 x 120 SM	68585,18	48,0	4608,0		5910
4 x 150 SM	82644,68	52,0	5760,0		7240
5 x 1.5 RE	2460,38	18,0	72,0		280
5 x 2.5 RE	3029,95	19,0	120,0		354
5 x 4 RE	4791,30	21,0	192,0		450
5 x 6 RE	5620,21	22,0	288,0		570
5 x 10 RE	8641,75	25,0	480,0		820
5 x 16 RM	13716,96	27,0	768,0		1140
5 x 25 RM	19221,07	31,0	1200,0		1710
7 x 1.5 RE	3355,65	16,0	100,8		330
12 x 1.5 RE	5167,71	20,5	172,8		500
19 x 1.5 RE	7868,36	24,0	273,6		720
24 x 1.5 RE	9509,40	28,0	345,6		890
30 x 1.5 RE	11392,15	31,0	432,0		1090
7 x 2.5 RE	4424,08	18,0	168,0		430
12 x 2.5 RE	6399,19	25,0	288,0		650
19 x 2.5 RE	11280,92	26,0	456,0		950
24 x 2.5 RE	13777,87	30,5	576,0		1210
30 x 2.5 RE	16563,63	32,5	720,0		1470

NHXX FE180/E90**E90**

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	4769,78	11,0	153,6		250
1 x 25	6778,57	13,0	240,0		355
1 x 35	7854,94	14,0	336,0		460
1 x 50	10010,96	16,0	480,0		610
1 x 70	15101,95	18,0	672,0		810
1 x 95	16679,28	20,0	912,0		1100
1 x 120	18609,01	21,0	1152,0		1350
1 x 150	24221,18	24,0	1440,0		1650
1 x 185	27536,73	26,0	1776,0		2050
1 x 240	34004,88	29,0	2304,0		2650
1 x 300	57030,73	32,0	2880,0		3275
2 x 1.5	2242,05	13,0	28,8		200
3 x 1.5 RE	2728,84	13,5	43,2		210
3 x 2.5 RE	3387,53	14,6	72,0		243
3 x 4 RE	4130,59	15,5	115,2		302
3 x 6 RE	6908,90	16,5	172,8		399
4 x 1.5 RE	3935,24	15,0	57,6		245
4 x 2,5 RE	4807,75	16,0	96,0		299
4 x 4 RE	6055,15	17,0	153,6		376
4 x 6 RE	6897,28	18,5	230,4		474
4 x 10 RE	9167,11	20,5	384,0		657
4 x 16 RM	15178,37	24,0	614,4		973
4 x 25 RM	22462,84	26,5	960,0		1422
4 x 35 SM	32343,51	30,0	1344,0		1858
4 x 50 SM	34844,98	35,0	1920,0		2900
4 x 70 SM	52784,06	40,5	2688,0		3900
4 x 95 SM	70960,07	45,5	3648,0		5200
4 x 120 SM	83810,87	50,0	4608,0		6300
4 x 150 SM	101563,51	55,0	5760,0		6800
5 x 1.5 RE	4066,37	15,5	72,0		290
5 x 2.5 RE	4894,17	17,0	120,0		359
5 x 4 RE	6530,95	18,5	192,0		457
5 x 6 RE	9637,83	20,0	288,0		577
5 x 10 RE	11094,70	22,0	480,0		807
5 x 16 RM	18072,91	26,5	768,0		1145
5 x 25 RM	26428,33	30,0	1200,0		1765
7 x 1.5 RE	6031,23	18,0	100,8		282
12 x 1.5 RE	10431,36	23,5	172,8		437
24 x 1.5 RE	21189,13	21,9	345,6		816

FG70R



Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	1817,56	12,2	153,6		195
1 x 25	2687,53	13,8	240,0		288
1 x 35	3684,65	15,1	336,0		383
1 x 50	5167,19	17,1	480,0		525
1 x 70	7284,74	19,6	672,0		765
1 x 95	9634,85	22,2	912,0		1000
1 x 120	12276,28	24,2	1152,0		1230
1 x 150	14635,04	26,8	1440,0		1550
1 x 185	17821,09	29,1	1776,0		1880
1 x 240	23562,58	32,2	2304,0		2410
1 x 300	30727,09	35,4	2880,0		3000
1 x 400		39,9	3840,0		3960
2 x 1,5	601,47	11,9	28,8		129
2 x 2,5	862,40	12,7	48,0		163
3 x 1,5	742,78	12,4	43,2		144
3 x 2,5	1061,16	13,3	72,0		187
4 x 1,5	954,77	13,2	57,6		167
4 x 2,5	1405,55	14,2	96,0		220
4 x 4	2106,69	16,1	153,6		306
4 x 6	2976,09	18,1	230,4		397
4 x 10	4754,96	21,0	384,0		600
4 x 16	7253,80	25,6	614,4		888
4 x 25	11188,28	29,6	960,0		1310
3 x 35 + 1 x 25	13827,63	31,8	1248,0		1630
3 x 50 x 1 x 25	18434,90	35,9	1680,0		2110
3 x 70 + 1 x 35	26593,53	40,9	2352,0		3030
3 x 95 + 1 x 50	35586,06	44,6	3216,0		3910
3 x 120 + 1 x 70	46670,23	50,9	4128,0		5000
3 x 150 + 1 x 95	60510,52	56,3	5232,0		6340
5 x 1,5	1135,87	14,5	72,0		260
5 x 2,5	1638,15	15,6	120,0		368
5 x 4	2562,96	17,7	192,0		478
5 x 6	3602,73	19,9	288,0		740
5 x 10	5799,80	23,6	480,0		1070
5 x 16	9007,67	27,6	768,0		1620
5 x 25	13644,82	32,1	1200,0		2145
5 x 35	18804,52	36,1	1680,0		3000
7 x 1,5	2053,33	15,0	100,8		311

Solar

PV1-F

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4	811,18	6,5	38,4		60
6	959,51	7,0	57,6		79
10	1721,13	8,7	96,0		130
16	3359,46	9,4	153,6		210

Copper rope









Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
25	2381,19	6,0	223,0		223
35	 3108,11	7,0	309,0		309
50	 4292,83	8,0	417,0		417
70	6508,69	10,0	616,0		616
95	8996,35	12,0	822,0		822

Fe/Zn tape

Cross-section (mm ²)	Price (€/t)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
20 x 3	1235,34				519
25 x 3	1288,72				647
25 x 4	1225,19				860
30 x 4	1228,07				1036
40 x 4	1288,72				1383







E-AYY

PP00-A / NAYY

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 x 16 RM	 1290,91	20,1		220	780
4 x 25 RM	 1898,45	25,3		290	852
4 x 35 SM	 2281,97	25,6		406	771
4 x 50 SM	 2893,85	28,4		580	1023
4 x 70 SM	 4002,12	31,4		812	1349
4 x 95 SM	 5398,02	36,9		1102	1846
4 x 120 SM	 6646,85	39,9		1392	2206
4 x 150 SM	 7860,26	46,0		1740	2617
4 x 185 SM	10113,44	51,7		2176	3570
4 x 240 SM	13561,41	57,9		2822	4380

SKS

N1XD4-AR, N1XD9-AR

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 16	 530,41			93	130
4 x 16	 1055,99			186	260
3 x 35 + 70	 3299,33			508	682
3 x 35 + 70 + 2 x 16	 3859,28			600	812
3 x 70 + 70	 4657,35			812	1018
3 x 70 + 70 + 2 x 16	 5165,74			907	1148

SiF

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
0,75	167,41	2,4	7,7		12
1	210,53	2,5	9,6		14
1,5	285,90	2,8	14,4		18
2,5	456,50	4,0	24,0		35
4	733,45	5,5	38,4		55
6	1103,41	5,2	57,6		71
10	1803,33	6,3	96,0		110
16	3353,77	8,0	153,6		188
25	5146,74	9,9	240,0		296
35	7282,96	11,2	336,0		400
50	9729,61	13,8	480,0		570
70	13059,92	15,0	672,0		740

SiHF

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75	684,46	6,4	14,4		57
3 x 0,75	918,45	6,8	22,1		67
2 x 1,5	1046,50	7,5	28,8		81
3 x 1,5	1481,17	8,0	43,2		83
4 x 1,5	1849,38	8,8	57,6		120
5 x 1,5	2582,16	9,5	72,0		145
3 x 2,5	2245,74	9,5	72,0		125
4 x 2,5	2897,09	10,5	96,0		180
5 x 2,5	3911,55	11,7	120,0		270

H07BQ-F

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	1055,75	8,8	28,8		88
3 x 1,5	1293,89	9,3	43,2		110
4 x 1,5	1645,01	10,3	57,6		140
5 x 1,5	1988,75	11,2	72,0		169
3 x 2,5	1890,80	11,0	72,0		163
4 x 2,5	2431,32	12,2	96,0		208
5 x 2,5	2937,70	13,5	120,0		257
4 x 4	3794,64	14,0	154,0		293
4 x 6	5603,99	15,2	230,0		346
4 x 10	9693,66	20,2	384,0		702
4 x 16	13911,22	22,8	614,4		981
5 x 4	4319,07	15,6	192,0		365
5 x 6	6283,64	17,6	288,0		504
5 x 10	11083,22	23,2	480,0		962
5 x 16	16225,35	27,1	768,0		1379

JB-Y(St)Y

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 2 x 0,8	201,44	5,7	11,0		39
2 x 2 x 0,8	330,92	6,1	21,0		54
4 x 2 x 0,8	669,56	8,7	41,0		94
6 x 2 x 0,8	928,52	10,1	62,0		135
10 x 2 x 0,8	1609,84	13,1	103,0		205
20 x 2 x 0,8	3171,27	15,6	204,0		352
30 x 2 x 0,8	4716,20	19,4	304,0		522

J-Y(St)Y

TI-44

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 2 x 0,6	139,98	4,0	11,0		20
2 x 2 x 0,6	212,35	4,5	13,0		30
3 x 2 x 0,6	306,35	6,5	19,0		50
4 x 2 x 0,6	384,72	7,0	25,0		60
5 x 2 x 0,6	485,46	7,5	30,0		70
6 x 2 x 0,6	551,37	8,0	35,0		80
10 x 2 x 0,6	832,90	10,0	59,0		110
20 x 2 x 0,6	1630,23	12,0	115,0		190
30 x 2 x 0,6	2362,09	14,0	172,0		280
50 x 2 x 0,6	4104,51	17,0	286,0		430
100 x 2 x 0,6	7815,84	23,5	569,0		820
1 x 2 x 0,8	199,06	5,5	18,0		40
2 x 2 x 0,8	330,21	7,0	22,0		60
3 x 2 x 0,8	515,34	8,5	31,0		80
4 x 2 x 0,8	641,05	9,0	42,0		100
5 x 2 x 0,8	797,72	9,5	52,0		120
6 x 2 x 0,8	942,68	11,0	62,0		140
10 x 2 x 0,8	1616,14	14,0	103,0		220
20 x 2 x 0,8	3095,24	17,0	203,0		370
30 x 2 x 0,8	5227,69	21,0	304,0		550
50 x 2 x 0,8	7664,12	25,5	506,0		880
100x 2 x 0,8	15446,89	36,0	1008,0		1700

TK 59			A-2YF(L)2Y			
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 2 x 0,6	421,83		8,3	11,0		69
6 x 2 x 0,6	1009,18		11,0	34,0		129
10 x 2 x 0,6	1493,09		12,5	54,0		185
20 x 2 x 0,6	2652,70		15,8	111,0		315
30 x 2 x 0,6	3812,28		19,0	165,0		425
50 x 2 x 0,6	5938,41		22,2	272,0		626
100 x 2 x 0,6	11443,29		30,3	547,0		1235
2 x 2 x 0,8	842,41		8,8	21,0		88
6 x 2 x 0,8	1513,81		12,0	60,0		169
10 x 2 x 0,8	2399,83		14,0	100,0		240
20 x 2 x 0,8	4303,81		19,1	200,0		459
30 x 2 x 0,8	6294,82		22,0	300,0		595
50 x 2 x 0,8	10152,04		26,0	500,0		1060

YYSch						
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,6	119,06		3,0	5,6		12
3 x 0,6	157,00		3,2	8,4		16
4 x 0,6	204,20		3,4	11,2		20
5 x 0,6	244,48		3,7	14,0		26
6 x 0,6	296,39		4,0	16,8		29
10 x 0,6	487,50		6,0	28,0		54
16 x 0,6	832,16		6,8	45,0		78
20 x 0,6	1052,41		8,2	72,8		110

JE-H(ST)H E30/E90						
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 2 x 0,8 E30	594,41		5,5	19,0		40
1 x 2 x 0,8 E90	634,48		5,5	19,0		40
2 x 2 x 0,8 E30	947,37		6,8	25,0		61
2 x 2 x 0,8 E90	1089,24		6,8	25,0		61

Koax			RG / CATV			
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
RG 6 75 Ω	143,03		5,0	20,0		45
RG 11 75 Ω	1255,13		10,3	55,6		188
RG 58 C/U 50 Ω	427,42		5,0	21,3		39
RG 59 B/U 75 Ω	362,78		6,2	26,0		57
RG 213 U 50 Ω	1484,15		10,3	85,0		157
RG 214 U 50 Ω	2825,83		10,8	90,0		200
1,13 / 4,8 Tri-shield	499,19		7,0	16,3		48
1,02 / 4,57 Tri-shield Coax10 AD	454,90		6,9	7,5		44

Loudspeaker cables

LFZ-XY/NYFAZ

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75 crveno/crni	232,12	2,20x4,40	14,4		22
2 x 1 crveno/crni	310,47	2,54x4,90	19,2		28
2 x 1,5 crveno/crni	435,48	2,90x5,90	28,8		36
2 x 2,5 crveno/crni	682,12	3,60x7,20	48,0		58
2 x 4 crveno/crni	1150,19	4,70x9,40	76,8		100
2 x 1,5 transparentni	569,46	2,90x5,90	28,8		40
2 x 2,5 transparentni	949,88	3,60x7,20	48,0		60
2 x 4 transparentni	1755,80	4,70x9,40	76,8		103

Alarm AF CCA

Security

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 AF 22	182,22	3,3			21
6 AF 22	235,12	4,2			28
8 AF 22	310,23	4,6			35
10 AF 22	371,73	5,2			41
12 AF 22	421,27	5,4			50
4 AF 22 + 2 x 0,50	314,86	4,2			40
6 AF 22 + 2 x 0,75	423,38	5,4			50

Alarm AF Cu

Security

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 AF 22	209,79	3,3			22
6 AF 22	267,72	4,2			29
8 AF 22	350,59	4,6			36
10 AF 22	423,27	5,2			42
12 AF 22	478,38	5,4			51
4 AF 22 + 2 x 0,50	361,05	4,2			41
6 AF 22 + 2 x 0,75	477,00	5,4			51

LIYCY

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,14	332,21	3,5	13,0		20
3 x 0,14	387,76	3,7	15,0		26
4 x 0,14	431,01	4,0	17,0		28
5 x 0,14	506,10	4,3	20,0		33
6 x 0,14	580,62	4,7	23,0		38
7 x 0,14	637,35	4,8	25,0		41
10 x 0,14	907,11	5,7	30,0		56
12 x 0,14	983,37	6,1	33,0		63
14 x 0,14	1112,88	6,5	36,0		69
16 x 0,14	1329,27	6,8	42,0		80
2 x 0,25	332,30	3,7	15,0		25
3 x 0,25	456,57	4,1	18,0		32
4 x 0,25	572,13	4,7	22,0		40
5 x 0,25	686,77	5,0	26,0		47
6 x 0,25	768,63	5,2	30,0		54
7 x 0,25	809,66	5,4	35,0		56
10 x 0,25	1088,80	6,5	44,0		80
12 x 0,25	1235,67	7,0	50,0		95
16 x 0,25	1626,27	7,8	74,0		116
20 x 0,25	2407,27	9,5	83,0		124,7

2 x 0,34	424,16	4,6	18,0		33
3 x 0,34	556,90	5,0	22,0		41
4 x 0,34	699,41	5,4	26,0		54
5 x 0,34	834,33	5,8	32,0		60
2 x 0,50	486,82	5,1	24,0		43
3 x 0,50	696,72	5,4	32,0		54
4 x 0,50	830,96	6,1	37,0		64
5 x 0,50	1021,85	6,7	55,0		84
6 x 0,50	1196,28	7,2	63,0		95
7 x 0,50	1301,12	7,2	68,0		102
10 x 0,50	1818,68	8,6	93,0		137
2 x 0,75	557,47	5,4	32,0		53
3 x 0,75	695,67	5,8	40,0		66
4 x 0,75	847,68	6,4	60,0		78
5 x 0,75	1051,12	7,1	72,0		99
7 x 0,75	1417,12	7,9	92,0		129
2 x 1,0	759,39	6,0	50,0		63
3 x 1,0	963,08	6,4	60,0		82
4 x 1,0	1196,53	6,9	74,0		97
5 x 1,0	1508,46	7,8	89,0		121
2 x 1,5	945,62	7,1	57,0		84
3 x 1,5	1200,65	7,5	74,0		106
4 x 1,5	1488,92	8,4	92,0		136
5 x 1,5	1804,10	9,5	111,0		178

LiYCY-TP		Twisted pair				
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
2 x 2 x 0,25	645,24	5,1	28,0		44	
3 x 2 x 0,25	801,63	5,7	44,0		56	
4 x 2 x 0,25	924,81	6,6	57,0		71	
5 x 2 x 0,25	1180,46	7,4	63,0		82	
6 x 2 x 0,25	1469,45	7,5	68,0		99	
2 x 2 x 0,34	766,06	6,6	45,0		66	
3 x 2 x 0,34	1023,07	7,5	54,0		80	
4 x 2 x 0,34	1235,90	8,5	67,0		101	
2 x 2 x 0,5	1004,12	7,2	52,0		79	
3 x 2 x 0,5	1272,09	8,6	67,0		106	
4 x 2 x 0,5	1594,05	9,3	83,0		126	
6 x 2 x 0,5	2210,53	12,0	112,0		186	
8 x 2 x 0,5	2704,15	13,2	132,0		232	
12 x 2 x 0,5	3940,24	15,4	196,0		313	
2 x 2 x 0,75	1101,76	7,7	68,0		96	
3 x 2 x 0,75	1595,34	9,3	85,0		132	
4 x 2 x 0,75	1998,80	9,8	124,0		164	
6 x 2 x 0,75	3090,06	11,6	145,0		251	

LAN		Data				
Cross-section	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
Cat.5e U/UTP PVC	247,14	5,0	17,5		35	
Cat.5e U/UTP LSOH	249,65	5,1	17,5		35	
Cat.5e F/UTP	358,19	5,9	19,8		36	
Cat.5e S/FTP	509,76	6,4	30,0		46	
Cat.5e flex UTP	418,02	4,9	11,0		25	
Cat.5e flex FTP	508,63	5,0	12,0		25	
Cat.6 U/UTP PVC	408,31	6,2	18,0		39	
Cat.6 U/UTP LSOH	414,93	6,2	18,0		39	
Cat.6 U/FTP PVC	540,94	6,5	24,0		44	
Cat.6 U/FTP LSOH	554,91	6,5	24,0		44	
Cat.6 S/FTP	715,66	6,9	29,0		49	
Cat.5e FTP PE Outdoor	654,03	6,0	20,0		39	
Cat.6 FTP PE Outdoor	980,84	6,5	24,0		53	
Cat.7 S/FTP PE Outdoor	1452,67	7,9	44,0		81	
Cat.7 S/FTP	716,11	7,5	44,0		75	

Fibre optic cables			Multimode			
Cross-section	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
A/J-DQ(ZN)H 4 G 50 / 125	815,79		7,5			35
A/J-DQ(ZN)H 8 G 50 / 125	1211,84		7,5			35
A/J-DQ(ZN)H 12 G 50 / 125	1368,42		7,5			35
A/J-DQ(ZN)H 24 G 50 / 125	2388,16		7,5			35
						35

Fibre optic cables			Singlemode (without rodent protection)			
Cross-section	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
A-DQ(ZN)2Y 3x4 E9/125	918,42		9,7			70
A-DQ(ZN)2Y 6x4 E9/125	1143,42		9,7			70
A-DQ(ZN)2Y 6x8 E9/125	1672,37		9,7			70
A-DQ(ZN)2Y 6x12 E9/125	2039,47		9,7			70
A-DQ(ZN)2Y 8x12 E9/125	2825,00		9,7			70

Fibre optic cables			Singlemode (with rodent protection)			
Cross-section	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
A-DQ(ZN)B2Y 3x4 E9/125	966,76		11,5			100
A-DQ(ZN)B2Y 6x4 E9/125	1203,60		11,5			100
A-DQ(ZN)B2Y 6x8 E9/125	1760,39		11,5			100
A-DQ(ZN)B2Y 6x12 E9/125	2146,81		11,5			100
A-DQ(ZN)B2Y 8x12 E9/125	2973,68		11,5			100

Price list is formed on 02.01.2017. and it depends on daily movement of Cu and Al on LME

TESLA KABELI d.o.o.

Industrijska 20, 10431 Sv. Nedelja

tel: +385 1 2362-900

fax: +385 1 2362-901

e-mail: info@teslacables.com

Contacts:

Hrvoje Buljan	hrvoje.buljan@teslacables.com	01/2362-909
Igor Balentović	igor.balentovic@teslacables.com	01/2362-904
Saša Bogadi	sasa.bogadi@teslacables.com	01/2362-906
Ivan Suvar	ivan.suvar@teslacables.com	01/2362-903
Sandra Kostelac	sandra.kostelac@teslacables.com	01/2362-905
Iskra Radman	iskra.radman@teslacables.com	01/2362-907
Hrvoje Topčić	hrvoje.topcic@teslacables.com	01/2362-902
Antonio Siljković	antonio.siljkovic@teslacables.com	01/2362-909