



TESLA CABLES

# CABLES & WIRES

PRICE LIST - EXPORT

**of cables and wires up to 1 kV**

**March 2018**



## CONTENT

### PVC insulated wires

H07V-U	(P) (Ye)	1
H07V-R	(P/M) (Ym)	1
H07V-K	(P/F) (Yf)	1

### PVC sheathed wires

YM	(PP) (NYM) ((N)YM)	2
PP/R	(NYIFY)	2
H03VH-H	(P/L)	2
H03VV-F	(PP/L)	2
H05VV-F	(PP/J)	3

### Rubber insulated wires and cables

H05RR-F	(GG/J)	3
H07RN-F		4
H01N2-D		4

### Control cables

YSLY	(LS-YY)(Y-JZ)	5-6
YSLCY	(LS-YYCVY)(CY-JZ)	6-7

### Energy cables

E-YY	(PP00)(NYY)	7-8
N2XH		8-9
NYCY	(PP40)	9
NHXH FE180/E30		10
NHXH FE180/E90		11
FG7OR		12
FG16OR16		13
E-AYY	(PP00-A)(NAYY)	14

### Solar cables

Solar		14
-------	--	----

### Non-insulated rope and tape

Copper rope		14
Fe/Zn tape		14



TESLA CABLES

www.teslacables.com

### Self-supported cable bundle

SKS	(X00-A, X00/0-A, N1XD4-AR)	14
-----	----------------------------	----

### Silicone and PUR insulated wires and cables

SiF		15
SiHF		15
H07BQ-F		15

### Fire alarm cables

JB-Y(St)Y		16
-----------	--	----

### Telecommunication cables

J-Y(St)Y	(TI-44)	16
TK 59	(A-2YF(L)2Y)(xZTKMXpw)(TCEPKPFLE)	17
YYSch		17
JE-H(St)H E30/E90		18

### Coaxial cables

Coax	(RG)(CATV)	18
------	------------	----

### Loudspeaker cables

18

### Alarm cables

Alarm AF CCu		18
Alarm AF Cu		19

### Electronic cables



LiYCY		19
LiYCY-TP		20

### Data cables LAN

21


















### Fibre optic cables




Multimode		21
Singlemode		21

<b>H07V-U</b>						<b>P / Ye</b>
Cross-section (mm <sup>2</sup> )	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1,5	 127,83		2,6	14,4		19
2,5	 204,49		3,2	24,0		31
4	352,56		3,7	38,4		46
6	534,51		4,2	57,6		62
10	881,86		5,3	96,0		104

<b>H07V-R</b>						<b>P/M / Ym</b>
Cross-section (mm <sup>2</sup> )	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
10	873,05		5,7	96,0		108
16	1358,27		6,7	153,6		162
25	2202,63		8,2	240,0		253
35	3101,14		9,3	336,0		343
50	4420,46		10,7	480,0		500
70	6305,37		12,7	672,0		710
95	8522,89		14,5	912,0		980
120	10499,32		16,0	1152,0		1200
150	13565,30		17,7	1440,0		1500

<b>H07V-K</b>						<b>P/F / Yf</b>
Cross-section (mm <sup>2</sup> )	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
0,5	62,28		2,0	4,8		8
0,75	86,54		2,2	7,2		11
1	111,12		2,4	9,6		13
1,5	125,94		2,8	14,4		20
2,5	211,00		3,5	24,0		31
4	336,33		4,0	38,4		45
6	496,65		5,0	57,6		64
10	856,36		6,7	96,0		110
16	1336,87		7,6	153,6		164
25	2018,79		8,1	240,0		290
35	2899,19		9,2	336,0		380
50	4022,10		11,6	480,0		550
70	5701,68		13,4	672,0		716
95	7594,45		15,5	912,0		976
120	9698,44		17,1	1152,0		1214
150	11770,04		22,0	1440,0		1530
185	14898,47		25,0	1776,0		1900
240	20354,16		28,0	2304,0		2450

<b>YM</b>			<b>PP / NYM / (N)YM</b>			
Cross-section (mm <sup>2</sup> )		Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5		342,08	7,9	28,8		81
3 x 1,5 R50/R100		413,56	8,3	43,2		99
3 x 1,5 bubanj		418,24	8,3	43,2		99
4 x 1,5		570,29	9,9	57,6		121
5 x 1,5 R50/R100		680,26	9,7	72,0		144
5 x 1,5 bubanj		700,11	9,7	72,0		144
7 x 1,5		1240,08	10,4	100,8		208
2 x 2,5		744,73	9,2	48,0		135
3 x 2,5 R50/R100		667,93	9,7	72,0		141
3 x 2,5 bubanj		679,32	9,7	72,0		141
4 x 2,5		914,40	10,5	96,0		175
5 x 2,5 R50/R100		1103,05	11,5	120,0		209
5 x 2,5 bubanj		1114,31	11,5	120,0		209
3 x 4		1410,79	10,7	115,2		232
4 x 4		1468,56	12,0	153,6		271
5 x 4		1758,98	13,5	192,0		323
3 x 6		2210,20	12,3	172,8		322
4 x 6		2137,17	13,7	230,4		344
5 x 6		2556,17	15,0	288,0		410
4 x 10		4005,91	16,4	384,0		555
5 x 10		4607,46	18,0	480,0		665

<b>PP/R</b>			<b>NYIFY</b>			
Cross-section (mm <sup>2</sup> )		Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5		340,53	3,0	28,8		60
3 x 1,5		451,68	3,2	43,2		86
3 x 2,5		726,74	4,0	72,0		130

<b>H03VH-H</b>			<b>P/L</b>			
Cross-section (mm <sup>2</sup> )		Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75		190,37	2,7	9,6		33

<b>H03VV-F</b>			<b>PP/L</b>			
Cross-section (mm <sup>2</sup> )		Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75		183,21	5,2	14,4		45
3 x 0,75		258,86	5,5	21,6		53
4 x 0,75		339,76	6,1	28,8		66
5 x 0,75		393,34	6,8	36,0		81

<b>H05VV-F</b>						<b>PP/J</b>
Cross-section (mm <sup>2</sup> )	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1	252,93		6,2	19,2		67
3 x 1	335,78		6,6	28,8		79
4 x 1	521,79		7,4	38,4		86
5 x 1	643,59		8,1	48,0		102
7 x 1	1081,12		9,0	67,2		136
2 x 1,5	335,38		7,0	28,8		89
3 x 1,5	446,70		7,6	43,2		111
4 x 1,5	596,48		8,5	57,6		141
5 x 1,5	757,49		9,5	72,0		177
7 x 1,5	1369,73		10,6	100,8		189
2 x 2,5	1139,89		8,8	48,0		116
3 x 2,5	743,41		9,5	72,0		169
4 x 2,5	950,58		10,4	96,0		207
5 x 2,5	1212,17		11,5	120,0		259
4 x 4	1998,05		12,0	153,6		257
5 x 4	1979,95		13,3	192,0		311
4 x 6	2771,54		14,5	230,4		377
5 x 6	3822,19		16,0	288,0		455

<b>H05RR-F</b>						<b>GG/J</b>
Cross-section (mm <sup>2</sup> )	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	662,74		8,5	28,8		110
3 x 1,5	772,70		9,0	43,2		130
4 x 1,5	1072,37		10,0	57,6		160
5 x 1,5	1266,37		11,5	72,0		200
2 x 2,5	1124,19		10,5	48,0		150
3 x 2,5	1214,50		11,0	72,0		190
4 x 2,5	1658,90		12,0	96,0		240
5 x 2,5	2015,76		13,0	120,0		290

## H07RN-F

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	777,42	10,0	28,8		130
3 x 1,5	900,82	11,0	43,2		170
4 x 1,5	1196,31	12,0	57,6		200
5 x 1,5	1415,74	13,0	72,0		240
7 x 1,5	2692,33	16,0	100,8		342
12 x 1,5	4402,00	19,0	172,8		505
2 x 2,5	1143,49	12,0	48,0		190
3 x 2,5	1359,76	12,5	72,0		240
4 x 2,5	1805,03	14,0	96,0		275
5 x 2,5	2284,46	15,5	120,0		340
7 x 2,5	4186,96	18,0	168,0		485
12 x 2,5	6951,68	23,0	288,0		799
4 x 4	2651,97	16,5	153,6		410
5 x 4	3347,03	18,5	192,0		500
4 x 6	3692,20	19,0	230,4		500
5 x 6	4516,91	21,0	288,0		650
4 x 10	7000,11	24,5	384,0		930
5 x 10	8670,07	26,5	480,0		1120
4 x 16	10077,69	27,5	614,4		1260
5 x 16	12401,31	30,5	768,0		1550
4 x 25	15509,04	34,0	960,0		1890
5 x 25	19936,34	37,5	1200,0		2300
4 x 35	20547,31	37,0	1344,0		2410
5 x 35	25936,24	43,0	1680,0		3008
4 x 50	29154,30	43,5	1920,0		3350
4 x 70	39745,28	49,5	2688,0		4460
4 x 95	52570,90	55,5	3648,0		5750

## H01N2-D

**KZS**

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
16	3020,83	9,5	153,6		210
25	3769,19	11,0	240,0		300
35	4402,95	12,0	336,0		400
50	6285,75	14,0	480,0		560
70	8936,32	16,5	672,0		780
95	13897,32	18,5	912,0		1010




















<b>YSLY</b>		<b>LS-YY / Y-JZ</b>			
Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,5	245,24	6,0	9,6		45
3 x 0,5	297,18	6,2	14,4		50
4 x 0,5	377,47	6,5	19,2		60
5 x 0,5	444,10	7,0	24,0		70
7 x 0,5	647,39	7,5	33,6		85
10 x 0,5	976,88	9,5	48,0		125
12 x 0,5	1139,41	10,0	57,6		140
14 x 0,5	1319,24	10,5	67,2		160
21 x 0,5	2092,93	12,5	100,8		230
25 x 0,5	2429,29	14,0	120,0		280
2 x 0,75	285,77	6,5	14,4		50
3 x 0,75	378,83	6,5	21,6		65
4 x 0,75	485,37	7,5	28,8		75
5 x 0,75	602,72	8,0	36,0		95
6 x 0,75	855,10	8,5	43,2		105
7 x 0,75	809,98	8,5	50,4		120
10 x 0,75	1235,08	11,0	72,0		160
12 x 0,75	1480,25	11,5	86,4		180
21 x 0,75	2676,97	14,0	151,2		310
25 x 0,75	3181,17	16,5	180,0		390
2 x 1	360,55	7,0	19,2		65
3 x 1	501,26	7,5	28,8		75
4 x 1	646,33	8,0	38,4		95
5 x 1	819,61	8,5	48,0		120
7 x 1	1144,96	9,0	67,2		140
10 x 1	1722,20	11,5	96,0		200
12 x 1	2010,58	12,0	115,2		220
14 x 1	2371,27	13,0	134,4		270
16 x 1	2495,43	14,0	153,6		300
18 x 1	2784,15	14,5	172,8		330
21 x 1	3592,47	15,5	201,6		390
25 x 1	3829,28	17,5	240,0		480
34 x 1	5667,68	20,0	326,4		640
2 x 1,5	483,88	7,5	28,8		80
3 x 1,5	644,18	8,0	43,2		100
4 x 1,5	833,45	8,5	57,6		120
5 x 1,5	1040,74	9,5	72,0		150
6 x 1,5	1524,60	10,5	86,4		170
7 x 1,5	1371,39	10,5	100,8		190
10 x 1,5	2275,65	13,5	144,0		290
12 x 1,5	2408,23	14,0	172,8		320
14 x 1,5	3343,66	15,0	201,6		380
16 x 1,5	3630,64	16,0	230,4		420
18 x 1,5	4179,70	17,0	259,2		470
21 x 1,5	4878,66	17,5	302,4		520
25 x 1,5	5735,40	20,5	360,0		660
2 x 2,5	757,73	9,0	48,0		120
3 x 2,5	969,71	9,5	72,0		140
4 x 2,5	1324,93	10,0	96,0		180
5 x 2,5	1692,57	11,0	120,0		220
7 x 2,5	2366,98	12,5	168,0		290
12 x 2,5	4358,95	17,0	288,0		490
18 x 2,5	6703,24	20,0	432,0		710
50 x 2,5	22079,34	32,5	1200,0		1860



Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
3 x 4	1841,92	11,0	115,2		220
4 x 4	2407,36	12,5	153,6		280
5 x 4	2940,13	13,5	192,0		350
7 x 4	4004,20	15,5	268,8		460
4 x 6	3228,88	14,5	230,4		400
5 x 6	4238,89	16,0	288,0		480
7 x 6	5820,05	17,5	403,2		640
4 x 10	5958,53	19,5	384,0		710
5 x 10	7233,92	21,5	480,0		870
7 x 10	9827,73	23,5	672,0		1140
4 x 16	9163,01	20,5	614,4		950
5 x 16	11274,26	23,0	768,0		1160
7 x 16	15384,17	25,0	1075,2		1530
4 x 25	14066,92	29,5	960,0		1590

<b>YSLCY</b>		<b>LS-YCVY / C-JZ</b>			
Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75	628,98	8,5	41,3		120
3 x 0,75	822,89	9,0	49,9		130
4 x 0,75	988,22	9,5	58,6		150
5 x 0,75	1277,21	10,5	69,1		170
7 x 0,75	1687,17	11,0	85,4		200
12 x 0,75	2610,45	13,5	132,5		280
25 x 0,75	5037,81	19,5	268,8		570
34 x 0,75	7263,39	22,0	342,7		740
2 x 1	759,35	9,0	49,0		120
3 x 1	948,95	9,5	59,5		140
4 x 1	1248,21	10,0	71,0		160
5 x 1	1538,92	11,0	84,5		190
7 x 1	1850,16	11,5	107,5		220
12 x 1	3237,37	14,5	167,0		340
18 x 1	4610,58	17,5	257,3		500
25 x 1	6078,35	21,0	339,8		680
34 x 1	8989,32	23,5	439,7		870
2 x 1,5	968,56	10,0	62,4		150
3 x 1,5	1228,38	10,5	78,7		170
4 x 1,5	1545,56	11,0	96,0		200
5 x 1,5	2034,02	12,0	114,2		230
7 x 1,5	2692,06	13,0	147,8		280
12 x 1,5	4378,57	17,5	257,3		460
18 x 1,5	6346,60	20,0	358,1		660
25 x 1,5	8331,11	24,5	508,8		940
34 x 1,5	12370,84	26,5	658,6		1190
3 x 2,5	2035,46	11,5	114,2		230
4 x 2,5	2470,87	12,5	143,0		270
5 x 2,5	3013,96	13,5	171,8		320
7 x 2,5	4121,77	15,5	243,8		410
12 x 2,5	6441,79	20,0	390,7		670
18 x 2,5	12007,79	24,0	585,6		950

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 x 4	3720,73	15,0	229,4		410
5 x 4	4755,15	16,5	276,5		480
4 x 6	5376,41	17,5	320,6		560
5 x 6	6335,97	19,0	386,9		650
4 x 10	8681,25	22,5	497,3		920
5 x 10	11746,91	25,0	635,5		1150
4 x 16	13679,01	24,0	776,6		1220
5 x 16	16173,74	26,5	950,4		1470

<b>E-YY</b>						<b>PP00 / NYY</b>
Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
1 x 16	1621,93	9,4	153,6		218	
1 x 25	 2383,50	11,3	240,0		324	
1 x 35	 3267,57	12,4	336,0		419	
1 x 50	 4578,19	13,8	480,0		554	
1 x 70	 6417,60	15,8	672,0		772	
1 x 95	 8456,51	17,6	912,0		1016	
1 x 120	 10277,64	19,1	1152,0		1286	
1 x 150	 12962,44	20,8	1440,0		1578	
1 x 185	16201,89	25,5	1776,0		2088	
1 x 240	21480,00	27,9	2304,0		2652	
1 x 300	26232,31	30,7	2880,0		3331	
2 x 1.5	485,28	10,1	28,8		152	
2 x 2,5	689,06	10,9	48,0		189	
3 x 1.5 RE	 489,76	10,5	43,2		135	
3 x 2.5 RE	 745,33	11,4	72,0		183	
3 x 4 RE	1385,51	13,1	115,2		305	
3 x 6 RE	2022,66	14,1	172,8		383	
4 x 1.5 RE	 635,28	11,2	57,6		159	
4 x 2,5 RE	 968,10	12,2	96,0		213	
4 x 4 RE	 1561,47	14,1	153,6		322	
4 x 6 RE	 2225,50	15,3	230,4		402	
4 x 10 RE	 3570,22	17,2	384,0		606	
4 x 16 RM	 5692,13	21,1	614,4		913	
4 x 25 RM	 8831,99	25,3	960,0		1379	
4 x 35 SM	 12462,62	26,0	1344,0		1578	
4 x 50 SM	 16962,60	28,4	1920,0		2125	
4 x 70 SM	 23855,64	31,4	2688,0		2975	
4 x 95 SM	 33006,79	39,3	3648,0		4079	
4 x 120 SM	 42840,96	41,8	4608,0		5060	
4 x 150 SM	 52079,49	49,0	5760,0		6258	
4 x 185 SM	65223,11	52,0	7104,0		7787	
4 x 240 SM	86535,75	58,9	9216,0		10094	
5 x 1.5 RE	 773,57	12,0	72,0		185	
5 x 2.5 RE	 1203,62	13,1	120,0		248	
5 x 4 RE	 1891,73	15,3	192,0		379	
5 x 6 RE	 2704,24	16,6	288,0		481	
5 x 10 RE	 4467,04	18,8	480,0		737	
5 x 16 RM	 7036,78	23,7	768,0		1118	
5 x 25 RM	 10985,62	27,7	1200,0		1694	
5 x 35 RM	 15960,83	31,0	1680,0		2233	

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
7 x 1.5 RE	1446,28	12,9	100,8		282
10 x 1.5 RE	2272,53	15,7	144,0		401
12 x 1.5 RE	2609,94	16,1	172,8		437
14 x 1.5 RE	3336,11	16,8	201,6		484
16 x 1.5 RE	3873,12	17,7	230,4		539
19 x 1.5 RE	4059,79	18,5	273,6		609
24 x 1.5 RE	5247,54	21,9	345,6		816
30 x 1.5 RE	6713,50	23,0	432,0		937
7 x 2.5 RE	2446,00	14,1	168,0		374
10 x 2.5 RE	3771,89	17,3	240,0		534
12 x 2.5 RE	4534,57	17,8	288,0		630
14 x 2,5 RE	5138,08	18,6	336,0		660
16 x 2.5 RE	6245,03	20,1	384,0		765
19 x 2.5 RE	6972,70	21,1	456,0		873
24 x 2.5 RE	8554,73	24,8	576,0		1146
30 x 2.5 RE	11584,06	26,1	720,0		1331
7 x 4 RE	4177,79	16,5	268,8		541
10 x 4 RE	6940,70	21,1	384,0		827
14 x 4 RE	9085,83	26,0	537,6		1170
19 x 4 RE	12133,92	28,0	729,6		1360
7 x 6 RE	5489,44	18,0	403,2		704

<b>N2XH</b>					
Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	2016,37	9,8	153,6		226
1 x 25	3004,73	11,4	240,0		327
1 x 35	4377,96	12,6	336,0		429
1 x 50	5670,07	13,8	480,0		555
1 x 70	7949,85	15,7	672,0		765
1 x 95	10863,72	17,6	912,0		1024
1 x 120	13677,40	19,1	1152,0		1270
1 x 150	17500,35	20,9	1440,0		1550
1 x 185	20751,02	23,5	1776,0		1950
1 x 240	26820,26	25,8	2304,0		2550
1 x 300	33400,60	29,0	2880,0		3200
2 x 1.5	715,38	9,3	28,8		130
2 x 2,5	994,38	10,1	48,0		160
3 x 1.5 RE	613,62	9,7	43,2		142
3 x 2.5 RE	882,97	10,7	72,0		184
4 x 1.5 RE	948,98	10,4	57,6		166
4 x 2,5 RE	1352,11	11,4	96,0		220
4 x 4 RE	2134,45	13,8	153,6		305
4 x 6 RE	2988,37	13,8	230,4		400
4 x 10 RE	4786,84	16,3	384,0		601
4 x 16 RM	7256,97	19,2	614,4		900
4 x 25 RM	11010,32	24,0	960,0		1400
4 x 35 SM	14794,02	26,5	1344,0		1850
4 x 50 SM	21621,43	29,0	1920,0		2226
4 x 70 SM	29263,62	32,0	2688,0		3050
4 x 95 SM	39522,56	37,0	3648,0		4250

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 x 120 SM	48908,96	40,8	4608,0		5320
4 x 150 SM	62038,18	50,0	5760,0		6350
4 x 185 SM	81108,31	51,0	7104,0		7850
4 x 240 SM	105542,39	56,6	9216,0		10235
5 x 1.5 RE	1061,51	11,3	72,0		195
5 x 2.5 RE	1549,29	12,4	120,0		260
5 x 4 RE	2227,78	13,8	192,0		360
5 x 6 RE	3233,93	15,5	288,0		490
5 x 10 RE	5467,70	17,9	480,0		730
5 x 16 RM	8546,87	22,0	768,0		1120
5 x 25 RM	12837,38	27,1	1200,0		1460

<b>NYCY</b>						<b>PP40</b>
Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
2 x 1,5 / 1,5	1145,84	12,5	48,0		198	
2 x 2,5 / 2,5	1505,91	13,9	75,0		257	
2 x 4 / 4	1921,19	15,5	110,0		345	
2 x 6 / 6	2573,12	16,8	165,0		425	
3 x 1,5 / 1,5	1325,47	13,4	59,0		215	
3 x 2,5 / 2,5	1672,15	14,1	90,0		275	
4 x 1,5 / 1,5	1570,80	14,1	72,0		245	
4 x 2,5 / 2,5	1990,35	15,1	117,0		335	
4 x 4 / 4	3208,47	17,4	182,0		455	
4 x 6 / 6	4508,18	18,4	272,0		575	
5 x 2,5 / 2,5	2621,70	16,2	139,0		380	
7 x 1,5 / 2,5	2411,67	15,5	125,0		350	
10 x 1,5 / 2,5	3401,38	18,1	165,0		451	
12 x 1,5 / 2,5	3743,49	19,2	188,0		465	
16 x 1,5 / 4	4370,63	20,5	262,0		645	
19 x 1,5 / 4	5019,94	22,3	299,0		665	
24 x 1,5 / 6	6734,43	25,2	388,0		915	
7 x 2,5 / 2,5	3992,52	17,2	185,0		440	
10 x 2,5 / 4	4481,47	20,1	270,0		600	
12 x 2,5 / 4	5300,91	20,9	305,0		656	
16 x 2,5 / 6	6468,85	22,4	428,0		815	
19 x 2,5 / 6	9063,50	23,8	483,0		933	
24 x 2,5 / 10	10866,81	26,6	636,0		1160	

<b>NHXX FE180/E30</b>						<b>E30</b>
Cross-section (mm <sup>2</sup> )	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	3074,41		12,0	153,6		218
1 x 25	4465,80		13,0	240,0		324
1 x 35	5851,26		15,0	336,0		419
1 x 50	6685,78		16,0	480,0		554
1 x 70	9018,33		18,0	672,0		772
1 x 95	11746,16		20,0	912,0		1016
1 x 120	14615,70		22,0	1152,0		1286
1 x 150	18154,41		24,0	1440,0		1578
1 x 185	22126,74		27,0	1776,0		2088
1 x 240	27744,06		30,0	2304,0		2652
1 x 300	36474,77		33,0	2880,0		3331
2 x 1.5	1386,30		12,1	28,8		190
2 x 2,5	1762,63		12,2	48,0		220
3 x 1.5 RE	1478,82		13,0	43,2		210
3 x 2.5 RE	1932,56		14,0	72,0		260
3 x 4 RE	2843,81		15,0	115,2		320
3 x 6 RE	3847,22		16,0	172,8		400
4 x 1.5 RE	1795,28		15,0	57,6		240
4 x 2,5 RE	2345,91		16,0	96,0		300
4 x 4 RE	3938,12		17,0	153,6		390
4 x 6 RE	5073,27		18,0	230,4		490
4 x 10 RE	7264,87		21,0	384,0		670
4 x 16 RM	12304,20		25,0	614,4		950
4 x 25 RM	16996,15		26,0	960,0		1430
4 x 35 SM	22018,98		29,0	1344,0		1890
4 x 50 SM	29424,00		34,0	1920,0		2510
4 x 70 SM	39103,60		38,0	2688,0		3650
4 x 95 SM	55974,80		44,0	3648,0		4750
4 x 120 SM	72512,45		48,0	4608,0		5910
4 x 150 SM	87377,34		52,0	5760,0		7240
5 x 1.5 RE	2601,49		18,0	72,0		280
5 x 2.5 RE	3203,35		19,0	120,0		354
5 x 4 RE	5066,18		21,0	192,0		450
5 x 6 RE	5942,31		22,0	288,0		570
5 x 10 RE	9137,62		25,0	480,0		820
5 x 16 RM	14502,46		27,0	768,0		1140
5 x 25 RM	20321,56		31,0	1200,0		1710
7 x 1.5 RE	3547,92		16,0	100,8		330
12 x 1.5 RE	5463,19		20,5	172,8		500
19 x 1.5 RE	8319,26		24,0	273,6		720
24 x 1.5 RE	10054,21		28,0	345,6		890
30 x 1.5 RE	12044,82		31,0	432,0		1090
7 x 2.5 RE	4677,38		18,0	168,0		430
12 x 2.5 RE	6765,42		25,0	288,0		650
19 x 2.5 RE	11926,38		26,0	456,0		950
24 x 2.5 RE	14566,83		30,5	576,0		1210
30 x 2.5 RE	17512,18		32,5	720,0		1470

<b>NHXX FE180/E90</b>						<b>E90</b>
Cross-section (mm <sup>2</sup> )	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	5042,88		11,0	153,6		250
1 x 25	7166,70		13,0	240,0		355
1 x 35	8304,69		14,0	336,0		460
1 x 50	10584,17		16,0	480,0		610
1 x 70	15966,65		18,0	672,0		810
1 x 95	17634,30		20,0	912,0		1100
1 x 120	19674,52		21,0	1152,0		1350
1 x 150	25608,04		24,0	1440,0		1650
1 x 185	29113,43		26,0	1776,0		2050
1 x 240	35951,93		29,0	2304,0		2650
1 x 300	60296,19		32,0	2880,0		3275
2 x 1.5	2370,43		13,0	28,8		200
3 x 1.5 RE	2885,09		13,5	43,2		210
3 x 2.5 RE	3581,49		14,6	72,0		243
3 x 4 RE	4367,10		15,5	115,2		302
3 x 6 RE	7304,49		16,5	172,8		399
4 x 1.5 RE	4160,57		15,0	57,6		245
4 x 2,5 RE	5083,03		16,0	96,0		299
4 x 4 RE	6401,85		17,0	153,6		376
4 x 6 RE	7292,21		18,5	230,4		474
4 x 10 RE	9692,00		20,5	384,0		657
4 x 16 RM	16047,45		24,0	614,4		973
4 x 25 RM	23749,01		26,5	960,0		1422
4 x 35 SM	34195,43		30,0	1344,0		1858
4 x 50 SM	36840,13		35,0	1920,0		2900
4 x 70 SM	55806,37		40,5	2688,0		3900
4 x 95 SM	75023,10		45,5	3648,0		5200
4 x 120 SM	88609,71		50,0	4608,0		6300
4 x 150 SM	107378,83		55,0	5760,0		6800
5 x 1.5 RE	4299,20		15,5	72,0		290
5 x 2.5 RE	5174,40		17,0	120,0		359
5 x 4 RE	6904,90		18,5	192,0		457
5 x 6 RE	10189,67		20,0	288,0		577
5 x 10 RE	11729,96		22,0	480,0		807
5 x 16 RM	19107,73		26,5	768,0		1145
5 x 25 RM	27941,56		30,0	1200,0		1765
7 x 1.5 RE	6376,57		18,0	100,8		282
12 x 1.5 RE	11028,64		23,5	172,8		437
24 x 1.5 RE	22402,38		21,9	345,6		816

# FG70R

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	1926,34	12,2	153,6		195
1 x 25	2854,03	13,8	240,0		288
1 x 35	3867,13	15,1	336,0		383
1 x 50	5451,80	17,1	480,0		525
1 x 70	7704,43	19,6	672,0		765
1 x 95	10136,26	22,2	912,0		1000
1 x 120	12845,15	24,2	1152,0		1230
1 x 150	15397,17	26,8	1440,0		1550
1 x 185	18737,50	29,1	1776,0		1880
1 x 240	24806,11	32,2	2304,0		2410
1 x 300	32318,40	35,4	2880,0		3000
1 x 400	44501,76	39,9	3840,0		3960
2 x 1,5	641,65	11,9	28,8		129
2 x 2,5	918,60	12,7	48,0		163
3 x 1,5	792,09	12,4	43,2		144
3 x 2,5	1127,39	13,3	72,0		187
4 x 1,5	1015,56	13,2	57,6		167
4 x 2,5	1491,33	14,2	96,0		220
4 x 4	2236,33	16,1	153,6		306
4 x 6	3148,47	18,1	230,4		397
4 x 10	5015,81	21,0	384,0		600
4 x 16	7650,58	25,6	614,4		888
4 x 25	11928,01	29,6	960,0		1310
3 x 35 + 1 x 25	14634,85	31,8	1248,0		1630
3 x 50 x 1 x 25	19563,47	35,9	1680,0		2110
3 x 70 + 1 x 35	28145,98	40,9	2352,0		3030
3 x 95 + 1 x 50	37179,62	44,6	3216,0		3910
3 x 120 + 1 x 70	48936,23	50,9	4128,0		5000
3 x 150 + 1 x 95	63603,65	56,3	5232,0		6340
5 x 1,5	1210,95	14,5	72,0		260
5 x 2,5	1739,28	15,6	120,0		368
5 x 4	2713,21	17,7	192,0		478
5 x 6	3809,58	19,9	288,0		740
5 x 10	6135,70	23,6	480,0		1070
5 x 16	9516,27	27,6	768,0		1620
5 x 25	14359,46	32,1	1200,0		2145
5 x 35	19684,23	36,1	1680,0		3000
7 x 1,5	2198,01	15,0	100,8		311

# FG16OR16

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	2054,09	11,4	153,6		220
1 x 25	3043,26	13,2	240,0		310
1 x 35	4092,71	14,6	336,0		410
1 x 50	5767,19	16,4	480,0		560
1 x 70	8227,35	18,3	672,0		760
1 x 95	10794,64	20,4	912,0		960
1 x 120	13753,40	22,4	1152,0		1210
1 x 150	16325,27	24,8	1440,0		1480
1 x 185	19794,51	27,0	1776,0		1790
1 x 240	26350,80	30,2	2304,0		2320
1 x 300	34139,42	33,0	2880,0		2840
1 x 400	47351,27	36,5	3840,0		3735
2 x 1,5	679,04	12,0	28,8		130
2 x 2,5	975,14	13,0	48,0		165
3 x 1,5	835,32	12,5	43,2		150
3 x 2,5	1192,32	13,6	72,0		190
3 x 4	1626,10	14,9	115,2		250
3 x 6	2294,04	16,2	172,8		320
3 x 10	3745,41	18,2	288,0		470
4 x 1,5	1071,62	13,4	57,6		170
4 x 2,5	1576,60	14,6	96,0		220
4 x 4	2358,40	16,0	153,6		295
4 x 6	3315,86	17,5	230,4		385
4 x 10	5363,26	19,8	384,0		575
4 x 16	8104,37	22,4	614,4		795
4 x 25	12554,00	26,8	960,0		1205
3 x 35 + 1 x 25	15620,80	29,2	1248,0		1535
3 x 50 x 1 x 25	20694,37	32,4	1680,0		2020
3 x 70 + 1 x 35	29745,26	37,0	2352,0		3030
3 x 95 + 1 x 50	39574,21	42,0	3216,0		3915
3 x 120 + 1 x 70	52159,82	46,9	4128,0		5040
3 x 150 + 1 x 95	67377,10	52,5	5232,0		6300
5 x 1,5	1272,25	14,4	72,0		195
5 x 2,5	1839,87	15,6	120,0		260
5 x 4	2873,32	17,3	192,0		345
5 x 6	4036,58	18,9	288,0		455
5 x 10	6505,71	21,5	480,0		680
5 x 16	10093,43	24,4	768,0		970
5 x 25	15222,64	29,3	1200,0		1470
5 x 35	20878,71	32,8	1680,0		1990
7 x 1,5	2333,39	15,4	100,8		260




<b>Solar</b>			<b>PV1-F</b>		
Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4	832,24	6,5	38,4		60
6	1001,06	7,0	57,6		79
10	1764,82	8,7	96,0		130
16	3398,34	9,4	153,6		210

<b>Copper rope</b>					
Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
25	2490,04	6,0	223,0		223
35	3226,96	7,0	309,0		309
50	4502,64	8,0	417,0		417
70	6793,82	10,0	616,0		616
95	9459,06	12,0	822,0		822

<b>Fe/Zn tape</b>					
Cross-section (mm <sup>2</sup> )	Price (€/t)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
20 x 3	1488,64				519
25 x 3	1553,68				647
25 x 4	1484,28				860
30 x 4	1478,48				1036
40 x 4	1550,61				1383

<b>E-AYY</b>			<b>PP00-A / NAYY</b>		
Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 x 16 RM	1383,13	20,1		220	780
4 x 25 RM	2037,06	25,3		290	852
4 x 35 SM	2483,68	25,6		406	771
4 x 50 SM	3161,93	28,4		580	1023
4 x 70 SM	4392,83	31,4		812	1349
4 x 95 SM	5893,92	36,9		1102	1846
4 x 120 SM	7341,85	39,9		1392	2206
4 x 150 SM	8671,39	46,0		1740	2617
4 x 185 SM	11094,07	51,7		2176	3570
4 x 240 SM	15011,54	57,9		2822	4380

<b>SKS</b>						<b>N1XD4-AR, N1XD9-AR</b>	
Cross-section (mm <sup>2</sup> )		Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 16		582,09				93	130
4 x 16		1160,49				186	260
3 x 35 + 70		3556,42				508	682
3 x 35 + 70 + 2 x 16		4152,13				600	812
3 x 70 + 70		5017,78				812	1018
3 x 70 + 70 + 2 x 16		5580,55				907	1148

<b>SiF</b>							
Cross-section (mm <sup>2</sup> )		Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
0,75		175,84		2,4	7,7		12
1		218,37		2,5	9,6		14
1,5		296,39		2,8	14,4		18
2,5		475,10		4,0	24,0		35
4		770,94		5,5	38,4		55
6		1158,36		5,2	57,6		71
10		1864,52		6,3	96,0		110
16		3461,66		8,0	153,6		188
25		5327,28		9,9	240,0		296
35		7551,28		11,2	336,0		400
50		10055,73		13,8	480,0		570
70		13612,72		15,0	672,0		740

<b>SiHF</b>							
Cross-section (mm <sup>2</sup> )		Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75		696,11		6,4	14,4		57
3 x 0,75		942,01		6,8	22,1		67
2 x 1,5		1074,88		7,5	28,8		81
3 x 1,5		1520,16		8,0	43,2		83
4 x 1,5		1894,43		8,8	57,6		120
5 x 1,5		2653,50		9,5	72,0		145
3 x 2,5		2346,15		9,5	72,0		125
4 x 2,5		3009,54		10,5	96,0		180
5 x 2,5		4040,85		11,7	120,0		270

## H07BQ-F

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	1082,25	8,8	28,8		88
3 x 1,5	1329,61	9,3	43,2		110
4 x 1,5	1683,95	10,3	57,6		140
5 x 1,5	2058,93	11,2	72,0		169
3 x 2,5	1949,86	11,0	72,0		163
4 x 2,5	2529,38	12,2	96,0		208
5 x 2,5	3034,97	13,5	120,0		257
4 x 4	3952,93	14,0	154,0		293
4 x 6	5902,46	15,2	230,0		346
4 x 10	10222,72	20,2	384,0		702
4 x 16	14674,68	22,8	614,4		981
5 x 4	4421,37	15,6	192,0		365
5 x 6	6472,88	17,6	288,0		504
5 x 10	11432,56	23,2	480,0		962
5 x 16	17174,21	27,1	768,0		1379

## JB-Y(St)Y

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 2 x 0,8	206,50	5,7	11,0		39
2 x 2 x 0,8	343,87	6,1	21,0		54
4 x 2 x 0,8	695,88	8,7	41,0		94
6 x 2 x 0,8	967,09	10,1	62,0		135
10 x 2 x 0,8	1677,86	13,1	103,0		205
20 x 2 x 0,8	3318,90	15,6	204,0		352
30 x 2 x 0,8	4973,14	19,4	304,0		522

## J-Y(St)Y

## TI-44

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 2 x 0,6	143,41	4,0	11,0		20
2 x 2 x 0,6	220,00	4,5	13,0		30
3 x 2 x 0,6	313,57	6,5	19,0		50
4 x 2 x 0,6	397,70	7,0	25,0		60
5 x 2 x 0,6	502,05	7,5	30,0		70
6 x 2 x 0,6	573,04	8,0	35,0		80
10 x 2 x 0,6	863,59	10,0	59,0		110
20 x 2 x 0,6	1705,55	12,0	115,0		190
30 x 2 x 0,6	2472,37	14,0	172,0		280
50 x 2 x 0,6	4289,35	17,0	286,0		430
100 x 2 x 0,6	8109,03	23,5	569,0		820

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 2 x 0,8	206,17	5,5	18,0		40
2 x 2 x 0,8	343,14	7,0	22,0		60
3 x 2 x 0,8	536,08	8,5	31,0		80
4 x 2 x 0,8	667,57	9,0	42,0		100
5 x 2 x 0,8	829,10	9,5	52,0		120
6 x 2 x 0,8	979,79	11,0	62,0		140
10 x 2 x 0,8	1680,44	14,0	103,0		220
20 x 2 x 0,8	3251,56	17,0	203,0		370
30 x 2 x 0,8	5441,66	21,0	304,0		550
50 x 2 x 0,8	8239,31	25,5	506,0		880
100x 2 x 0,8	16355,56	36,0	1008,0		1700

<b>TK 59</b>		<b>A-2YF(L)2Y</b>			
Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 2 x 0,6	434,31	8,3	11,0		69
6 x 2 x 0,6	1034,66	11,0	34,0		129
10 x 2 x 0,6	1531,80	12,5	54,0		185
20 x 2 x 0,6	2756,53	15,8	111,0		315
30 x 2 x 0,6	3966,52	19,0	165,0		425
50 x 2 x 0,6	6157,94	22,2	272,0		626
100 x 2 x 0,6	11803,42	30,3	547,0		1235
2 x 2 x 0,8	808,83	8,8	21,0		88
6 x 2 x 0,8	1565,47	12,0	60,0		169
10 x 2 x 0,8	2482,06	14,0	100,0		240
20 x 2 x 0,8	4464,57	19,1	200,0		459
30 x 2 x 0,8	6526,14	22,0	300,0		595
50 x 2 x 0,8	10525,17	26,0	500,0		1060

<b>YYSch</b>					
Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,6	121,15	3,0	5,6		12
3 x 0,6	162,21	3,2	8,4		16
4 x 0,6	209,15	3,4	11,2		20
5 x 0,6	253,29	3,7	14,0		26
6 x 0,6	305,52	4,0	16,8		29
10 x 0,6	502,01	6,0	28,0		54
16 x 0,6	871,17	6,8	45,0		78
20 x 0,6	1077,43	8,2	72,8		110

## JE-H(ST)H E30/E90

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 2 x 0,8 E30	612,43	5,5	19,0		40
1 x 2 x 0,8 E90	656,66	5,5	19,0		40
2 x 2 x 0,8 E30	984,71	6,8	25,0		61
2 x 2 x 0,8 E90	1116,85	6,8	25,0		61

## Koax

## RG / CATV

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
RG 6 75 Ω	142,95	5,0	20,0		45
RG 11 75 Ω	1308,82	10,3	55,6		188
RG 58 C/U 50 Ω	435,38	5,0	21,3		39
RG 59 B/U 75 Ω	373,39	6,2	26,0		57
RG 213 U 50 Ω	1537,71	10,3	85,0		157
RG 214 U 50 Ω	2904,08	10,8	90,0		200
1,13 / 4,8 Tri-shield	514,87	7,0	16,3		48
1,02 / 4,57 Tri-shield Coax10 AD	475,95	6,9	7,5		44

## Loudspeaker cables

## LFZ-XY/NYFAZ

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75 crveno/crni	237,70	2,20x4,40	14,4		22
2 x 1 crveno/crni	321,13	2,54x4,90	19,2		28
2 x 1,5 crveno/crni	450,64	2,90x5,90	28,8		36
2 x 2,5 crveno/crni	704,61	3,60x7,20	48,0		58
2 x 4 crveno/crni	1188,50	4,70x9,40	76,8		100
2 x 1,5 transparentni	590,20	2,90x5,90	28,8		40
2 x 2,5 transparentni	982,70	3,60x7,20	48,0		60
2 x 4 transparentni	1853,09	4,70x9,40	76,8		103

## Alarm AF CCA

## Security

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 AF 22	188,80	3,3			21
6 AF 22	244,93	4,2			28
8 AF 22	321,04	4,6			35
10 AF 22	389,17	5,2			41
12 AF 22	439,70	5,4			50
4 AF 22 + 2 x 0,50	323,88	4,2			40
6 AF 22 + 2 x 0,75	436,99	5,4			50

<b>Alarm AF Cu</b>						<b>Security</b>
Cross-section (mm <sup>2</sup> )	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 AF 22	219,43		3,3			22
6 AF 22	284,43		4,2			29
8 AF 22	374,66		4,6			36
10 AF 22	449,83		5,2			42
12 AF 22	507,86		5,4			51
4 AF 22 + 2 x 0,50	385,24		4,2			41
6 AF 22 + 2 x 0,75	504,44		5,4			51

<b>LiYCY</b>						
Cross-section (mm <sup>2</sup> )	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,14	352,36		3,5	13,0		20
3 x 0,14	403,49		3,7	15,0		26
4 x 0,14	458,12		4,0	17,0		28
5 x 0,14	524,85		4,3	20,0		33
6 x 0,14	602,44		4,7	23,0		38
7 x 0,14	657,04		4,8	25,0		41
10 x 0,14	952,58		5,7	30,0		56
12 x 0,14	1035,14		6,1	33,0		63
14 x 0,14	1181,58		6,5	36,0		69
16 x 0,14	1395,09		6,8	42,0		80
2 x 0,25	341,10		3,7	15,0		25
3 x 0,25	490,27		4,1	18,0		32
4 x 0,25	589,72		4,7	22,0		40
5 x 0,25	706,09		5,0	26,0		47
6 x 0,25	794,44		5,2	30,0		54
7 x 0,25	830,63		5,4	35,0		56
10 x 0,25	1121,93		6,5	44,0		80
12 x 0,25	1298,02		7,0	50,0		95
16 x 0,25	1716,50		7,8	74,0		116
20 x 0,25	2546,96		9,5	83,0		124,7
2 x 0,34	433,69		4,6	18,0		33
3 x 0,34	580,10		5,0	22,0		41
4 x 0,34	722,15		5,4	26,0		54
5 x 0,34	858,36		5,8	32,0		60
2 x 0,50	504,65		5,1	24,0		43
3 x 0,50	718,04		5,4	32,0		54
4 x 0,50	858,53		6,1	37,0		64
5 x 0,50	1051,77		6,7	55,0		84
6 x 0,50	1247,35		7,2	63,0		95
7 x 0,50	1355,27		7,2	68,0		102
10 x 0,50	1889,42		8,6	93,0		137
2 x 0,75	579,34		5,4	32,0		53
3 x 0,75	720,98		5,8	40,0		66
4 x 0,75	881,89		6,4	60,0		78
5 x 0,75	1095,37		7,1	72,0		99
7 x 0,75	1469,45		7,9	92,0		129

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,0	786,68	6,0	50,0		63
3 x 1,0	1006,29	6,4	60,0		82
4 x 1,0	1238,93	6,9	74,0		97
5 x 1,0	1553,54	7,8	89,0		121
2 x 1,5	984,16	7,1	57,0		84
3 x 1,5	1251,29	7,5	74,0		106
4 x 1,5	1552,89	8,4	92,0		136
5 x 1,5	1896,02	9,5	111,0		178

<b>LiYCY-TP</b>						<b>Twisted pair</b>
Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
2 x 2 x 0,25	667,02	5,1	28,0		44	
3 x 2 x 0,25	825,11	5,7	44,0		56	
4 x 2 x 0,25	962,45	6,6	57,0		71	
5 x 2 x 0,25	1220,54	7,4	63,0		82	
6 x 2 x 0,25	1550,75	7,5	68,0		99	
2 x 2 x 0,34	798,54	6,6	45,0		66	
3 x 2 x 0,34	1059,60	7,5	54,0		80	
4 x 2 x 0,34	1269,63	8,5	67,0		101	
2 x 2 x 0,5	1033,76	7,2	52,0		79	
3 x 2 x 0,5	1311,48	8,6	67,0		106	
4 x 2 x 0,5	1647,80	9,3	83,0		126	
6 x 2 x 0,5	2300,89	12,0	112,0		186	
8 x 2 x 0,5	2801,69	13,2	132,0		232	
12 x 2 x 0,5	4072,61	15,4	196,0		313	
2 x 2 x 0,75	1121,26	7,7	68,0		96	
3 x 2 x 0,75	1663,46	9,3	85,0		132	
4 x 2 x 0,75	2040,77	9,8	124,0		164	
6 x 2 x 0,75	3203,87	11,6	145,0		251	

<b>LAN</b>			<b>Data</b>			
Cross-section	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
Cat.5e U/UTP PVC	254,64	5,0	17,5		35	
Cat.5e U/UTP LSOH	258,00	5,1	17,5		35	
Cat.5e F/UTP	369,93	5,9	19,8		36	
Cat.5e S/FTP	521,45	6,4	30,0		46	
Cat.5e flex UTP	430,82	4,9	11,0		25	
Cat.5e flex FTP	518,81	5,0	12,0		25	
Cat.6 U/UTP PVC	421,56	6,2	18,0		39	
Cat.6 U/UTP LSOH	426,43	6,2	18,0		39	
Cat.6 F/UTP PVC	555,54	6,5	24,0		44	
Cat.6 F/UTP LSOH	568,24	6,5	24,0		44	
Cat.6 S/FTP	747,10	6,9	29,0		49	
Cat.5e FTP PE Outdoor	671,13	6,0	20,0		39	
Cat.6 FTP PE Outdoor	1018,54	6,5	24,0		53	
Cat.7 S/FTP PE Outdoor	1490,08	7,9	44,0		81	
Cat.7 S/FTP	727,83	7,5	44,0		75	

<b>Fibre optic cables</b>			<b>Multimode</b>			
Cross-section	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
A/J-DQ(ZN)H 4 G 50 / 125	806,47	7,5			35	
A/J-DQ(ZN)H 8 G 50 / 125	1203,90	7,5			35	
A/J-DQ(ZN)H 12 G 50 / 125	1356,48	7,5			35	
A/J-DQ(ZN)H 24 G 50 / 125	2388,16	7,5			35	

<b>Fibre optic cables</b>			<b>Singlemode</b> (without rodent protection)			
Cross-section	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
A-DQ(ZN)2Y 3x4 E9/125	978,67	9,7			70	
A-DQ(ZN)2Y 6x4 E9/125	1253,96	9,7			70	
A-DQ(ZN)2Y 6x8 E9/125	1877,81	9,7			70	
A-DQ(ZN)2Y 6x12 E9/125	2397,47	9,7			70	
A-DQ(ZN)2Y 8x12 E9/125	3282,60	9,7			70	

<b>Fibre optic cables</b>			<b>Singlemode</b> (with rodent protection)			
Cross-section	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
A-DQ(ZN)B2Y 3x4 E9/125	1011,16	11,5			100	
A-DQ(ZN)B2Y 6x4 E9/125	1297,07	11,5			100	
A-DQ(ZN)B2Y 6x8 E9/125	1944,13	11,5			100	
A-DQ(ZN)B2Y 6x12 E9/125	2486,39	11,5			100	
A-DQ(ZN)B2Y 8x12 E9/125	3402,91	11,5			100	





Price list is formed on 01.03.2018. and it depends on daily movement of Cu and Al on LME

**TESLA KABELI d.o.o.**

Industrijska 20, 10431 Sv. Nedelja

tel: +385 1 2362-900

fax: +385 1 2362-901

e-mail: [info@teslacables.com](mailto:info@teslacables.com)

**Contacts:**

Hrvoje Buljan	<a href="mailto:hrvoje.buljan@teslacables.com">hrvoje.buljan@teslacables.com</a>	01/2362-909
Igor Balentović	<a href="mailto:igor.balentovic@teslacables.com">igor.balentovic@teslacables.com</a>	01/2362-904
Saša Bogadi	<a href="mailto:sasa.bogadi@teslacables.com">sasa.bogadi@teslacables.com</a>	01/2362-906
Ivan Šuvar	<a href="mailto:ivan.suvar@teslacables.com">ivan.suvar@teslacables.com</a>	01/2362-903
Sandra Kostelac	<a href="mailto:sandra.kostelac@teslacables.com">sandra.kostelac@teslacables.com</a>	01/2362-905
Iskra Radman	<a href="mailto:iskra.radman@teslacables.com">iskra.radman@teslacables.com</a>	01/2362-907
Hrvoje Topčić	<a href="mailto:hrvoje.topcic@teslacables.com">hrvoje.topcic@teslacables.com</a>	01/2362-902
Antonio Šiljković	<a href="mailto:antonio.siljkovic@teslacables.com">antonio.siljkovic@teslacables.com</a>	01/2362-909
Alessandro Sošić	<a href="mailto:alessandro.sosic@teslacables.com">alessandro.sosic@teslacables.com</a>	01/2362-910