



TESLA CABLES

CABLES & WIRES

PRICE LIST - EXPORT

of cables and wires up to 1 kV

April 2018



CONTENT

PVC insulated wires

H07V-U	(P) (Ye)	1
H07V-R	(P/M) (Ym)	1
H07V-K	(P/F) (Yf)	1

PVC sheathed wires

YM	(PP) (NYM) ((N)YM)	2
PP/R	(NYIFY)	2
H03VH-H	(P/L)	2
H03VV-F	(PP/L)	2
H05VV-F	(PP/J)	3

Rubber insulated wires and cables

H05RR-F	(GG/J)	3
H07RN-F		4
H01N2-D		4

Control cables

YSLY	(LS-YY)(Y-JZ)	5-6
YSLCY	(LS-YYCVY)(CY-JZ)	6-7

Energy cables

E-YY	(PP00)(NYY)	7-8
N2XH		8-9
NYCY	(PP40)	9
NHXH FE180/E30		10
NHXH FE180/E90		11
FG7OR		12
FG16OR16		13
E-AYY	(PP00-A)(NAYY)	14

Solar cables

Solar		14
-------	--	----

Non-insulated rope and tape

Copper rope		14
Fe/Zn tape		14



Self-supported cable bundle

SKS	(X00-A, X00/0-A, N1XD4-AR)	14
-----	----------------------------	----

Silicone and PUR insulated wires and cables

SiF		15
SiHF		15
H07BQ-F		15

Fire alarm cables

JB-Y(St)Y		16
-----------	--	----

Telecommunication cables

J-Y(St)Y	(TI-44)	16
TK 59	(A-2YF(L)2Y)(xZTKMXpw)(TCEPKPFLE)	17
YYSch		17
JE-H(St)H E30/E90		18

Coaxial cables

Coax	(RG)(CATV)	18
------	------------	----

Loudspeaker cables

18

Alarm cables

Alarm AF CCu		18
Alarm AF Cu		19

Electronic cables



LiYCY		19
LiYCY-TP		20

Data cables LAN

21


















Fibre optic cables




Multimode		21
Singlemode		21

H07V-U							P / Ye
Cross-section (mm ²)		Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1,5		124,47		2,6	14,4		19
2,5		199,05		3,2	24,0		31
4		343,66		3,7	38,4		46
6		515,58		4,2	57,6		62
10		862,31		5,3	96,0		104

H07V-R							P/M / Ym
Cross-section (mm ²)		Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
10		842,57		5,7	96,0		108
16		1316,18		6,7	153,6		162
25		2128,06		8,2	240,0		253
35		3004,53		9,3	336,0		343
50		4295,09		10,7	480,0		500
70		6090,52		12,7	672,0		710
95		8261,76		14,5	912,0		980
120		10185,05		16,0	1152,0		1200
150		13133,28		17,7	1440,0		1500

H07V-K							P/F / Yf
Cross-section (mm ²)		Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
0,5		62,28		2,0	4,8		8
0,75		85,34		2,2	7,2		11
1		107,49		2,4	9,6		13
1,5		120,78		2,8	14,4		20
2,5		204,57		3,5	24,0		31
4		326,69		4,0	38,4		45
6		480,35		5,0	57,6		64
10		830,74		6,7	96,0		110
16		1293,31		7,6	153,6		164
25		1954,53		8,1	240,0		290
35		2806,51		9,2	336,0		380
50		3893,33		11,6	480,0		550
70		5522,43		13,4	672,0		716
95		7347,44		15,5	912,0		976
120		9433,03		17,1	1152,0		1214
150		11418,12		22,0	1440,0		1530
185		14490,55		25,0	1776,0		1900
240		19797,58		28,0	2304,0		2450

YM			PP / NYM / (N)YM			
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5		331,54	7,9	28,8		81
3 x 1,5 R50/R100		401,30	8,3	43,2		99
3 x 1,5 bubanj		405,94	8,3	43,2		99
4 x 1,5		554,94	9,9	57,6		121
5 x 1,5 R50/R100		661,45	9,7	72,0		144
5 x 1,5 bubanj		681,36	9,7	72,0		144
7 x 1,5		1203,11	10,4	100,8		208
2 x 2,5		724,52	9,2	48,0		135
3 x 2,5 R50/R100		649,29	9,7	72,0		141
3 x 2,5 bubanj		660,60	9,7	72,0		141
4 x 2,5		886,40	10,5	96,0		175
5 x 2,5 R50/R100		1071,70	11,5	120,0		209
5 x 2,5 bubanj		1080,47	11,5	120,0		209
3 x 4		1371,88	10,7	115,2		232
4 x 4		1435,21	12,0	153,6		271
5 x 4		1708,90	13,5	192,0		323
3 x 6		2162,64	12,3	172,8		322
4 x 6		2060,25	13,7	230,4		344
5 x 6		2480,27	15,0	288,0		410
4 x 10		3870,04	16,4	384,0		555
5 x 10		4473,06	18,0	480,0		665

PP/R			NYIFY			
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5		330,98	3,0	28,8		60
3 x 1,5		437,53	3,2	43,2		86
3 x 2,5		711,14	4,0	72,0		130

H03VH-H			P/L			
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75		187,05	2,7	9,6		33

H03VV-F			PP/L			
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75		179,96	5,2	14,4		45
3 x 0,75		251,98	5,5	21,6		53
4 x 0,75		330,76	6,1	28,8		66
5 x 0,75		383,90	6,8	36,0		81

H05VV-F				PP/J		
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1	245,06		6,2	19,2		67
3 x 1	327,15		6,6	28,8		79
4 x 1	511,82		7,4	38,4		86
5 x 1	631,43		8,1	48,0		102
7 x 1	1058,55		9,0	67,2		136
2 x 1,5	326,34		7,0	28,8		89
3 x 1,5	436,87		7,6	43,2		111
4 x 1,5	582,33		8,5	57,6		141
5 x 1,5	738,61		9,5	72,0		177
7 x 1,5	1337,85		10,6	100,8		189
2 x 2,5	1118,86		8,8	48,0		116
3 x 2,5	722,26		9,5	72,0		169
4 x 2,5	923,36		10,4	96,0		207
5 x 2,5	1177,73		11,5	120,0		259
4 x 4	1936,32		12,0	153,6		257
5 x 4	1935,22		13,3	192,0		311
4 x 6	2706,58		14,5	230,4		377
5 x 6	3713,41		16,0	288,0		455

H05RR-F				GG/J		
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	652,26		8,5	28,8		110
3 x 1,5	759,03		9,0	43,2		130
4 x 1,5	1059,37		10,0	57,6		160
5 x 1,5	1245,43		11,5	72,0		200
2 x 2,5	1111,72		10,5	48,0		150
3 x 2,5	1189,07		11,0	72,0		190
4 x 2,5	1626,92		12,0	96,0		240
5 x 2,5	1972,55		13,0	120,0		290

H07RN-F

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	769,27	10,0	28,8		130
3 x 1,5	884,87	11,0	43,2		170
4 x 1,5	1177,10	12,0	57,6		200
5 x 1,5	1401,39	13,0	72,0		240
7 x 1,5	2652,03	16,0	100,8		342
12 x 1,5	4304,49	19,0	172,8		505
2 x 2,5	1119,41	12,0	48,0		190
3 x 2,5	1333,05	12,5	72,0		240
4 x 2,5	1769,87	14,0	96,0		275
5 x 2,5	2239,33	15,5	120,0		340
7 x 2,5	4119,30	18,0	168,0		485
12 x 2,5	6832,77	23,0	288,0		799
4 x 4	2599,01	16,5	153,6		410
5 x 4	3276,77	18,5	192,0		500
4 x 6	3614,87	19,0	230,4		500
5 x 6	4412,53	21,0	288,0		650
4 x 10	6889,54	24,5	384,0		930
5 x 10	8533,79	26,5	480,0		1120
4 x 16	9903,30	27,5	614,4		1260
5 x 16	12110,67	30,5	768,0		1550
4 x 25	15148,68	34,0	960,0		1890
5 x 25	19327,10	37,5	1200,0		2300
4 x 35	19984,47	37,0	1344,0		2410
5 x 35	25367,45	43,0	1680,0		3008
4 x 50	28229,46	43,5	1920,0		3350
4 x 70	38700,61	49,5	2688,0		4460
4 x 95	51070,05	55,5	3648,0		5750

H01N2-D

KZS

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
16	2927,71	9,5	153,6		210
25	3683,44	11,0	240,0		300
35	4283,43	12,0	336,0		400
50	6122,16	14,0	480,0		560
70	8766,65	16,5	672,0		780
95	13574,29	18,5	912,0		1010

YSLY		LS-YY / Y-JZ				
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,5	240,83		6,0	9,6		45
3 x 0,5	290,38		6,2	14,4		50
4 x 0,5	368,40		6,5	19,2		60
5 x 0,5	435,11		7,0	24,0		70
7 x 0,5	628,48		7,5	33,6		85
10 x 0,5	954,27		9,5	48,0		125
12 x 0,5	1102,22		10,0	57,6		140
14 x 0,5	1305,68		10,5	67,2		160
21 x 0,5	2049,61		12,5	100,8		230
25 x 0,5	2361,65		14,0	120,0		280
2 x 0,75	281,21		6,5	14,4		50
3 x 0,75	368,68		6,5	21,6		65
4 x 0,75	475,28		7,5	28,8		75
5 x 0,75	592,47		8,0	36,0		95
6 x 0,75	832,33		8,5	43,2		105
7 x 0,75	790,96		8,5	50,4		120
10 x 0,75	1202,85		11,0	72,0		160
12 x 0,75	1449,76		11,5	86,4		180
21 x 0,75	2607,56		14,0	151,2		310
25 x 0,75	3128,98		16,5	180,0		390
2 x 1	351,65		7,0	19,2		65
3 x 1	489,17		7,5	28,8		75
4 x 1	628,44		8,0	38,4		95
5 x 1	807,12		8,5	48,0		120
7 x 1	1119,27		9,0	67,2		140
10 x 1	1682,31		11,5	96,0		200
12 x 1	1966,90		12,0	115,2		220
14 x 1	2318,20		13,0	134,4		270
16 x 1	2420,11		14,0	153,6		300
18 x 1	2724,38		14,5	172,8		330
21 x 1	3478,28		15,5	201,6		390
25 x 1	3766,24		17,5	240,0		480
34 x 1	5577,29		20,0	326,4		640
2 x 1,5	474,07		7,5	28,8		80
3 x 1,5	625,36		8,0	43,2		100
4 x 1,5	809,45		8,5	57,6		120
5 x 1,5	1013,64		9,5	72,0		150
6 x 1,5	1487,31		10,5	86,4		170
7 x 1,5	1336,99		10,5	100,8		190
10 x 1,5	2215,88		13,5	144,0		290
12 x 1,5	2360,24		14,0	172,8		320
14 x 1,5	3268,88		15,0	201,6		380
16 x 1,5	3541,00		16,0	230,4		420
18 x 1,5	4049,39		17,0	259,2		470
21 x 1,5	4748,09		17,5	302,4		520
25 x 1,5	5566,02		20,5	360,0		660
2 x 2,5	739,43		9,0	48,0		120
3 x 2,5	948,66		9,5	72,0		140
4 x 2,5	1300,54		10,0	96,0		180
5 x 2,5	1644,27		11,0	120,0		220
7 x 2,5	2301,29		12,5	168,0		290
12 x 2,5	4250,59		17,0	288,0		490
18 x 2,5	6539,31		20,0	432,0		710
50 x 2,5	21657,13		32,5	1200,0		1860

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
3 x 4	1784,77	11,0	115,2		220
4 x 4	2363,69	12,5	153,6		280
5 x 4	2877,02	13,5	192,0		350
7 x 4	3899,18	15,5	268,8		460
4 x 6	3156,40	14,5	230,4		400
5 x 6	4132,07	16,0	288,0		480
7 x 6	5670,23	17,5	403,2		640
4 x 10	5781,16	19,5	384,0		710
5 x 10	7096,42	21,5	480,0		870
7 x 10	9518,15	23,5	672,0		1140
4 x 16	8906,48	20,5	614,4		950
5 x 16	10968,69	23,0	768,0		1160
7 x 16	15046,60	25,0	1075,2		1530
4 x 25	13698,56	29,5	960,0		1590

YSLCY		LS-YCVY / C-JZ			
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75	609,53	8,5	41,3		120
3 x 0,75	798,84	9,0	49,9		130
4 x 0,75	960,36	9,5	58,6		150
5 x 0,75	1251,84	10,5	69,1		170
7 x 0,75	1642,03	11,0	85,4		200
12 x 0,75	2537,29	13,5	132,5		280
25 x 0,75	4907,01	19,5	268,8		570
34 x 0,75	7129,81	22,0	342,7		740
2 x 1	737,15	9,0	49,0		120
3 x 1	924,73	9,5	59,5		140
4 x 1	1218,78	10,0	71,0		160
5 x 1	1490,62	11,0	84,5		190
7 x 1	1788,86	11,5	107,5		220
12 x 1	3176,86	14,5	167,0		340
18 x 1	4499,57	17,5	257,3		500
25 x 1	5921,09	21,0	339,8		680
34 x 1	8852,11	23,5	439,7		870
2 x 1,5	939,14	10,0	62,4		150
3 x 1,5	1195,91	10,5	78,7		170
4 x 1,5	1512,08	11,0	96,0		200
5 x 1,5	2001,81	12,0	114,2		230
7 x 1,5	2619,30	13,0	147,8		280
12 x 1,5	4263,14	17,5	257,3		460
18 x 1,5	6176,84	20,0	358,1		660
25 x 1,5	8187,13	24,5	508,8		940
34 x 1,5	12109,14	26,5	658,6		1190
3 x 2,5	1997,99	11,5	114,2		230
4 x 2,5	2384,54	12,5	143,0		270
5 x 2,5	2921,44	13,5	171,8		320
7 x 2,5	4038,92	15,5	243,8		410
12 x 2,5	6294,26	20,0	390,7		670
18 x 2,5	11723,25	24,0	585,6		950

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 x 4	3636,47	15,0	229,4		410
5 x 4	4644,00	16,5	276,5		480
4 x 6	5233,26	17,5	320,6		560
5 x 6	6186,68	19,0	386,9		650
4 x 10	8423,43	22,5	497,3		920
5 x 10	11440,67	25,0	635,5		1150
4 x 16	13315,28	24,0	776,6		1220
5 x 16	15683,66	26,5	950,4		1470

E-YY		PP00 / NYY			
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	1590,22	9,4	153,6		218
1 x 25	2323,42	11,3	240,0		324
1 x 35	3175,53	12,4	336,0		419
1 x 50	4452,93	13,8	480,0		554
1 x 70	6247,83	15,8	672,0		772
1 x 95	8213,68	17,6	912,0		1016
1 x 120	10025,68	19,1	1152,0		1286
1 x 150	12488,49	20,8	1440,0		1578
1 x 185	15776,26	25,5	1776,0		2088
1 x 240	20835,82	27,9	2304,0		2652
1 x 300	25483,65	30,7	2880,0		3331
2 x 1.5	479,21	10,1	28,8		152
2 x 2,5	671,18	10,9	48,0		189
3 x 1.5 RE	477,60	10,5	43,2		135
3 x 2.5 RE	726,47	11,4	72,0		183
3 x 4 RE	1348,76	13,1	115,2		305
3 x 6 RE	1960,96	14,1	172,8		383
4 x 1.5 RE	620,08	11,2	57,6		159
4 x 2,5 RE	943,28	12,2	96,0		213
4 x 4 RE	1526,84	14,1	153,6		322
4 x 6 RE	2166,60	15,3	230,4		402
4 x 10 RE	3468,88	17,2	384,0		606
4 x 16 RM	5530,74	21,1	614,4		913
4 x 25 RM	8583,48	25,3	960,0		1379
4 x 35 SM	12096,46	26,0	1344,0		1578
4 x 50 SM	16439,90	28,4	1920,0		2125
4 x 70 SM	23153,36	31,4	2688,0		2975
4 x 95 SM	32084,04	39,3	3648,0		4079
4 x 120 SM	41789,42	41,8	4608,0		5060
4 x 150 SM	50185,53	49,0	5760,0		6258
4 x 185 SM	62746,62	52,0	7104,0		7787
4 x 240 SM	83877,14	58,9	9216,0		10094
5 x 1.5 RE	754,95	12,0	72,0		185
5 x 2.5 RE	1171,80	13,1	120,0		248
5 x 4 RE	1840,05	15,3	192,0		379
5 x 6 RE	2628,92	16,6	288,0		481
5 x 10 RE	4340,70	18,8	480,0		737
5 x 16 RM	6838,67	23,7	768,0		1118
5 x 25 RM	10673,76	27,7	1200,0		1694
5 x 35 RM	15435,62	31,0	1680,0		2233

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
7 x 1.5 RE	1408,28	12,9	100,8		282
10 x 1.5 RE	2244,84	15,7	144,0		401
12 x 1.5 RE	2561,19	16,1	172,8		437
14 x 1.5 RE	3266,24	16,8	201,6		484
16 x 1.5 RE	3803,32	17,7	230,4		539
19 x 1.5 RE	3947,54	18,5	273,6		609
24 x 1.5 RE	5124,14	21,9	345,6		816
30 x 1.5 RE	6549,90	23,0	432,0		937
7 x 2.5 RE	2374,02	14,1	168,0		374
10 x 2.5 RE	3670,24	17,3	240,0		534
12 x 2.5 RE	4399,38	17,8	288,0		630
14 x 2,5 RE	5022,15	18,6	336,0		660
16 x 2.5 RE	6055,53	20,1	384,0		765
19 x 2.5 RE	6762,29	21,1	456,0		873
24 x 2.5 RE	8384,60	24,8	576,0		1146
30 x 2.5 RE	11229,57	26,1	720,0		1331
7 x 4 RE	4094,76	16,5	268,8		541
10 x 4 RE	6780,22	21,1	384,0		827
14 x 4 RE	8853,90	26,0	537,6		1170
19 x 4 RE	11835,49	28,0	729,6		1360
7 x 6 RE	5341,64	18,0	403,2		704

N2XH			N2XH		
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	1968,97	9,8	153,6		226
1 x 25	2901,99	11,4	240,0		327
1 x 35	4241,40	12,6	336,0		429
1 x 50	5490,03	13,8	480,0		555
1 x 70	7729,41	15,7	672,0		765
1 x 95	10613,85	17,6	912,0		1024
1 x 120	13279,48	19,1	1152,0		1270
1 x 150	16897,21	20,9	1440,0		1550
1 x 185	20131,95	23,5	1776,0		1950
1 x 240	26249,85	25,8	2304,0		2550
1 x 300	32176,96	29,0	2880,0		3200
2 x 1.5	702,25	9,3	28,8		130
2 x 2,5	967,01	10,1	48,0		160
3 x 1.5 RE	604,39	9,7	43,2		142
3 x 2.5 RE	867,25	10,7	72,0		184
4 x 1.5 RE	925,92	10,4	57,6		166
4 x 2,5 RE	1331,38	11,4	96,0		220
4 x 4 RE	2084,71	13,8	153,6		305
4 x 6 RE	2920,02	13,8	230,4		400
4 x 10 RE	4679,60	16,3	384,0		601
4 x 16 RM	7131,96	19,2	614,4		900
4 x 25 RM	10734,23	24,0	960,0		1400
4 x 35 SM	14303,27	26,5	1344,0		1850
4 x 50 SM	20887,47	29,0	1920,0		2226
4 x 70 SM	28448,01	32,0	2688,0		3050
4 x 95 SM	38547,81	37,0	3648,0		4250

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 x 120 SM	47542,40	40,8	4608,0		5320
4 x 150 SM	59736,97	50,0	5760,0		6350
4 x 185 SM	79071,41	51,0	7104,0		7850
4 x 240 SM	102613,41	56,6	9216,0		10235
5 x 1.5 RE	1046,89	11,3	72,0		195
5 x 2.5 RE	1511,24	12,4	120,0		260
5 x 4 RE	2178,75	13,8	192,0		360
5 x 6 RE	3149,65	15,5	288,0		490
5 x 10 RE	5307,49	17,9	480,0		730
5 x 16 RM	8324,07	22,0	768,0		1120
5 x 25 RM	12510,35	27,1	1200,0		1460

NYCY						PP40
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
2 x 1,5 / 1,5	1142,39	12,5	48,0		198	
2 x 2,5 / 2,5	1484,15	13,9	75,0		257	
2 x 4 / 4	1868,22	15,5	110,0		345	
2 x 6 / 6	2522,82	16,8	165,0		425	
3 x 1,5 / 1,5	1311,05	13,4	59,0		215	
3 x 2,5 / 2,5	1634,90	14,1	90,0		275	
4 x 1,5 / 1,5	1535,76	14,1	72,0		245	
4 x 2,5 / 2,5	1947,06	15,1	117,0		335	
4 x 4 / 4	3146,57	17,4	182,0		455	
4 x 6 / 6	4379,37	18,4	272,0		575	
5 x 2,5 / 2,5	2574,31	16,2	139,0		380	
7 x 1,5 / 2,5	2355,83	15,5	125,0		350	
10 x 1,5 / 2,5	3322,15	18,1	165,0		451	
12 x 1,5 / 2,5	3671,26	19,2	188,0		465	
16 x 1,5 / 4	4273,63	20,5	262,0		645	
19 x 1,5 / 4	4883,71	22,3	299,0		665	
24 x 1,5 / 6	6554,47	25,2	388,0		915	
7 x 2,5 / 2,5	3870,30	17,2	185,0		440	
10 x 2,5 / 4	4365,47	20,1	270,0		600	
12 x 2,5 / 4	5300,91	20,9	305,0		656	
16 x 2,5 / 6	6269,15	22,4	428,0		815	
19 x 2,5 / 6	8828,67	23,8	483,0		933	
24 x 2,5 / 10	10676,59	26,6	636,0		1160	

NHXH FE180/E30						E30
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	2999,43		12,0	153,6		218
1 x 25	4356,88		13,0	240,0		324
1 x 35	5708,55		15,0	336,0		419
1 x 50	6522,71		16,0	480,0		554
1 x 70	8798,37		18,0	672,0		772
1 x 95	11459,67		20,0	912,0		1016
1 x 120	14259,22		22,0	1152,0		1286
1 x 150	17711,62		24,0	1440,0		1578
1 x 185	21587,06		27,0	1776,0		2088
1 x 240	27067,38		30,0	2304,0		2652
1 x 300	35585,14		33,0	2880,0		3331
2 x 1.5	1352,49		12,1	28,8		190
2 x 2,5	1719,64		12,2	48,0		220
3 x 1.5 RE	1442,75		13,0	43,2		210
3 x 2.5 RE	1885,42		14,0	72,0		260
3 x 4 RE	2774,45		15,0	115,2		320
3 x 6 RE	3753,39		16,0	172,8		400
4 x 1.5 RE	1751,50		15,0	57,6		240
4 x 2,5 RE	2288,69		16,0	96,0		300
4 x 4 RE	3842,07		17,0	153,6		390
4 x 6 RE	4949,53		18,0	230,4		490
4 x 10 RE	7087,68		21,0	384,0		670
4 x 16 RM	12004,09		25,0	614,4		950
4 x 25 RM	16581,61		26,0	960,0		1430
4 x 35 SM	21481,93		29,0	1344,0		1890
4 x 50 SM	28706,34		34,0	1920,0		2510
4 x 70 SM	38149,86		38,0	2688,0		3650
4 x 95 SM	54609,56		44,0	3648,0		4750
4 x 120 SM	70743,85		48,0	4608,0		5910
4 x 150 SM	85246,18		52,0	5760,0		7240
5 x 1.5 RE	2538,04		18,0	72,0		280
5 x 2.5 RE	3125,22		19,0	120,0		354
5 x 4 RE	4942,61		21,0	192,0		450
5 x 6 RE	5797,37		22,0	288,0		570
5 x 10 RE	8914,76		25,0	480,0		820
5 x 16 RM	14148,74		27,0	768,0		1140
5 x 25 RM	19825,91		31,0	1200,0		1710
7 x 1.5 RE	3461,39		16,0	100,8		330
12 x 1.5 RE	5329,94		20,5	172,8		500
19 x 1.5 RE	8116,35		24,0	273,6		720
24 x 1.5 RE	9808,98		28,0	345,6		890
30 x 1.5 RE	11751,05		31,0	432,0		1090
7 x 2.5 RE	4563,30		18,0	168,0		430
12 x 2.5 RE	6600,41		25,0	288,0		650
19 x 2.5 RE	11635,49		26,0	456,0		950
24 x 2.5 RE	14211,54		30,5	576,0		1210
30 x 2.5 RE	17085,05		32,5	720,0		1470

NHXH FE180/E90						E90
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	4919,89		11,0	153,6		250
1 x 25	6991,90		13,0	240,0		355
1 x 35	8102,14		14,0	336,0		460
1 x 50	10326,02		16,0	480,0		610
1 x 70	15577,22		18,0	672,0		810
1 x 95	17204,20		20,0	912,0		1100
1 x 120	19194,66		21,0	1152,0		1350
1 x 150	24983,45		24,0	1440,0		1650
1 x 185	28403,35		26,0	1776,0		2050
1 x 240	35075,05		29,0	2304,0		2650
1 x 300	58825,55		32,0	2880,0		3275
2 x 1.5	2312,61		13,0	28,8		200
3 x 1.5 RE	2814,72		13,5	43,2		210
3 x 2.5 RE	3494,14		14,6	72,0		243
3 x 4 RE	4260,59		15,5	115,2		302
3 x 6 RE	7126,33		16,5	172,8		399
4 x 1.5 RE	4059,09		15,0	57,6		245
4 x 2,5 RE	4959,06		16,0	96,0		299
4 x 4 RE	6245,71		17,0	153,6		376
4 x 6 RE	7114,35		18,5	230,4		474
4 x 10 RE	9455,61		20,5	384,0		657
4 x 16 RM	15656,05		24,0	614,4		973
4 x 25 RM	23169,77		26,5	960,0		1422
4 x 35 SM	33361,40		30,0	1344,0		1858
4 x 50 SM	35941,59		35,0	1920,0		2900
4 x 70 SM	54445,23		40,5	2688,0		3900
4 x 95 SM	73193,27		45,5	3648,0		5200
4 x 120 SM	86448,50		50,0	4608,0		6300
4 x 150 SM	104759,84		55,0	5760,0		6800
5 x 1.5 RE	4194,34		15,5	72,0		290
5 x 2.5 RE	5048,20		17,0	120,0		359
5 x 4 RE	6736,49		18,5	192,0		457
5 x 6 RE	9941,14		20,0	288,0		577
5 x 10 RE	11443,86		22,0	480,0		807
5 x 16 RM	18641,69		26,5	768,0		1145
5 x 25 RM	27260,06		30,0	1200,0		1765
7 x 1.5 RE	6221,04		18,0	100,8		282
12 x 1.5 RE	10759,65		23,5	172,8		437
24 x 1.5 RE	21855,98		21,9	345,6		816



FG70R

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	1879,36	12,2	153,6		195
1 x 25	2784,42	13,8	240,0		288
1 x 35	3772,81	15,1	336,0		383
1 x 50	5318,83	17,1	480,0		525
1 x 70	7516,52	19,6	672,0		765
1 x 95	9889,03	22,2	912,0		1000
1 x 120	12531,85	24,2	1152,0		1230
1 x 150	15021,63	26,8	1440,0		1550
1 x 185	18280,49	29,1	1776,0		1880
1 x 240	24201,08	32,2	2304,0		2410
1 x 300	31530,15	35,4	2880,0		3000
1 x 400	43416,35	39,9	3840,0		3960
2 x 1,5	626,00	11,9	28,8		129
2 x 2,5	896,19	12,7	48,0		163
3 x 1,5	772,77	12,4	43,2		144
3 x 2,5	1099,89	13,3	72,0		187
4 x 1,5	990,79	13,2	57,6		167
4 x 2,5	1454,96	14,2	96,0		220
4 x 4	2181,79	16,1	153,6		306
4 x 6	3071,68	18,1	230,4		397
4 x 10	4893,47	21,0	384,0		600
4 x 16	7463,98	25,6	614,4		888
4 x 25	11637,08	29,6	960,0		1310
3 x 35 + 1 x 25	14277,91	31,8	1248,0		1630
3 x 50 x 1 x 25	19086,31	35,9	1680,0		2110
3 x 70 + 1 x 35	27459,50	40,9	2352,0		3030
3 x 95 + 1 x 50	36272,80	44,6	3216,0		3910
3 x 120 + 1 x 70	47742,66	50,9	4128,0		5000
3 x 150 + 1 x 95	62052,34	56,3	5232,0		6340
5 x 1,5	1181,41	14,5	72,0		260
5 x 2,5	1696,86	15,6	120,0		368
5 x 4	2647,04	17,7	192,0		478
5 x 6	3716,67	19,9	288,0		740
5 x 10	5986,05	23,6	480,0		1070
5 x 16	9284,17	27,6	768,0		1620
5 x 25	14009,23	32,1	1200,0		2145
5 x 35	19204,13	36,1	1680,0		3000
7 x 1,5	2144,40	15,0	100,8		311









FG16OR16







Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	2002,06	11,4	153,6		220
1 x 25	2959,23	13,2	240,0		310
1 x 35	4011,40	14,6	336,0		410
1 x 50	5613,80	16,4	480,0		560
1 x 70	7970,04	18,3	672,0		760
1 x 95	10443,43	20,4	912,0		960
1 x 120	13378,78	22,4	1152,0		1210
1 x 150	15799,97	24,8	1440,0		1480
1 x 185	19227,23	27,0	1776,0		1790
1 x 240	25606,15	30,2	2304,0		2320
1 x 300	33082,76	33,0	2880,0		2840
1 x 400	46099,03	36,5	3840,0		3735
2 x 1,5	666,17	12,0	28,8		130
2 x 2,5	949,25	13,0	48,0		165
3 x 1,5	819,22	12,5	43,2		150
3 x 2,5	1165,70	13,6	72,0		190
3 x 4	1587,91	14,9	115,2		250
3 x 6	2232,44	16,2	172,8		320
3 x 10	3655,70	18,2	288,0		470
4 x 1,5	1049,84	13,4	57,6		170
4 x 2,5	1540,38	14,6	96,0		220
4 x 4	2307,31	16,0	153,6		295
4 x 6	3231,35	17,5	230,4		385
4 x 10	5210,57	19,8	384,0		575
4 x 16	7881,87	22,4	614,4		795
4 x 25	12238,65	26,8	960,0		1205
3 x 35 + 1 x 25	15163,00	29,2	1248,0		1535
3 x 50 + 1 x 25	20197,70	32,4	1680,0		2020
3 x 70 + 1 x 35	28785,73	37,0	2352,0		3030
3 x 95 + 1 x 50	38423,30	42,0	3216,0		3915
3 x 120 + 1 x 70	50826,85	46,9	4128,0		5040
3 x 150 + 1 x 95	65991,08	52,5	5232,0		6300
5 x 1,5	1251,57	14,4	72,0		195
5 x 2,5	1798,21	15,6	120,0		260
5 x 4	2802,67	17,3	192,0		345
5 x 6	3936,98	18,9	288,0		455
5 x 10	6338,11	21,5	480,0		680
5 x 16	9829,09	24,4	768,0		970
5 x 25	14882,50	29,3	1200,0		1470
5 x 35	20323,25	32,8	1680,0		1990
7 x 1,5	2298,60	15,4	100,8		260

Solar			PV1-F			
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4	821,19		6,5	38,4		60
6	977,73		7,0	57,6		79
10	1721,96		8,7	96,0		130
16	3375,30		9,4	153,6		210

Copper rope						
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
25	2434,26		6,0	223,0		223
35	3138,97		7,0	309,0		309
50	4360,15		8,0	417,0		417
70	6605,27		10,0	616,0		616
95	9120,58		12,0	822,0		822

Fe/Zn tape						
Cross-section (mm ²)	Price (€/t)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
20 x 3	1402,34					519
25 x 3	1463,61					647
25 x 4	1398,23					860
30 x 4	1392,77					1036
40 x 4	1460,72					1383

E-AYY			PP00-A / NAYY			
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 x 16 RM	1383,13		20,1		220	780
4 x 25 RM	2037,06		25,3		290	852
4 x 35 SM	2486,00		25,6		406	771
4 x 50 SM	3142,50		28,4		580	1023
4 x 70 SM	4371,12		31,4		812	1349
4 x 95 SM	5877,04		36,9		1102	1846
4 x 120 SM	7312,17		39,9		1392	2206
4 x 150 SM	8610,98		46,0		1740	2617
4 x 185 SM	11070,68		51,7		2176	3570
4 x 240 SM	14923,70		57,9		2822	4380

SKS							N1XD4-AR, N1XD9-AR	
Cross-section (mm ²)		Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
2 x 16		585,35				93	130	
4 x 16		1160,49				186	260	
3 x 35 + 70		3556,42				508	682	
3 x 35 + 70 + 2 x 16		4152,13				600	812	
3 x 70 + 70		5017,78				812	1018	
3 x 70 + 70 + 2 x 16		5580,55				907	1148	

SiF							
Cross-section (mm ²)		Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
0,75		173,57		2,4	7,7		12
1		213,75		2,5	9,6		14
1,5		289,60		2,8	14,4		18
2,5		465,14		4,0	24,0		35
4		757,43		5,5	38,4		55
6		1123,22		5,2	57,6		71
10		1830,60		6,3	96,0		110
16		3379,74		8,0	153,6		188
25		5218,77		9,9	240,0		296
35		7391,93		11,2	336,0		400
50		9837,25		13,8	480,0		570
70		13199,12		15,0	672,0		740

SiHF							
Cross-section (mm ²)		Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75		687,96		6,4	14,4		57
3 x 0,75		929,43		6,8	22,1		67
2 x 1,5		1071,47		7,5	28,8		81
3 x 1,5		1506,39		8,0	43,2		83
4 x 1,5		1863,98		8,8	57,6		120
5 x 1,5		2608,18		9,5	72,0		145
3 x 2,5		2325,85		9,5	72,0		125
4 x 2,5		2959,59		10,5	96,0		180
5 x 2,5		3945,66		11,7	120,0		270

H07BQ-F

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	1076,55	8,8	28,8		88
3 x 1,5	1309,17	9,3	43,2		110
4 x 1,5	1658,92	10,3	57,6		140
5 x 1,5	2008,40	11,2	72,0		169
3 x 2,5	1924,05	11,0	72,0		163
4 x 2,5	2465,89	12,2	96,0		208
5 x 2,5	2983,34	13,5	120,0		257
4 x 4	3906,77	14,0	154,0		293
4 x 6	5834,32	15,2	230,0		346
4 x 10	10091,07	20,2	384,0		702
4 x 16	14500,50	22,8	614,4		981
5 x 4	4374,37	15,6	192,0		365
5 x 6	6388,67	17,6	288,0		504
5 x 10	11175,22	23,2	480,0		962
5 x 16	16829,22	27,1	768,0		1379

JB-Y(St)Y

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 2 x 0,8	203,34	5,7	11,0		39
2 x 2 x 0,8	336,13	6,1	21,0		54
4 x 2 x 0,8	679,98	8,7	41,0		94
6 x 2 x 0,8	945,96	10,1	62,0		135
10 x 2 x 0,8	1644,83	13,1	103,0		205
20 x 2 x 0,8	3257,15	15,6	204,0		352
30 x 2 x 0,8	4883,37	19,4	304,0		522

J-Y(St)Y

TI-44

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 2 x 0,6	141,26	4,0	11,0		20
2 x 2 x 0,6	216,63	4,5	13,0		30
3 x 2 x 0,6	311,43	6,5	19,0		50
4 x 2 x 0,6	390,07	7,0	25,0		60
5 x 2 x 0,6	492,19	7,5	30,0		70
6 x 2 x 0,6	565,35	8,0	35,0		80
10 x 2 x 0,6	848,40	10,0	59,0		110
20 x 2 x 0,6	1653,21	12,0	115,0		190
30 x 2 x 0,6	2407,81	14,0	172,0		280
50 x 2 x 0,6	4178,94	17,0	286,0		430
100 x 2 x 0,6	7926,67	23,5	569,0		820

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 2 x 0,8	200,96	5,5	18,0		40
2 x 2 x 0,8	335,42	7,0	22,0		60
3 x 2 x 0,8	525,98	8,5	31,0		80
4 x 2 x 0,8	648,44	9,0	42,0		100
5 x 2 x 0,8	809,74	9,5	52,0		120
6 x 2 x 0,8	953,40	11,0	62,0		140
10 x 2 x 0,8	1648,53	14,0	103,0		220
20 x 2 x 0,8	3164,43	17,0	203,0		370
30 x 2 x 0,8	5313,73	21,0	304,0		550
50 x 2 x 0,8	8077,50	25,5	506,0		880
100x 2 x 0,8	16038,81	36,0	1008,0		1700

TK 59						A-2YF(L)2Y
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
2 x 2 x 0,6	429,51	8,3	11,0		69	
6 x 2 x 0,6	1028,65	11,0	34,0		129	
10 x 2 x 0,6	1510,35	12,5	54,0		185	
20 x 2 x 0,6	2695,11	15,8	111,0		315	
30 x 2 x 0,6	3862,74	19,0	165,0		425	
50 x 2 x 0,6	6005,55	22,2	272,0		626	
100 x 2 x 0,6	11594,59	30,3	547,0		1235	
2 x 2 x 0,8	796,76	8,8	21,0		88	
6 x 2 x 0,8	1539,12	12,0	60,0		169	
10 x 2 x 0,8	2410,29	14,0	100,0		240	
20 x 2 x 0,8	4373,10	19,1	200,0		459	
30 x 2 x 0,8	6369,98	22,0	300,0		595	
50 x 2 x 0,8	10295,89	26,0	500,0		1060	

YYSch					
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,6	120,18	3,0	5,6		12
3 x 0,6	158,41	3,2	8,4		16
4 x 0,6	208,13	3,4	11,2		20
5 x 0,6	249,55	3,7	14,0		26
6 x 0,6	299,06	4,0	16,8		29
10 x 0,6	490,21	6,0	28,0		54
16 x 0,6	852,73	6,8	45,0		78
20 x 0,6	1053,21	8,2	72,8		110

JE-H(ST)H E30/E90						
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 2 x 0,8 E30	606,32		5,5	19,0		40
1 x 2 x 0,8 E90	649,39		5,5	19,0		40
2 x 2 x 0,8 E30	973,29		6,8	25,0		61
2 x 2 x 0,8 E90	1105,45		6,8	25,0		61

Koax RG / CATV						
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
RG 6 75 Ω	142,95		5,0	20,0		45
RG 11 75 Ω	1274,24		10,3	55,6		188
RG 58 C/U 50 Ω	431,62		5,0	21,3		39
RG 59 B/U 75 Ω	368,78		6,2	26,0		57
RG 213 U 50 Ω	1503,23		10,3	85,0		157
RG 214 U 50 Ω	2856,02		10,8	90,0		200
1,13 / 4,8 Tri-shield	506,83		7,0	16,3		48
1,02 / 4,57 Tri-shield Coax10 AD	469,59		6,9	7,5		44

Loudspeaker cables LFZ-XY/NYFAZ						
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75 crveno/crni	234,10		2,20x4,40	14,4		22
2 x 1 crveno/crni	313,30		2,54x4,90	19,2		28
2 x 1,5 crveno/crni	442,00		2,90x5,90	28,8		36
2 x 2,5 crveno/crni	690,68		3,60x7,20	48,0		58
2 x 4 crveno/crni	1161,22		4,70x9,40	76,8		100
2 x 1,5 transparentni	578,28		2,90x5,90	28,8		40
2 x 2,5 transparentni	961,54		3,60x7,20	48,0		60
2 x 4 transparentni	1815,65		4,70x9,40	76,8		103

Alarm AF CCA Security						
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 AF 22	183,80		3,3			21
6 AF 22	239,90		4,2			28
8 AF 22	313,07		4,6			35
10 AF 22	376,24		5,2			41
12 AF 22	425,16		5,4			50
4 AF 22 + 2 x 0,50	314,51		4,2			40
6 AF 22 + 2 x 0,75	430,28		5,4			50

Alarm AF Cu Security						
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 AF 22	213,60		3,3			22
6 AF 22	277,38		4,2			29
8 AF 22	365,55		4,6			36
10 AF 22	440,55		5,2			42
12 AF 22	496,19		5,4			51
4 AF 22 + 2 x 0,50	375,71		4,2			41
6 AF 22 + 2 x 0,75	491,45		5,4			51

LiYCY						
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,14	348,96		3,5	13,0		20
3 x 0,14	398,96		3,7	15,0		26
4 x 0,14	451,32		4,0	17,0		28
5 x 0,14	519,19		4,3	20,0		33
6 x 0,14	593,38		4,7	23,0		38
7 x 0,14	647,98		4,8	25,0		41
10 x 0,14	942,34		5,7	30,0		56
12 x 0,14	1023,77		6,1	33,0		63
14 x 0,14	1169,06		6,5	36,0		69
16 x 0,14	1380,35		6,8	42,0		80
2 x 0,25	337,74		3,7	15,0		25
3 x 0,25	481,26		4,1	18,0		32
4 x 0,25	578,70		4,7	22,0		40
5 x 0,25	695,87		5,0	26,0		47
6 x 0,25	784,23		5,2	30,0		54
7 x 0,25	820,74		5,4	35,0		56
10 x 0,25	1103,98		6,5	44,0		80
12 x 0,25	1283,53		7,0	50,0		95
16 x 0,25	1697,11		7,8	74,0		116
20 x 0,25	2506,83		9,5	83,0		124,7
2 x 0,34	425,85		4,6	18,0		33
3 x 0,34	565,59		5,0	22,0		41
4 x 0,34	710,03		5,4	26,0		54
5 x 0,34	842,46		5,8	32,0		60
2 x 0,50	494,69		5,1	24,0		43
3 x 0,50	710,38		5,4	32,0		54
4 x 0,50	846,36		6,1	37,0		64
5 x 0,50	1029,22		6,7	55,0		84
6 x 0,50	1229,54		7,2	63,0		95
7 x 0,50	1324,31		7,2	68,0		102
10 x 0,50	1854,28		8,6	93,0		137
2 x 0,75	567,18		5,4	32,0		53
3 x 0,75	706,63		5,8	40,0		66
4 x 0,75	861,05		6,4	60,0		78
5 x 0,75	1076,78		7,1	72,0		99
7 x 0,75	1435,35		7,9	92,0		129

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,0	776,66	6,0	50,0		63
3 x 1,0	983,80	6,4	60,0		82
4 x 1,0	1216,89	6,9	74,0		97
5 x 1,0	1529,29	7,8	89,0		121
2 x 1,5	956,70	7,1	57,0		84
3 x 1,5	1215,41	7,5	74,0		106
4 x 1,5	1506,43	8,4	92,0		136
5 x 1,5	1845,75	9,5	111,0		178

LiYCY-TP						Twisted pair
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
2 x 2 x 0,25	654,52	5,1	28,0		44	
3 x 2 x 0,25	811,28	5,7	44,0		56	
4 x 2 x 0,25	938,54	6,6	57,0		71	
5 x 2 x 0,25	1200,24	7,4	63,0		82	
6 x 2 x 0,25	1530,67	7,5	68,0		99	
2 x 2 x 0,34	783,71	6,6	45,0		66	
3 x 2 x 0,34	1030,41	7,5	54,0		80	
4 x 2 x 0,34	1252,99	8,5	67,0		101	
2 x 2 x 0,5	1018,33	7,2	52,0		79	
3 x 2 x 0,5	1288,97	8,6	67,0		106	
4 x 2 x 0,5	1626,28	9,3	83,0		126	
6 x 2 x 0,5	2260,86	12,0	112,0		186	
8 x 2 x 0,5	2741,12	13,2	132,0		232	
12 x 2 x 0,5	3998,28	15,4	196,0		313	
2 x 2 x 0,75	1101,12	7,7	68,0		96	
3 x 2 x 0,75	1632,49	9,3	85,0		132	
4 x 2 x 0,75	2013,69	9,8	124,0		164	
6 x 2 x 0,75	3131,16	11,6	145,0		251	

LAN			Data			
Cross-section	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
Cat.5e U/UTP PVC	250,78		5,0	17,5		35
Cat.5e U/UTP LSOH	254,00		5,1	17,5		35
Cat.5e F/UTP	364,43		5,9	19,8		36
Cat.5e S/FTP	514,83		6,4	30,0		46
Cat.5e flex UTP	424,58		4,9	11,0		25
Cat.5e flex FTP	513,73		5,0	12,0		25
Cat.6 U/UTP PVC	415,36		6,2	18,0		39
Cat.6 U/UTP LSOH	420,38		6,2	18,0		39
Cat.6 F/UTP PVC	547,82		6,5	24,0		44
Cat.6 F/UTP LSOH	560,41		6,5	24,0		44
Cat.6 S/FTP	730,59		6,9	29,0		49
Cat.5e FTP PE Outdoor	661,77		6,0	20,0		39
Cat.6 FTP PE Outdoor	1006,56		6,5	24,0		53
Cat.7 S/FTP PE Outdoor	1471,25		7,9	44,0		81
Cat.7 S/FTP	718,69		7,5	44,0		75

Fibre optic cables			Multimode			
Cross-section	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
A/J-DQ(ZN)H 4 G 50 / 125	806,47		7,5			35
A/J-DQ(ZN)H 8 G 50 / 125	1203,90		7,5			35
A/J-DQ(ZN)H 12 G 50 / 125	1356,48		7,5			35
A/J-DQ(ZN)H 24 G 50 / 125	2388,16		7,5			35

Fibre optic cables			Singlemode (without rodent protection)			
Cross-section	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
A-DQ(ZN)2Y 3x4 E9/125	978,67		9,7			70
A-DQ(ZN)2Y 6x4 E9/125	1253,96		9,7			70
A-DQ(ZN)2Y 6x8 E9/125	1877,81		9,7			70
A-DQ(ZN)2Y 6x12 E9/125	2397,47		9,7			70
A-DQ(ZN)2Y 8x12 E9/125	3282,60		9,7			70

Fibre optic cables			Singlemode (with rodent protection)			
Cross-section	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
A-DQ(ZN)B2Y 3x4 E9/125	1011,16		11,5			100
A-DQ(ZN)B2Y 6x4 E9/125	1297,07		11,5			100
A-DQ(ZN)B2Y 6x8 E9/125	1944,13		11,5			100
A-DQ(ZN)B2Y 6x12 E9/125	2486,39		11,5			100
A-DQ(ZN)B2Y 8x12 E9/125	3402,91		11,5			100

Price list is formed on 02.04.2018. and it depends on daily movement of Cu and Al on LME

TESLA KABELI d.o.o.

Industrijska 20, 10431 Sv. Nedelja

tel: +385 1 2362-900

fax: +385 1 2362-901

e-mail: info@teslacables.com

Contacts:

Hrvoje Buljan	hrvoje.buljan@teslacables.com	01/2362-909
Igor Balentović	igor.balentovic@teslacables.com	01/2362-904
Saša Bogadi	sasa.bogadi@teslacables.com	01/2362-906
Ivan Suvar	ivan.suvar@teslacables.com	01/2362-903
Sandra Kostelac	sandra.kostelac@teslacables.com	01/2362-905
Iskra Radman	iskra.radman@teslacables.com	01/2362-907
Hrvoje Topčić	hrvoje.topcic@teslacables.com	01/2362-902
Antonio Siljković	antonio.siljkovic@teslacables.com	01/2362-909
Alessandro Sošić	alessandro.sosic@teslacables.com	01/2362-910