



TESLA CABLES

# CABLES & WIRES

PRICE LIST - EXPORT

**of cables and wires up to 1 kV**

**May 2018**



## CONTENT

### PVC insulated wires

H07V-U	(P) (Ye)	1
H07V-R	(P/M) (Ym)	1
H07V-K	(P/F) (Yf)	1

### PVC sheathed wires

YM	(PP) (NYM) ((N)YM)	2
PP/R	(NYIFY)	2
H03VH-H	(P/L)	2
H03VV-F	(PP/L)	2
H05VV-F	(PP/J)	3

### Rubber insulated wires and cables

H05RR-F	(GG/J)	3
H07RN-F		4
H01N2-D		4

### Control cables

YSLY	(LS-YY)(Y-JZ)	5-6
YSLCY	(LS-YYCVY)(CY-JZ)	6-7

### Energy cables

E-YY	(PP00)(NYY)	7-8
N2XH		8-9
NYCY	(PP40)	9
NHXH FE180/E30		10
NHXH FE180/E90		11
FG7OR		12
FG16OR16		13
E-AYY	(PP00-A)(NAYY)	14

### Solar cables

Solar		14
-------	--	----

### Non-insulated rope and tape

Copper rope		14
Fe/Zn tape		14



**Self-supported cable bundle**

SKS	(X00-A, X00/0-A, N1XD4-AR)	14
-----	----------------------------	----

**Silicone and PUR insulated wires and cables**

SiF		15
SiHF		15
H07BQ-F		15

**Fire alarm cables**

JB-Y(St)Y		16
-----------	--	----

**Telecommunication cables**

J-Y(St)Y	(TI-44)	16
TK 59	(A-2YF(L)2Y)(xZTKMXpw)(TCEPKPFLE)	17
YYSch		17
JE-H(St)H E30/E90		18

**Coaxial cables**

Coax	(RG)(CATV)	18
------	------------	----

**Loudspeaker cables**

18

**Alarm cables**

Alarm AF CCu		18
Alarm AF Cu		19

**Electronic cables**



LiYCY		19
LiYCY-TP		20

**Data cables LAN**

21


















**Fibre optic cables**




Multimode		21
Singlemode		21

<b>H07V-U</b>						<b>P / Ye</b>
Cross-section (mm <sup>2</sup> )	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1,5	 124,47		2,6	14,4		19
2,5	 199,05		3,2	24,0		31
4	343,66		3,7	38,4		46
6	515,58		4,2	57,6		62
10	862,31		5,3	96,0		104

<b>H07V-R</b>						<b>P/M / Ym</b>
Cross-section (mm <sup>2</sup> )	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
10	842,57		5,7	96,0		108
16	1316,18		6,7	153,6		162
25	2128,06		8,2	240,0		253
35	3004,53		9,3	336,0		343
50	4295,09		10,7	480,0		500
70	6090,52		12,7	672,0		710
95	8261,76		14,5	912,0		980
120	10185,05		16,0	1152,0		1200
150	13133,28		17,7	1440,0		1500

<b>H07V-K</b>						<b>P/F / Yf</b>
Cross-section (mm <sup>2</sup> )	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
0,5	62,28		2,0	4,8		8
0,75	85,34		2,2	7,2		11
1	107,49		2,4	9,6		13
1,5	120,78		2,8	14,4		20
2,5	204,57		3,5	24,0		31
4	326,69		4,0	38,4		45
6	480,35		5,0	57,6		64
10	830,74		6,7	96,0		110
16	1293,31		7,6	153,6		164
25	1954,53		8,1	240,0		290
35	2806,51		9,2	336,0		380
50	3893,33		11,6	480,0		550
70	5522,43		13,4	672,0		716
95	7347,44		15,5	912,0		976
120	9433,03		17,1	1152,0		1214
150	11418,12		22,0	1440,0		1530
185	14490,55		25,0	1776,0		1900
240	19797,58		28,0	2304,0		2450

<b>YM</b>			<b>PP / NYM / (N)YM</b>			
Cross-section (mm <sup>2</sup> )	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	 331,54		7,9	28,8		81
3 x 1,5 R50/R100	 401,30		8,3	43,2		99
3 x 1,5 bubanj	 405,94		8,3	43,2		99
4 x 1,5	 554,94		9,9	57,6		121
5 x 1,5 R50/R100	 661,45		9,7	72,0		144
5 x 1,5 bubanj	 681,36		9,7	72,0		144
7 x 1,5			10,4	100,8		208
2 x 2,5			9,2	48,0		135
3 x 2,5 R50/R100	 649,29		9,7	72,0		141
3 x 2,5 bubanj	 660,60		9,7	72,0		141
4 x 2,5	 886,40		10,5	96,0		175
5 x 2,5 R50/R100	 1071,70		11,5	120,0		209
5 x 2,5 bubanj	 1080,47		11,5	120,0		209
3 x 4			10,7	115,2		232
4 x 4	 1435,21		12,0	153,6		271
5 x 4	 1708,90		13,5	192,0		323
3 x 6			12,3	172,8		322
4 x 6	 2060,25		13,7	230,4		344
5 x 6	 2480,27		15,0	288,0		410
4 x 10	 3870,04		16,4	384,0		555
5 x 10	 4473,06		18,0	480,0		665

<b>PP/R</b>			<b>NYIFY</b>			
Cross-section (mm <sup>2</sup> )	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	 330,98		3,0	28,8		60
3 x 1,5	 437,53		3,2	43,2		86
3 x 2,5	 711,14		4,0	72,0		130

<b>H03VH-H</b>			<b>P/L</b>			
Cross-section (mm <sup>2</sup> )	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75			2,7	9,6		33

<b>H03VV-F</b>			<b>PP/L</b>			
Cross-section (mm <sup>2</sup> )	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75			5,2	14,4		45
3 x 0,75			5,5	21,6		53
4 x 0,75			6,1	28,8		66
5 x 0,75			6,8	36,0		81

<b>H05VV-F</b>						<b>PP/J</b>
Cross-section (mm <sup>2</sup> )	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1	245,06		6,2	19,2		67
3 x 1	327,15		6,6	28,8		79
4 x 1	511,82		7,4	38,4		86
5 x 1	631,43		8,1	48,0		102
7 x 1	1058,55		9,0	67,2		136
2 x 1,5	326,34		7,0	28,8		89
3 x 1,5	436,87		7,6	43,2		111
4 x 1,5	582,33		8,5	57,6		141
5 x 1,5	738,61		9,5	72,0		177
7 x 1,5	1337,85		10,6	100,8		189
2 x 2,5	1118,86		8,8	48,0		116
3 x 2,5	722,26		9,5	72,0		169
4 x 2,5	923,36		10,4	96,0		207
5 x 2,5	1177,73		11,5	120,0		259
4 x 4	1936,32		12,0	153,6		257
5 x 4	1935,22		13,3	192,0		311
4 x 6	2706,58		14,5	230,4		377
5 x 6	3713,41		16,0	288,0		455

<b>H05RR-F</b>						<b>GG/J</b>
Cross-section (mm <sup>2</sup> )	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	652,26		8,5	28,8		110
3 x 1,5	759,03		9,0	43,2		130
4 x 1,5	1059,37		10,0	57,6		160
5 x 1,5	1245,43		11,5	72,0		200
2 x 2,5	1111,72		10,5	48,0		150
3 x 2,5	1189,07		11,0	72,0		190
4 x 2,5	1626,92		12,0	96,0		240
5 x 2,5	1972,55		13,0	120,0		290

## H07RN-F

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	769,27	10,0	28,8		130
3 x 1,5	884,87	11,0	43,2		170
4 x 1,5	1177,10	12,0	57,6		200
5 x 1,5	1401,39	13,0	72,0		240
7 x 1,5	2652,03	16,0	100,8		342
12 x 1,5	4304,49	19,0	172,8		505
2 x 2,5	1119,41	12,0	48,0		190
3 x 2,5	1333,05	12,5	72,0		240
4 x 2,5	1769,87	14,0	96,0		275
5 x 2,5	2239,33	15,5	120,0		340
7 x 2,5	4119,30	18,0	168,0		485
12 x 2,5	6832,77	23,0	288,0		799
4 x 4	2599,01	16,5	153,6		410
5 x 4	3276,77	18,5	192,0		500
4 x 6	3614,87	19,0	230,4		500
5 x 6	4412,53	21,0	288,0		650
4 x 10	6889,54	24,5	384,0		930
5 x 10	8533,79	26,5	480,0		1120
4 x 16	9903,30	27,5	614,4		1260
5 x 16	12110,67	30,5	768,0		1550
4 x 25	15148,68	34,0	960,0		1890
5 x 25	19327,10	37,5	1200,0		2300
4 x 35	19984,47	37,0	1344,0		2410
5 x 35	25367,45	43,0	1680,0		3008
4 x 50	28229,46	43,5	1920,0		3350
4 x 70	38700,61	49,5	2688,0		4460
4 x 95	51070,05	55,5	3648,0		5750

## H01N2-D

**KZS**

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
16	2927,71	9,5	153,6		210
25	3683,44	11,0	240,0		300
35	4283,43	12,0	336,0		400
50	6122,16	14,0	480,0		560
70	8766,65	16,5	672,0		780
95	13574,29	18,5	912,0		1010

<b>YSLY</b>		<b>LS-YY / Y-JZ</b>			
Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,5	240,83	6,0	9,6		45
3 x 0,5	290,38	6,2	14,4		50
4 x 0,5	368,40	6,5	19,2		60
5 x 0,5	435,11	7,0	24,0		70
7 x 0,5	628,48	7,5	33,6		85
10 x 0,5	954,27	9,5	48,0		125
12 x 0,5	1102,22	10,0	57,6		140
14 x 0,5	1305,68	10,5	67,2		160
21 x 0,5	2049,61	12,5	100,8		230
25 x 0,5	2361,65	14,0	120,0		280
2 x 0,75	281,21	6,5	14,4		50
3 x 0,75	368,68	6,5	21,6		65
4 x 0,75	475,28	7,5	28,8		75
5 x 0,75	592,47	8,0	36,0		95
6 x 0,75	832,33	8,5	43,2		105
7 x 0,75	790,96	8,5	50,4		120
10 x 0,75	1202,85	11,0	72,0		160
12 x 0,75	1449,76	11,5	86,4		180
21 x 0,75	2607,56	14,0	151,2		310
25 x 0,75	3128,98	16,5	180,0		390
2 x 1	351,65	7,0	19,2		65
3 x 1	489,17	7,5	28,8		75
4 x 1	628,44	8,0	38,4		95
5 x 1	807,12	8,5	48,0		120
7 x 1	1119,27	9,0	67,2		140
10 x 1	1682,31	11,5	96,0		200
12 x 1	1966,90	12,0	115,2		220
14 x 1	2318,20	13,0	134,4		270
16 x 1	2420,11	14,0	153,6		300
18 x 1	2724,38	14,5	172,8		330
21 x 1	3478,28	15,5	201,6		390
25 x 1	3766,24	17,5	240,0		480
34 x 1	5577,29	20,0	326,4		640
2 x 1,5	474,07	7,5	28,8		80
3 x 1,5	625,36	8,0	43,2		100
4 x 1,5	809,45	8,5	57,6		120
5 x 1,5	1013,64	9,5	72,0		150
6 x 1,5	1487,31	10,5	86,4		170
7 x 1,5	1336,99	10,5	100,8		190
10 x 1,5	2215,88	13,5	144,0		290
12 x 1,5	2360,24	14,0	172,8		320
14 x 1,5	3268,88	15,0	201,6		380
16 x 1,5	3541,00	16,0	230,4		420
18 x 1,5	4049,39	17,0	259,2		470
21 x 1,5	4748,09	17,5	302,4		520
25 x 1,5	5566,02	20,5	360,0		660
2 x 2,5	739,43	9,0	48,0		120
3 x 2,5	948,66	9,5	72,0		140
4 x 2,5	1300,54	10,0	96,0		180
5 x 2,5	1644,27	11,0	120,0		220
7 x 2,5	2301,29	12,5	168,0		290
12 x 2,5	4250,59	17,0	288,0		490
18 x 2,5	6539,31	20,0	432,0		710
50 x 2,5	21657,13	32,5	1200,0		1860



Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
3 x 4	1784,77	11,0	115,2		220
4 x 4	2363,69	12,5	153,6		280
5 x 4	2877,02	13,5	192,0		350
7 x 4	3899,18	15,5	268,8		460
4 x 6	3156,40	14,5	230,4		400
5 x 6	4132,07	16,0	288,0		480
7 x 6	5670,23	17,5	403,2		640
4 x 10	5781,16	19,5	384,0		710
5 x 10	7096,42	21,5	480,0		870
7 x 10	9518,15	23,5	672,0		1140
4 x 16	8906,48	20,5	614,4		950
5 x 16	10968,69	23,0	768,0		1160
7 x 16	15046,60	25,0	1075,2		1530
4 x 25	13698,56	29,5	960,0		1590

<b>YSLCY</b>			<b>LS-YCVY / C-JZ</b>		
Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75	609,53	8,5	41,3		120
3 x 0,75	798,84	9,0	49,9		130
4 x 0,75	960,36	9,5	58,6		150
5 x 0,75	1251,84	10,5	69,1		170
7 x 0,75	1642,03	11,0	85,4		200
12 x 0,75	2537,29	13,5	132,5		280
25 x 0,75	4907,01	19,5	268,8		570
34 x 0,75	7129,81	22,0	342,7		740
2 x 1	737,15	9,0	49,0		120
3 x 1	924,73	9,5	59,5		140
4 x 1	1218,78	10,0	71,0		160
5 x 1	1490,62	11,0	84,5		190
7 x 1	1788,86	11,5	107,5		220
12 x 1	3176,86	14,5	167,0		340
18 x 1	4499,57	17,5	257,3		500
25 x 1	5921,09	21,0	339,8		680
34 x 1	8852,11	23,5	439,7		870
2 x 1,5	939,14	10,0	62,4		150
3 x 1,5	1195,91	10,5	78,7		170
4 x 1,5	1512,08	11,0	96,0		200
5 x 1,5	2001,81	12,0	114,2		230
7 x 1,5	2619,30	13,0	147,8		280
12 x 1,5	4263,14	17,5	257,3		460
18 x 1,5	6176,84	20,0	358,1		660
25 x 1,5	8187,13	24,5	508,8		940
34 x 1,5	12109,14	26,5	658,6		1190
3 x 2,5	1997,99	11,5	114,2		230
4 x 2,5	2384,54	12,5	143,0		270
5 x 2,5	2921,44	13,5	171,8		320
7 x 2,5	4038,92	15,5	243,8		410
12 x 2,5	6294,26	20,0	390,7		670
18 x 2,5	11723,25	24,0	585,6		950

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 x 4	3636,47	15,0	229,4		410
5 x 4	4644,00	16,5	276,5		480
4 x 6	5233,26	17,5	320,6		560
5 x 6	6186,68	19,0	386,9		650
4 x 10	8423,43	22,5	497,3		920
5 x 10	11440,67	25,0	635,5		1150
4 x 16	13315,28	24,0	776,6		1220
5 x 16	15683,66	26,5	950,4		1470

**E-YY****PP00 / NYY**

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	1590,22	9,4	153,6		218
1 x 25	 2323,42	11,3	240,0		324
1 x 35	 3175,53	12,4	336,0		419
1 x 50	 4452,93	13,8	480,0		554
1 x 70	 6247,83	15,8	672,0		772
1 x 95	 8213,68	17,6	912,0		1016
1 x 120	 10025,68	19,1	1152,0		1286
1 x 150	 12488,49	20,8	1440,0		1578
1 x 185	15776,26	25,5	1776,0		2088
1 x 240	20835,82	27,9	2304,0		2652
1 x 300	25483,65	30,7	2880,0		3331
2 x 1.5	479,21	10,1	28,8		152
2 x 2,5	671,18	10,9	48,0		189
3 x 1.5 RE	 477,60	10,5	43,2		135
3 x 2.5 RE	 726,47	11,4	72,0		183
3 x 4 RE	1348,76	13,1	115,2		305
3 x 6 RE	1960,96	14,1	172,8		383
4 x 1.5 RE	 620,08	11,2	57,6		159
4 x 2,5 RE	 943,28	12,2	96,0		213
4 x 4 RE	 1526,84	14,1	153,6		322
4 x 6 RE	 2166,60	15,3	230,4		402
4 x 10 RE	 3468,88	17,2	384,0		606
4 x 16 RM	 5530,74	21,1	614,4		913
4 x 25 RM	 8583,48	25,3	960,0		1379
4 x 35 SM	 12096,46	26,0	1344,0		1578
4 x 50 SM	 16439,90	28,4	1920,0		2125
4 x 70 SM	 23153,36	31,4	2688,0		2975
4 x 95 SM	 32084,04	39,3	3648,0		4079
4 x 120 SM	 41789,42	41,8	4608,0		5060
4 x 150 SM	 50185,53	49,0	5760,0		6258
4 x 185 SM	62746,62	52,0	7104,0		7787
4 x 240 SM	83877,14	58,9	9216,0		10094
5 x 1.5 RE	 754,95	12,0	72,0		185
5 x 2.5 RE	 1171,80	13,1	120,0		248
5 x 4 RE	 1840,05	15,3	192,0		379
5 x 6 RE	 2628,92	16,6	288,0		481
5 x 10 RE	 4340,70	18,8	480,0		737
5 x 16 RM	 6838,67	23,7	768,0		1118
5 x 25 RM	 10673,76	27,7	1200,0		1694
5 x 35 RM	 15435,62	31,0	1680,0		2233

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
7 x 1.5 RE	1408,28	12,9	100,8		282
10 x 1.5 RE	2244,84	15,7	144,0		401
12 x 1.5 RE	2561,19	16,1	172,8		437
14 x 1.5 RE	3266,24	16,8	201,6		484
16 x 1.5 RE	3803,32	17,7	230,4		539
19 x 1.5 RE	3947,54	18,5	273,6		609
24 x 1.5 RE	5124,14	21,9	345,6		816
30 x 1.5 RE	6549,90	23,0	432,0		937
7 x 2.5 RE	2374,02	14,1	168,0		374
10 x 2.5 RE	3670,24	17,3	240,0		534
12 x 2.5 RE	4399,38	17,8	288,0		630
14 x 2,5 RE	5022,15	18,6	336,0		660
16 x 2.5 RE	6055,53	20,1	384,0		765
19 x 2.5 RE	6762,29	21,1	456,0		873
24 x 2.5 RE	8384,60	24,8	576,0		1146
30 x 2.5 RE	11229,57	26,1	720,0		1331
7 x 4 RE	4094,76	16,5	268,8		541
10 x 4 RE	6780,22	21,1	384,0		827
14 x 4 RE	8853,90	26,0	537,6		1170
19 x 4 RE	11835,49	28,0	729,6		1360
7 x 6 RE	5341,64	18,0	403,2		704

**N2XH****N2XH**

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	1968,97	9,8	153,6		226
1 x 25	2901,99	11,4	240,0		327
1 x 35	4241,40	12,6	336,0		429
1 x 50	5490,03	13,8	480,0		555
1 x 70	7729,41	15,7	672,0		765
1 x 95	10613,85	17,6	912,0		1024
1 x 120	13279,48	19,1	1152,0		1270
1 x 150	16897,21	20,9	1440,0		1550
1 x 185	20131,95	23,5	1776,0		1950
1 x 240	26249,85	25,8	2304,0		2550
1 x 300	32176,96	29,0	2880,0		3200
2 x 1.5	702,25	9,3	28,8		130
2 x 2,5	967,01	10,1	48,0		160
3 x 1.5 RE	604,39	9,7	43,2		142
3 x 2.5 RE	867,25	10,7	72,0		184
4 x 1.5 RE	925,92	10,4	57,6		166
4 x 2,5 RE	1331,38	11,4	96,0		220
4 x 4 RE	2084,71	13,8	153,6		305
4 x 6 RE	2920,02	13,8	230,4		400
4 x 10 RE	4679,60	16,3	384,0		601
4 x 16 RM	7131,96	19,2	614,4		900
4 x 25 RM	10734,23	24,0	960,0		1400
4 x 35 SM	14303,27	26,5	1344,0		1850
4 x 50 SM	20887,47	29,0	1920,0		2226
4 x 70 SM	28448,01	32,0	2688,0		3050
4 x 95 SM	38547,81	37,0	3648,0		4250

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
<b>4 x 120 SM</b>	<b>47542,40</b>	40,8	4608,0		5320
<b>4 x 150 SM</b>	<b>59736,97</b>	50,0	5760,0		6350
<b>4 x 185 SM</b>	<b>79071,41</b>	51,0	7104,0		7850
<b>4 x 240 SM</b>	<b>102613,41</b>	56,6	9216,0		10235
<b>5 x 1.5 RE</b>	<b>1046,89</b>	11,3	72,0		195
<b>5 x 2.5 RE</b>	<b>1511,24</b>	12,4	120,0		260
<b>5 x 4 RE</b>	<b>2178,75</b>	13,8	192,0		360
<b>5 x 6 RE</b>	<b>3149,65</b>	15,5	288,0		490
<b>5 x 10 RE</b>	<b>5307,49</b>	17,9	480,0		730
<b>5 x 16 RM</b>	<b>8324,07</b>	22,0	768,0		1120
<b>5 x 25 RM</b>	<b>12510,35</b>	27,1	1200,0		1460

<b>NYCY</b>						<b>PP40</b>
Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
<b>2 x 1,5 / 1,5</b>	<b>1142,39</b>	12,5	48,0		198	
<b>2 x 2,5 / 2,5</b>	<b>1484,15</b>	13,9	75,0		257	
<b>2 x 4 / 4</b>	<b>1868,22</b>	15,5	110,0		345	
<b>2 x 6 / 6</b>	<b>2522,82</b>	16,8	165,0		425	
<b>3 x 1,5 / 1,5</b>	<b>1311,05</b>	13,4	59,0		215	
<b>3 x 2,5 / 2,5</b>	<b>1634,90</b>	14,1	90,0		275	
<b>4 x 1,5 / 1,5</b>	<b>1535,76</b>	14,1	72,0		245	
<b>4 x 2,5 / 2,5</b>	<b>1947,06</b>	15,1	117,0		335	
<b>4 x 4 / 4</b>	<b>3146,57</b>	17,4	182,0		455	
<b>4 x 6 / 6</b>	<b>4379,37</b>	18,4	272,0		575	
<b>5 x 2,5 / 2,5</b>	<b>2574,31</b>	16,2	139,0		380	
<b>7 x 1,5 / 2,5</b>	<b>2355,83</b>	15,5	125,0		350	
<b>10 x 1,5 / 2,5</b>	<b>3322,15</b>	18,1	165,0		451	
<b>12 x 1,5 / 2,5</b>	<b>3671,26</b>	19,2	188,0		465	
<b>16 x 1,5 / 4</b>	<b>4273,63</b>	20,5	262,0		645	
<b>19 x 1,5 / 4</b>	<b>4883,71</b>	22,3	299,0		665	
<b>24 x 1,5 / 6</b>	<b>6554,47</b>	25,2	388,0		915	
<b>7 x 2,5 / 2,5</b>	<b>3870,30</b>	17,2	185,0		440	
<b>10 x 2,5 / 4</b>	<b>4365,47</b>	20,1	270,0		600	
<b>12 x 2,5 / 4</b>	<b>5300,91</b>	20,9	305,0		656	
<b>16 x 2,5 / 6</b>	<b>6269,15</b>	22,4	428,0		815	
<b>19 x 2,5 / 6</b>	<b>8828,67</b>	23,8	483,0		933	
<b>24 x 2,5 / 10</b>	<b>10676,59</b>	26,6	636,0		1160	

**NHXX FE180/E30****E30**

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	2999,43	12,0	153,6		218
1 x 25	4356,88	13,0	240,0		324
1 x 35	5708,55	15,0	336,0		419
1 x 50	6522,71	16,0	480,0		554
1 x 70	8798,37	18,0	672,0		772
1 x 95	11459,67	20,0	912,0		1016
1 x 120	14259,22	22,0	1152,0		1286
1 x 150	17711,62	24,0	1440,0		1578
1 x 185	21587,06	27,0	1776,0		2088
1 x 240	27067,38	30,0	2304,0		2652
1 x 300	35585,14	33,0	2880,0		3331
2 x 1.5	1352,49	12,1	28,8		190
2 x 2,5	1719,64	12,2	48,0		220
3 x 1.5 RE	1442,75	13,0	43,2		210
3 x 2.5 RE	1885,42	14,0	72,0		260
3 x 4 RE	2774,45	15,0	115,2		320
3 x 6 RE	3753,39	16,0	172,8		400
4 x 1.5 RE	1751,50	15,0	57,6		240
4 x 2,5 RE	2288,69	16,0	96,0		300
4 x 4 RE	3842,07	17,0	153,6		390
4 x 6 RE	4949,53	18,0	230,4		490
4 x 10 RE	7087,68	21,0	384,0		670
4 x 16 RM	12004,09	25,0	614,4		950
4 x 25 RM	16581,61	26,0	960,0		1430
4 x 35 SM	21481,93	29,0	1344,0		1890
4 x 50 SM	28706,34	34,0	1920,0		2510
4 x 70 SM	38149,86	38,0	2688,0		3650
4 x 95 SM	54609,56	44,0	3648,0		4750
4 x 120 SM	70743,85	48,0	4608,0		5910
4 x 150 SM	85246,18	52,0	5760,0		7240
5 x 1.5 RE	2538,04	18,0	72,0		280
5 x 2.5 RE	3125,22	19,0	120,0		354
5 x 4 RE	4942,61	21,0	192,0		450
5 x 6 RE	5797,37	22,0	288,0		570
5 x 10 RE	8914,76	25,0	480,0		820
5 x 16 RM	14148,74	27,0	768,0		1140
5 x 25 RM	19825,91	31,0	1200,0		1710
7 x 1.5 RE	3461,39	16,0	100,8		330
12 x 1.5 RE	5329,94	20,5	172,8		500
19 x 1.5 RE	8116,35	24,0	273,6		720
24 x 1.5 RE	9808,98	28,0	345,6		890
30 x 1.5 RE	11751,05	31,0	432,0		1090
7 x 2.5 RE	4563,30	18,0	168,0		430
12 x 2.5 RE	6600,41	25,0	288,0		650
19 x 2.5 RE	11635,49	26,0	456,0		950
24 x 2.5 RE	14211,54	30,5	576,0		1210
30 x 2.5 RE	17085,05	32,5	720,0		1470

**NHXX FE180/E90****E90**

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	4919,89	11,0	153,6		250
1 x 25	6991,90	13,0	240,0		355
1 x 35	8102,14	14,0	336,0		460
1 x 50	10326,02	16,0	480,0		610
1 x 70	15577,22	18,0	672,0		810
1 x 95	17204,20	20,0	912,0		1100
1 x 120	19194,66	21,0	1152,0		1350
1 x 150	24983,45	24,0	1440,0		1650
1 x 185	28403,35	26,0	1776,0		2050
1 x 240	35075,05	29,0	2304,0		2650
1 x 300	58825,55	32,0	2880,0		3275
2 x 1.5	2312,61	13,0	28,8		200
3 x 1.5 RE	2814,72	13,5	43,2		210
3 x 2.5 RE	3494,14	14,6	72,0		243
3 x 4 RE	4260,59	15,5	115,2		302
3 x 6 RE	7126,33	16,5	172,8		399
4 x 1.5 RE	4059,09	15,0	57,6		245
4 x 2,5 RE	4959,06	16,0	96,0		299
4 x 4 RE	6245,71	17,0	153,6		376
4 x 6 RE	7114,35	18,5	230,4		474
4 x 10 RE	9455,61	20,5	384,0		657
4 x 16 RM	15656,05	24,0	614,4		973
4 x 25 RM	23169,77	26,5	960,0		1422
4 x 35 SM	33361,40	30,0	1344,0		1858
4 x 50 SM	35941,59	35,0	1920,0		2900
4 x 70 SM	54445,23	40,5	2688,0		3900
4 x 95 SM	73193,27	45,5	3648,0		5200
4 x 120 SM	86448,50	50,0	4608,0		6300
4 x 150 SM	104759,84	55,0	5760,0		6800
5 x 1.5 RE	4194,34	15,5	72,0		290
5 x 2.5 RE	5048,20	17,0	120,0		359
5 x 4 RE	6736,49	18,5	192,0		457
5 x 6 RE	9941,14	20,0	288,0		577
5 x 10 RE	11443,86	22,0	480,0		807
5 x 16 RM	18641,69	26,5	768,0		1145
5 x 25 RM	27260,06	30,0	1200,0		1765
7 x 1.5 RE	6221,04	18,0	100,8		282
12 x 1.5 RE	10759,65	23,5	172,8		437
24 x 1.5 RE	21855,98	21,9	345,6		816

# FG70R

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	1879,36	12,2	153,6		195
1 x 25	2784,42	13,8	240,0		288
1 x 35	3772,81	15,1	336,0		383
1 x 50	5318,83	17,1	480,0		525
1 x 70	7516,52	19,6	672,0		765
1 x 95	9889,03	22,2	912,0		1000
1 x 120	12531,85	24,2	1152,0		1230
1 x 150	15021,63	26,8	1440,0		1550
1 x 185	18280,49	29,1	1776,0		1880
1 x 240	24201,08	32,2	2304,0		2410
1 x 300	31530,15	35,4	2880,0		3000
1 x 400	43416,35	39,9	3840,0		3960
2 x 1,5	626,00	11,9	28,8		129
2 x 2,5	896,19	12,7	48,0		163
3 x 1,5	772,77	12,4	43,2		144
3 x 2,5	1099,89	13,3	72,0		187
4 x 1,5	990,79	13,2	57,6		167
4 x 2,5	1454,96	14,2	96,0		220
4 x 4	2181,79	16,1	153,6		306
4 x 6	3071,68	18,1	230,4		397
4 x 10	4893,47	21,0	384,0		600
4 x 16	7463,98	25,6	614,4		888
4 x 25	11637,08	29,6	960,0		1310
3 x 35 + 1 x 25	14277,91	31,8	1248,0		1630
3 x 50 x 1 x 25	19086,31	35,9	1680,0		2110
3 x 70 + 1 x 35	27459,50	40,9	2352,0		3030
3 x 95 + 1 x 50	36272,80	44,6	3216,0		3910
3 x 120 + 1 x 70	47742,66	50,9	4128,0		5000
3 x 150 + 1 x 95	62052,34	56,3	5232,0		6340
5 x 1,5	1181,41	14,5	72,0		260
5 x 2,5	1696,86	15,6	120,0		368
5 x 4	2647,04	17,7	192,0		478
5 x 6	3716,67	19,9	288,0		740
5 x 10	5986,05	23,6	480,0		1070
5 x 16	9284,17	27,6	768,0		1620
5 x 25	14009,23	32,1	1200,0		2145
5 x 35	19204,13	36,1	1680,0		3000
7 x 1,5	2144,40	15,0	100,8		311

# FG16OR16

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	2002,06	11,4	153,6		220
1 x 25	2959,23	13,2	240,0		310
1 x 35	4011,40	14,6	336,0		410
1 x 50	5613,80	16,4	480,0		560
1 x 70	7970,04	18,3	672,0		760
1 x 95	10443,43	20,4	912,0		960
1 x 120	13378,78	22,4	1152,0		1210
1 x 150	15799,97	24,8	1440,0		1480
1 x 185	19227,23	27,0	1776,0		1790
1 x 240	25606,15	30,2	2304,0		2320
1 x 300	33082,76	33,0	2880,0		2840
1 x 400	46099,03	36,5	3840,0		3735
2 x 1,5	666,17	12,0	28,8		130
2 x 2,5	949,25	13,0	48,0		165
3 x 1,5	819,22	12,5	43,2		150
3 x 2,5	1165,70	13,6	72,0		190
3 x 4	1587,91	14,9	115,2		250
3 x 6	2232,44	16,2	172,8		320
3 x 10	3655,70	18,2	288,0		470
4 x 1,5	1049,84	13,4	57,6		170
4 x 2,5	1540,38	14,6	96,0		220
4 x 4	2307,31	16,0	153,6		295
4 x 6	3231,35	17,5	230,4		385
4 x 10	5210,57	19,8	384,0		575
4 x 16	7881,87	22,4	614,4		795
4 x 25	12238,65	26,8	960,0		1205
3 x 35 + 1 x 25	15163,00	29,2	1248,0		1535
3 x 50 + 1 x 25	20197,70	32,4	1680,0		2020
3 x 70 + 1 x 35	28785,73	37,0	2352,0		3030
3 x 95 + 1 x 50	38423,30	42,0	3216,0		3915
3 x 120 + 1 x 70	50826,85	46,9	4128,0		5040
3 x 150 + 1 x 95	65991,08	52,5	5232,0		6300
5 x 1,5	1251,57	14,4	72,0		195
5 x 2,5	1798,21	15,6	120,0		260
5 x 4	2802,67	17,3	192,0		345
5 x 6	3936,98	18,9	288,0		455
5 x 10	6338,11	21,5	480,0		680
5 x 16	9829,09	24,4	768,0		970
5 x 25	14882,50	29,3	1200,0		1470
5 x 35	20323,25	32,8	1680,0		1990
7 x 1,5	2298,60	15,4	100,8		260









<b>Solar</b>			<b>PV1-F</b>			
Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
4	821,19	6,5	38,4		60	
6	977,73	7,0	57,6		79	
10	1721,96	8,7	96,0		130	
16	3375,30	9,4	153,6		210	

<b>Copper rope</b>						
Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
25	2434,26	6,0	223,0		223	
35	3138,97	7,0	309,0		309	
50	4360,15	8,0	417,0		417	
70	6605,27	10,0	616,0		616	
95	9120,58	12,0	822,0		822	

<b>Fe/Zn tape</b>						
Cross-section (mm <sup>2</sup> )	Price (€/t)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
20 x 3	1402,34				519	
25 x 3	1463,61				647	
25 x 4	1398,23				860	
30 x 4	1392,77				1036	
40 x 4	1460,72				1383	

<b>E-AYY</b>			<b>PP00-A / NAYY</b>			
Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
4 x 16 RM	1411,85	20,1		220	780	
4 x 25 RM	2082,67	25,3		290	852	
4 x 35 SM	2567,12	25,6		406	771	
4 x 50 SM	3262,53	28,4		580	1023	
4 x 70 SM	4517,36	31,4		812	1349	
4 x 95 SM	6034,57	36,9		1102	1846	
4 x 120 SM	7549,60	39,9		1392	2206	
4 x 150 SM	8968,73	46,0		1740	2617	
4 x 185 SM	11342,04	51,7		2176	3570	
4 x 240 SM	15332,46	57,9		2822	4380	

<b>SKS</b>							<b>N1XD4-AR, N1XD9-AR</b>	
Cross-section (mm <sup>2</sup> )	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)		
2 x 16	 585,35				93	130		
4 x 16	 1160,49				186	260		
3 x 35 + 70	 3556,42				508	682		
3 x 35 + 70 + 2 x 16	 4152,13				600	812		
3 x 70 + 70	 5017,78				812	1018		
3 x 70 + 70 + 2 x 16	 5580,55				907	1148		

<b>SiF</b>						
Cross-section (mm <sup>2</sup> )	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
0,75	173,57		2,4	7,7		12
1	213,75		2,5	9,6		14
1,5	289,60		2,8	14,4		18
2,5	465,14		4,0	24,0		35
4	757,43		5,5	38,4		55
6	1123,22		5,2	57,6		71
10	1830,60		6,3	96,0		110
16	3379,74		8,0	153,6		188
25	5218,77		9,9	240,0		296
35	7391,93		11,2	336,0		400
50	9837,25		13,8	480,0		570
70	13199,12		15,0	672,0		740

<b>SiHF</b>						
Cross-section (mm <sup>2</sup> )	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75	687,96		6,4	14,4		57
3 x 0,75	929,43		6,8	22,1		67
2 x 1,5	1071,47		7,5	28,8		81
3 x 1,5	1506,39		8,0	43,2		83
4 x 1,5	1863,98		8,8	57,6		120
5 x 1,5	2608,18		9,5	72,0		145
3 x 2,5	2325,85		9,5	72,0		125
4 x 2,5	2959,59		10,5	96,0		180
5 x 2,5	3945,66		11,7	120,0		270

## H07BQ-F

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	1076,55	8,8	28,8		88
3 x 1,5	1309,17	9,3	43,2		110
4 x 1,5	1658,92	10,3	57,6		140
5 x 1,5	2008,40	11,2	72,0		169
3 x 2,5	1924,05	11,0	72,0		163
4 x 2,5	2465,89	12,2	96,0		208
5 x 2,5	2983,34	13,5	120,0		257
4 x 4	3906,77	14,0	154,0		293
4 x 6	5834,32	15,2	230,0		346
4 x 10	10091,07	20,2	384,0		702
4 x 16	14500,50	22,8	614,4		981
5 x 4	4374,37	15,6	192,0		365
5 x 6	6388,67	17,6	288,0		504
5 x 10	11175,22	23,2	480,0		962
5 x 16	16829,22	27,1	768,0		1379

## JB-Y(St)Y

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 2 x 0,8	203,34	5,7	11,0		39
2 x 2 x 0,8	336,13	6,1	21,0		54
4 x 2 x 0,8	679,98	8,7	41,0		94
6 x 2 x 0,8	945,96	10,1	62,0		135
10 x 2 x 0,8	1644,83	13,1	103,0		205
20 x 2 x 0,8	3257,15	15,6	204,0		352
30 x 2 x 0,8	4883,37	19,4	304,0		522

## J-Y(St)Y

**TI-44**

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 2 x 0,6	141,26	4,0	11,0		20
2 x 2 x 0,6	216,63	4,5	13,0		30
3 x 2 x 0,6	311,43	6,5	19,0		50
4 x 2 x 0,6	390,07	7,0	25,0		60
5 x 2 x 0,6	492,19	7,5	30,0		70
6 x 2 x 0,6	565,35	8,0	35,0		80
10 x 2 x 0,6	848,40	10,0	59,0		110
20 x 2 x 0,6	1653,21	12,0	115,0		190
30 x 2 x 0,6	2407,81	14,0	172,0		280
50 x 2 x 0,6	4178,94	17,0	286,0		430
100 x 2 x 0,6	7926,67	23,5	569,0		820

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 2 x 0,8	200,96	5,5	18,0		40
2 x 2 x 0,8	335,42	7,0	22,0		60
3 x 2 x 0,8	525,98	8,5	31,0		80
4 x 2 x 0,8	648,44	9,0	42,0		100
5 x 2 x 0,8	809,74	9,5	52,0		120
6 x 2 x 0,8	953,40	11,0	62,0		140
10 x 2 x 0,8	1648,53	14,0	103,0		220
20 x 2 x 0,8	3164,43	17,0	203,0		370
30 x 2 x 0,8	5313,73	21,0	304,0		550
50 x 2 x 0,8	8077,50	25,5	506,0		880
100x 2 x 0,8	16038,81	36,0	1008,0		1700

<b>TK 59</b>						<b>A-2YF(L)2Y</b>
Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
2 x 2 x 0,6	429,51	8,3	11,0		69	
6 x 2 x 0,6	1028,65	11,0	34,0		129	
10 x 2 x 0,6	1510,35	12,5	54,0		185	
20 x 2 x 0,6	2695,11	15,8	111,0		315	
30 x 2 x 0,6	3862,74	19,0	165,0		425	
50 x 2 x 0,6	6005,55	22,2	272,0		626	
100 x 2 x 0,6	11594,59	30,3	547,0		1235	
2 x 2 x 0,8	796,76	8,8	21,0		88	
6 x 2 x 0,8	1539,12	12,0	60,0		169	
10 x 2 x 0,8	2410,29	14,0	100,0		240	
20 x 2 x 0,8	4373,10	19,1	200,0		459	
30 x 2 x 0,8	6369,98	22,0	300,0		595	
50 x 2 x 0,8	10295,89	26,0	500,0		1060	

<b>YYSch</b>					
Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,6	120,18	3,0	5,6		12
3 x 0,6	158,41	3,2	8,4		16
4 x 0,6	208,13	3,4	11,2		20
5 x 0,6	249,55	3,7	14,0		26
6 x 0,6	299,06	4,0	16,8		29
10 x 0,6	490,21	6,0	28,0		54
16 x 0,6	852,73	6,8	45,0		78
20 x 0,6	1053,21	8,2	72,8		110

## JE-H(ST)H E30/E90

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 2 x 0,8 E30	606,32	5,5	19,0		40
1 x 2 x 0,8 E90	649,39	5,5	19,0		40
2 x 2 x 0,8 E30	973,29	6,8	25,0		61
2 x 2 x 0,8 E90	1105,45	6,8	25,0		61

## Koax

## RG / CATV

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
RG 6 75 Ω	142,95	5,0	20,0		45
RG 11 75 Ω	1274,24	10,3	55,6		188
RG 58 C/U 50 Ω	431,62	5,0	21,3		39
RG 59 B/U 75 Ω	368,78	6,2	26,0		57
RG 213 U 50 Ω	1503,23	10,3	85,0		157
RG 214 U 50 Ω	2856,02	10,8	90,0		200
1,13 / 4,8 Tri-shield	506,83	7,0	16,3		48
1,02 / 4,57 Tri-shield Coax10 AD	469,59	6,9	7,5		44

## Loudspeaker cables

## LFZ-XY/NYFAZ

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75 crveno/crni	234,10	2,20x4,40	14,4		22
2 x 1 crveno/crni	313,30	2,54x4,90	19,2		28
2 x 1,5 crveno/crni	442,00	2,90x5,90	28,8		36
2 x 2,5 crveno/crni	690,68	3,60x7,20	48,0		58
2 x 4 crveno/crni	1161,22	4,70x9,40	76,8		100
2 x 1,5 transparentni	578,28	2,90x5,90	28,8		40
2 x 2,5 transparentni	961,54	3,60x7,20	48,0		60
2 x 4 transparentni	1815,65	4,70x9,40	76,8		103

## Alarm AF CCA

## Security

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 AF 22	183,80	3,3			21
6 AF 22	239,90	4,2			28
8 AF 22	313,07	4,6			35
10 AF 22	376,24	5,2			41
12 AF 22	425,16	5,4			50
4 AF 22 + 2 x 0,50	314,51	4,2			40
6 AF 22 + 2 x 0,75	430,28	5,4			50

# Alarm AF Cu

## Security

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 AF 22	213,60	3,3			22
6 AF 22	277,38	4,2			29
8 AF 22	365,55	4,6			36
10 AF 22	440,55	5,2			42
12 AF 22	496,19	5,4			51
4 AF 22 + 2 x 0,50	375,71	4,2			41
6 AF 22 + 2 x 0,75	491,45	5,4			51

# LiYCY

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,14	348,96	3,5	13,0		20
3 x 0,14	398,96	3,7	15,0		26
4 x 0,14	451,32	4,0	17,0		28
5 x 0,14	519,19	4,3	20,0		33
6 x 0,14	593,38	4,7	23,0		38
7 x 0,14	647,98	4,8	25,0		41
10 x 0,14	942,34	5,7	30,0		56
12 x 0,14	1023,77	6,1	33,0		63
14 x 0,14	1169,06	6,5	36,0		69
16 x 0,14	1380,35	6,8	42,0		80
2 x 0,25	337,74	3,7	15,0		25
3 x 0,25	481,26	4,1	18,0		32
4 x 0,25	578,70	4,7	22,0		40
5 x 0,25	695,87	5,0	26,0		47
6 x 0,25	784,23	5,2	30,0		54
7 x 0,25	820,74	5,4	35,0		56
10 x 0,25	1103,98	6,5	44,0		80
12 x 0,25	1283,53	7,0	50,0		95
16 x 0,25	1697,11	7,8	74,0		116
20 x 0,25	2506,83	9,5	83,0		124,7
2 x 0,34	425,85	4,6	18,0		33
3 x 0,34	565,59	5,0	22,0		41
4 x 0,34	710,03	5,4	26,0		54
5 x 0,34	842,46	5,8	32,0		60
2 x 0,50	494,69	5,1	24,0		43
3 x 0,50	710,38	5,4	32,0		54
4 x 0,50	846,36	6,1	37,0		64
5 x 0,50	1029,22	6,7	55,0		84
6 x 0,50	1229,54	7,2	63,0		95
7 x 0,50	1324,31	7,2	68,0		102
10 x 0,50	1854,28	8,6	93,0		137
2 x 0,75	567,18	5,4	32,0		53
3 x 0,75	706,63	5,8	40,0		66
4 x 0,75	861,05	6,4	60,0		78
5 x 0,75	1076,78	7,1	72,0		99
7 x 0,75	1435,35	7,9	92,0		129

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
<b>2 x 1,0</b>	<b>776,66</b>	6,0	50,0		63
<b>3 x 1,0</b>	<b>983,80</b>	6,4	60,0		82
<b>4 x 1,0</b>	<b>1216,89</b>	6,9	74,0		97
<b>5 x 1,0</b>	<b>1529,29</b>	7,8	89,0		121
<b>2 x 1,5</b>	<b>956,70</b>	7,1	57,0		84
<b>3 x 1,5</b>	<b>1215,41</b>	7,5	74,0		106
<b>4 x 1,5</b>	<b>1506,43</b>	8,4	92,0		136
<b>5 x 1,5</b>	<b>1845,75</b>	9,5	111,0		178

<b>LiYCY-TP</b>					
<b>Twisted pair</b>					
Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
<b>2 x 2 x 0,25</b>	<b>654,52</b>	5,1	28,0		44
<b>3 x 2 x 0,25</b>	<b>811,28</b>	5,7	44,0		56
<b>4 x 2 x 0,25</b>	<b>938,54</b>	6,6	57,0		71
<b>5 x 2 x 0,25</b>	<b>1200,24</b>	7,4	63,0		82
<b>6 x 2 x 0,25</b>	<b>1530,67</b>	7,5	68,0		99
<b>2 x 2 x 0,34</b>	<b>783,71</b>	6,6	45,0		66
<b>3 x 2 x 0,34</b>	<b>1030,41</b>	7,5	54,0		80
<b>4 x 2 x 0,34</b>	<b>1252,99</b>	8,5	67,0		101
<b>2 x 2 x 0,5</b>	<b>1018,33</b>	7,2	52,0		79
<b>3 x 2 x 0,5</b>	<b>1288,97</b>	8,6	67,0		106
<b>4 x 2 x 0,5</b>	<b>1626,28</b>	9,3	83,0		126
<b>6 x 2 x 0,5</b>	<b>2260,86</b>	12,0	112,0		186
<b>8 x 2 x 0,5</b>	<b>2741,12</b>	13,2	132,0		232
<b>12 x 2 x 0,5</b>	<b>3998,28</b>	15,4	196,0		313
<b>2 x 2 x 0,75</b>	<b>1101,12</b>	7,7	68,0		96
<b>3 x 2 x 0,75</b>	<b>1632,49</b>	9,3	85,0		132
<b>4 x 2 x 0,75</b>	<b>2013,69</b>	9,8	124,0		164
<b>6 x 2 x 0,75</b>	<b>3131,16</b>	11,6	145,0		251

LAN			Data			
Cross-section	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
Cat.5e U/UTP PVC	250,78	5,0	17,5		35	
Cat.5e U/UTP LSOH	254,00	5,1	17,5		35	
Cat.5e F/UTP	364,43	5,9	19,8		36	
Cat.5e S/FTP	514,83	6,4	30,0		46	
Cat.5e flex UTP	424,58	4,9	11,0		25	
Cat.5e flex FTP	513,73	5,0	12,0		25	
Cat.6 U/UTP PVC	415,36	6,2	18,0		39	
Cat.6 U/UTP LSOH	420,38	6,2	18,0		39	
Cat.6 F/UTP PVC	547,82	6,5	24,0		44	
Cat.6 F/UTP LSOH	560,41	6,5	24,0		44	
Cat.6 S/FTP	730,59	6,9	29,0		49	
Cat.5e FTP PE Outdoor	661,77	6,0	20,0		39	
Cat.6 FTP PE Outdoor	1006,56	6,5	24,0		53	
Cat.7 S/FTP PE Outdoor	1471,25	7,9	44,0		81	
Cat.7 S/FTP	718,69	7,5	44,0		75	

Fibre optic cables			Multimode			
Cross-section	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
A/J-DQ(ZN)H 4 G 50 / 125	806,47	7,5			35	
A/J-DQ(ZN)H 8 G 50 / 125	1203,90	7,5			35	
A/J-DQ(ZN)H 12 G 50 / 125	1356,48	7,5			35	
A/J-DQ(ZN)H 24 G 50 / 125	2388,16	7,5			35	

Fibre optic cables			Singlemode (without rodent protection)			
Cross-section	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
A-DQ(ZN)2Y 3x4 E9/125	978,67	9,7			70	
A-DQ(ZN)2Y 6x4 E9/125	1253,96	9,7			70	
A-DQ(ZN)2Y 6x8 E9/125	1877,81	9,7			70	
A-DQ(ZN)2Y 6x12 E9/125	2397,47	9,7			70	
A-DQ(ZN)2Y 8x12 E9/125	3282,60	9,7			70	

Fibre optic cables			Singlemode (with rodent protection)			
Cross-section	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
A-DQ(ZN)B2Y 3x4 E9/125	1011,16	11,5			100	
A-DQ(ZN)B2Y 6x4 E9/125	1297,07	11,5			100	
A-DQ(ZN)B2Y 6x8 E9/125	1944,13	11,5			100	
A-DQ(ZN)B2Y 6x12 E9/125	2486,39	11,5			100	
A-DQ(ZN)B2Y 8x12 E9/125	3402,91	11,5			100	



Price list is formed on 02.05.2018. and it depends on daily movement of Cu and Al on LME

**TESLA KABELI d.o.o.**

Industrijska 20, 10431 Sv. Nedelja

tel: +385 1 2362-900

fax: +385 1 2362-901

e-mail: [info@teslacables.com](mailto:info@teslacables.com)

**Contacts:**

Hrvoje Buljan	<a href="mailto:hrvoje.buljan@teslacables.com">hrvoje.buljan@teslacables.com</a>	01/2362-909
Igor Balentović	<a href="mailto:igor.balentovic@teslacables.com">igor.balentovic@teslacables.com</a>	01/2362-904
Saša Bogadi	<a href="mailto:sasa.bogadi@teslacables.com">sasa.bogadi@teslacables.com</a>	01/2362-906
Ivan Suvar	<a href="mailto:ivan.suvar@teslacables.com">ivan.suvar@teslacables.com</a>	01/2362-903
Sandra Kostelac	<a href="mailto:sandra.kostelac@teslacables.com">sandra.kostelac@teslacables.com</a>	01/2362-905
Iskra Radman	<a href="mailto:iskra.radman@teslacables.com">iskra.radman@teslacables.com</a>	01/2362-907
Hrvoje Topčić	<a href="mailto:hrvoje.topcic@teslacables.com">hrvoje.topcic@teslacables.com</a>	01/2362-902
Antonio Siljković	<a href="mailto:antonio.siljkovic@teslacables.com">antonio.siljkovic@teslacables.com</a>	01/2362-909
Alessandro Sošić	<a href="mailto:alessandro.sosic@teslacables.com">alessandro.sosic@teslacables.com</a>	01/2362-910