



TESLA CABLES

# CABLES & WIRES

PRICE LIST - EXPORT

**of cables and wires up to 1 kV**

**June 2018**



## CONTENT

### PVC insulated wires

H07V-U	(P) (Ye)	1
H07V-R	(P/M) (Ym)	1
H07V-K	(P/F) (Yf)	1

### PVC sheathed wires

YM	(PP) (NYM) ((N)YM)	2
PP/R	(NYIFY)	2
H03VH-H	(P/L)	2
H03VV-F	(PP/L)	2
H05VV-F	(PP/J)	3

### Rubber insulated wires and cables

H05RR-F	(GG/J)	3
H07RN-F		4
H01N2-D		4

### Control cables

YSLY	(LS-YY)(Y-JZ)	5-6
YSLCY	(LS-YYCVY)(CY-JZ)	6-7

### Energy cables

E-YY	(PP00)(NYY)	7-8
N2XH		8-9
NYCY	(PP40)	9
NHXH FE180/E30		10
NHXH FE180/E90		11
FG7OR		12
FG16OR16		13
E-AYY	(PP00-A)(NAYY)	14

### Solar cables

Solar		14
-------	--	----

### Non-insulated rope and tape

Copper rope		14
Fe/Zn tape		14



TESLA CABLES

www.teslacables.com

### Self-supported cable bundle

SKS	(X00-A, X00/0-A, N1XD4-AR)	14
-----	----------------------------	----

### Silicone and PUR insulated wires and cables

SiF		15
SiHF		15
H07BQ-F		15

### Fire alarm cables

JB-Y(St)Y		16
-----------	--	----

### Telecommunication cables

J-Y(St)Y	(TI-44)	16
TK 59	(A-2YF(L)2Y)(xZTKMXpw)(TCEPKPFLE)	17
YYSch		17
JE-H(St)H E30/E90		18

### Coaxial cables

Coax	(RG)(CATV)	18
------	------------	----

### Loudspeaker cables

18

### Alarm cables

Alarm AF CCu		18
Alarm AF Cu		19

### Electronic cables



LiYCY		19
LiYCY-TP		20

### Data cables LAN

21


















### Fibre optic cables




Multimode		21
Singlemode		21

<b>H07V-U</b>						<b>P / Ye</b>
Cross-section (mm <sup>2</sup> )	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1,5	 128,95		2,6	14,4		19
2,5	 207,76		3,2	24,0		31
4	355,90		3,7	38,4		46
6	536,74		4,2	57,6		62
10	897,06		5,3	96,0		104

<b>H07V-R</b>						<b>P/M / Ym</b>
Cross-section (mm <sup>2</sup> )	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
10	883,94		5,7	96,0		108
16	1382,46		6,7	153,6		162
25	2221,00		8,2	240,0		253
35	3151,07		9,3	336,0		343
50	4430,91		10,7	480,0		500
70	6379,25		12,7	672,0		710
95	8586,28		14,5	912,0		980
120	10596,60		16,0	1152,0		1200
150	13651,70		17,7	1440,0		1500

<b>H07V-K</b>						<b>P/F / Yf</b>
Cross-section (mm <sup>2</sup> )	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
0,5	63,43		2,0	4,8		8
0,75	86,54		2,2	7,2		11
1	113,53		2,4	9,6		13
1,5	125,94		2,8	14,4		20
2,5	211,00		3,5	24,0		31
4	339,55		4,0	38,4		45
6	502,08		5,0	57,6		64
10	870,83		6,7	96,0		110
16	1346,92		7,6	153,6		164
25	2038,57		8,1	240,0		290
35	2929,41		9,2	336,0		380
50	4060,92		11,6	480,0		550
70	5758,58		13,4	672,0		716
95	7673,88		15,5	912,0		976
120	9807,50		17,1	1152,0		1214
150	11969,11		22,0	1440,0		1530
185	14953,71		25,0	1776,0		1900
240	20553,64		28,0	2304,0		2450

<b>YM</b>			<b>PP / NYM / (N)YM</b>			
Cross-section (mm <sup>2</sup> )		Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5		344,95	7,9	28,8		81
3 x 1,5 R50/R100		414,68	8,3	43,2		99
3 x 1,5 bubanj		421,60	8,3	43,2		99
4 x 1,5		575,77	9,9	57,6		121
5 x 1,5 R50/R100		685,79	9,7	72,0		144
5 x 1,5 bubanj		703,41	9,7	72,0		144
7 x 1,5		1246,04	10,4	100,8		208
2 x 2,5		753,72	9,2	48,0		135
3 x 2,5 R50/R100		674,51	9,7	72,0		141
3 x 2,5 bubanj		684,83	9,7	72,0		141
4 x 2,5		931,63	10,5	96,0		175
5 x 2,5 R50/R100		1109,77	11,5	120,0		209
5 x 2,5 bubanj		1131,22	11,5	120,0		209
3 x 4		1424,17	10,7	115,2		232
4 x 4		1491,15	12,0	153,6		271
5 x 4		1773,58	13,5	192,0		323
3 x 6		2231,48	12,3	172,8		322
4 x 6		2150,35	13,7	230,4		344
5 x 6		2577,55	15,0	288,0		410
4 x 10		4025,01	16,4	384,0		555
5 x 10		4645,54	18,0	480,0		665

<b>PP/R</b>			<b>NYIFY</b>			
Cross-section (mm <sup>2</sup> )		Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5		343,71	3,0	28,8		60
3 x 1,5		454,95	3,2	43,2		86
3 x 2,5		733,43	4,0	72,0		130

<b>H03VH-H</b>			<b>P/L</b>			
Cross-section (mm <sup>2</sup> )		Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75		192,58	2,7	9,6		33

<b>H03VV-F</b>			<b>PP/L</b>			
Cross-section (mm <sup>2</sup> )		Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75		185,38	5,2	14,4		45
3 x 0,75		261,15	5,5	21,6		53
4 x 0,75		340,89	6,1	28,8		66
5 x 0,75		396,48	6,8	36,0		81

<b>H05VV-F</b>						<b>PP/J</b>
Cross-section (mm <sup>2</sup> )	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1	252,93		6,2	19,2		67
3 x 1	339,02		6,6	28,8		79
4 x 1	526,22		7,4	38,4		86
5 x 1	648,02		8,1	48,0		102
7 x 1	1090,15		9,0	67,2		136
2 x 1,5	336,51		7,0	28,8		89
3 x 1,5	452,16		7,6	43,2		111
4 x 1,5	607,36		8,5	57,6		141
5 x 1,5	764,15		9,5	72,0		177
7 x 1,5	1382,25		10,6	100,8		189
2 x 2,5	1160,92		8,8	48,0		116
3 x 2,5	751,20		9,5	72,0		169
4 x 2,5	954,77		10,4	96,0		207
5 x 2,5	1222,17		11,5	120,0		259
4 x 4	2018,26		12,0	153,6		257
5 x 4	2000,04		13,3	192,0		311
4 x 6	2771,54		14,5	230,4		377
5 x 6	3875,42		16,0	288,0		455

<b>H05RR-F</b>						<b>GG/J</b>
Cross-section (mm <sup>2</sup> )	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	670,60		8,5	28,8		110
3 x 1,5	777,67		9,0	43,2		130
4 x 1,5	1084,07		10,0	57,6		160
5 x 1,5	1283,62		11,5	72,0		200
2 x 2,5	1125,58		10,5	48,0		150
3 x 2,5	1223,41		11,0	72,0		190
4 x 2,5	1680,64		12,0	96,0		240
5 x 2,5	2031,02		13,0	120,0		290

## H07RN-F

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	784,22	10,0	28,8		130
3 x 1,5	906,13	11,0	43,2		170
4 x 1,5	1194,94	12,0	57,6		200
5 x 1,5	1423,57	13,0	72,0		240
7 x 1,5	2738,92	16,0	100,8		342
12 x 1,5	4430,27	19,0	172,8		505
2 x 2,5	1150,17	12,0	48,0		190
3 x 2,5	1370,45	12,5	72,0		240
4 x 2,5	1818,55	14,0	96,0		275
5 x 2,5	2299,97	15,5	120,0		340
7 x 2,5	4213,20	18,0	168,0		485
12 x 2,5	7021,80	23,0	288,0		799
4 x 4	2667,86	16,5	153,6		410
5 x 4	3366,91	18,5	192,0		500
4 x 6	3722,34	19,0	230,4		500
5 x 6	4550,83	21,0	288,0		650
4 x 10	7090,84	24,5	384,0		930
5 x 10	8779,09	26,5	480,0		1120
4 x 16	10197,58	27,5	614,4		1260
5 x 16	12463,87	30,5	768,0		1550
4 x 25	15501,06	34,0	960,0		1890
5 x 25	20107,42	37,5	1200,0		2300
4 x 35	20788,14	37,0	1344,0		2410
5 x 35	26348,71	43,0	1680,0		3008
4 x 50	29299,35	43,5	1920,0		3350
4 x 70	39770,98	49,5	2688,0		4460
4 x 95	53245,33	55,5	3648,0		5750

## H01N2-D

KZS

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
16	3046,35	9,5	153,6		210
25	3819,56	11,0	240,0		300
35	4439,33	12,0	336,0		400
50	6338,10	14,0	480,0		560
70	8992,45	16,5	672,0		780
95	14000,96	18,5	912,0		1010

<b>YSLY</b>			<b>LS-YY / Y-JZ</b>			
Cross-section (mm <sup>2</sup> )	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,5	245,24		6,0	9,6		45
3 x 0,5	299,45		6,2	14,4		50
4 x 0,5	380,87		6,5	19,2		60
5 x 0,5	451,97		7,0	24,0		70
7 x 0,5	647,39		7,5	33,6		85
10 x 0,5	982,54		9,5	48,0		125
12 x 0,5	1141,67		10,0	57,6		140
14 x 0,5	1341,85		10,5	67,2		160
21 x 0,5	2099,77		12,5	100,8		230
25 x 0,5	2440,56		14,0	120,0		280
2 x 0,75	290,32		6,5	14,4		50
3 x 0,75	381,09		6,5	21,6		65
4 x 0,75	488,74		7,5	28,8		75
5 x 0,75	610,70		8,0	36,0		95
6 x 0,75	855,10		8,5	43,2		105
7 x 0,75	813,34		8,5	50,4		120
10 x 0,75	1245,09		11,0	72,0		160
12 x 0,75	1492,67		11,5	86,4		180
21 x 0,75	2701,61		14,0	151,2		310
25 x 0,75	3191,38		16,5	180,0		390
2 x 1	358,32		7,0	19,2		65
3 x 1	501,26		7,5	28,8		75
4 x 1	648,57		8,0	38,4		95
5 x 1	832,09		8,5	48,0		120
7 x 1	1157,25		9,0	67,2		140
10 x 1	1730,18		11,5	96,0		200
12 x 1	2034,11		12,0	115,2		220
14 x 1	2373,53		13,0	134,4		270
16 x 1	2503,18		14,0	153,6		300
18 x 1	2827,00		14,5	172,8		330
21 x 1	3594,71		15,5	201,6		390
25 x 1	3873,53		17,5	240,0		480
34 x 1	5697,06		20,0	326,4		640
2 x 1,5	491,51		7,5	28,8		80
3 x 1,5	647,50		8,0	43,2		100
4 x 1,5	836,72		8,5	57,6		120
5 x 1,5	1042,91		9,5	72,0		150
6 x 1,5	1522,34		10,5	86,4		170
7 x 1,5	1383,59		10,5	100,8		190
10 x 1,5	2306,10		13,5	144,0		290
12 x 1,5	2418,27		14,0	172,8		320
14 x 1,5	3340,31		15,0	201,6		380
16 x 1,5	3665,38		16,0	230,4		420
18 x 1,5	4185,27		17,0	259,2		470
21 x 1,5	4929,56		17,5	302,4		520
25 x 1,5	5757,83		20,5	360,0		660
2 x 2,5	765,26		9,0	48,0		120
3 x 2,5	985,23		9,5	72,0		140
4 x 2,5	1338,23		10,0	96,0		180
5 x 2,5	1700,25		11,0	120,0		220
7 x 2,5	2370,27		12,5	168,0		290
12 x 2,5	4411,46		17,0	288,0		490
18 x 2,5	6730,74		20,0	432,0		710
50 x 2,5	22378,13		32,5	1200,0		1860



Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
3 x 4	1851,81	11,0	115,2		220
4 x 4	2423,74	12,5	153,6		280
5 x 4	2991,27	13,5	192,0		350
7 x 4	4044,00	15,5	268,8		460
4 x 6	3267,90	14,5	230,4		400
5 x 6	4274,86	16,0	288,0		480
7 x 6	5847,39	17,5	403,2		640
4 x 10	6002,87	19,5	384,0		710
5 x 10	7296,63	21,5	480,0		870
7 x 10	9884,90	23,5	672,0		1140
4 x 16	9233,77	20,5	614,4		950
5 x 16	11397,57	23,0	768,0		1160
7 x 16	15520,73	25,0	1075,2		1530
4 x 25	14218,66	29,5	960,0		1590

**YSLCY****LS-YCVY / C-JZ**

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75	628,98	8,5	41,3		120
3 x 0,75	822,89	9,0	49,9		130
4 x 0,75	997,13	9,5	58,6		150
5 x 0,75	1281,62	10,5	69,1		170
7 x 0,75	1710,87	11,0	85,4		200
12 x 0,75	2618,21	13,5	132,5		280
25 x 0,75	5009,47	19,5	268,8		570
34 x 0,75	7310,94	22,0	342,7		740
2 x 1	767,12	9,0	49,0		120
3 x 1	958,86	9,5	59,5		140
4 x 1	1247,12	10,0	71,0		160
5 x 1	1526,84	11,0	84,5		190
7 x 1	1862,42	11,5	107,5		220
12 x 1	3292,28	14,5	167,0		340
18 x 1	4638,60	17,5	257,3		500
25 x 1	6141,04	21,0	339,8		680
34 x 1	9056,82	23,5	439,7		870
2 x 1,5	975,10	10,0	62,4		150
3 x 1,5	1235,96	10,5	78,7		170
4 x 1,5	1567,16	11,0	96,0		200
5 x 1,5	2060,68	12,0	114,2		230
7 x 1,5	2714,45	13,0	147,8		280
12 x 1,5	4427,88	17,5	257,3		460
18 x 1,5	6346,60	20,0	358,1		660
25 x 1,5	8467,14	24,5	508,8		940
34 x 1,5	12444,99	26,5	658,6		1190
3 x 2,5	2037,66	11,5	114,2		230
4 x 2,5	2480,96	12,5	143,0		270
5 x 2,5	3033,55	13,5	171,8		320
7 x 2,5	4111,83	15,5	243,8		410
12 x 2,5	6491,35	20,0	390,7		670
18 x 2,5	12093,16	24,0	585,6		950

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 x 4	3769,51	15,0	229,4		410
5 x 4	4717,01	16,5	276,5		480
4 x 6	5403,73	17,5	320,6		560
5 x 6	6372,74	19,0	386,9		650
4 x 10	8749,27	22,5	497,3		920
5 x 10	11857,63	25,0	635,5		1150
4 x 16	13703,33	24,0	776,6		1220
5 x 16	16272,42	26,5	950,4		1470

<b>E-YY</b>		<b>PP00 / NYY</b>			
Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	1650,37	9,4	153,6		218
1 x 25	2400,20	11,3	240,0		324
1 x 35	3305,74	12,4	336,0		419
1 x 50	4604,14	13,8	480,0		554
1 x 70	6495,18	15,8	672,0		772
1 x 95	8592,40	17,6	912,0		1016
1 x 120	10472,53	19,1	1152,0		1286
1 x 150	13039,24	20,8	1440,0		1578
1 x 185	16378,97	25,5	1776,0		2088
1 x 240	21799,39	27,9	2304,0		2652
1 x 300	26561,93	30,7	2880,0		3331
2 x 1.5	492,56	10,1	28,8		152
2 x 2,5	691,44	10,9	48,0		189
3 x 1.5 RE	493,08	10,5	43,2		135
3 x 2.5 RE	750,87	11,4	72,0		183
3 x 4 RE	1391,99	13,1	115,2		305
3 x 6 RE	2054,07	14,1	172,8		383
4 x 1.5 RE	641,80	11,2	57,6		159
4 x 2,5 RE	974,58	12,2	96,0		213
4 x 4 RE	1576,62	14,1	153,6		322
4 x 6 RE	2243,71	15,3	230,4		402
4 x 10 RE	3600,84	17,2	384,0		606
4 x 16 RM	5743,42	21,1	614,4		913
4 x 25 RM	8912,35	25,3	960,0		1379
4 x 35 SM	12607,10	26,0	1344,0		1578
4 x 50 SM	17129,91	28,4	1920,0		2125
4 x 70 SM	24181,54	31,4	2688,0		2975
4 x 95 SM	33219,14	39,3	3648,0		4079
4 x 120 SM	43253,54	41,8	4608,0		5060
4 x 150 SM	52528,47	49,0	5760,0		6258
4 x 185 SM	65321,96	52,0	7104,0		7787
4 x 240 SM	87435,98	58,9	9216,0		10094
5 x 1.5 RE	776,86	12,0	72,0		185
5 x 2.5 RE	1215,68	13,1	120,0		248
5 x 4 RE	1906,80	15,3	192,0		379
5 x 6 RE	2728,64	16,6	288,0		481
5 x 10 RE	4494,88	18,8	480,0		737
5 x 16 RM	7098,23	23,7	768,0		1118
5 x 25 RM	11083,28	27,7	1200,0		1694
5 x 35 RM	16137,74	31,0	1680,0		2233

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
7 x 1.5 RE	1445,09	12,9	100,8		282
10 x 1.5 RE	2302,54	15,7	144,0		401
12 x 1.5 RE	2633,73	16,1	172,8		437
14 x 1.5 RE	3372,83	16,8	201,6		484
16 x 1.5 RE	3926,64	17,7	230,4		539
19 x 1.5 RE	4109,56	18,5	273,6		609
24 x 1.5 RE	5314,53	21,9	345,6		816
30 x 1.5 RE	6736,39	23,0	432,0		937
7 x 2.5 RE	2458,20	14,1	168,0		374
10 x 2.5 RE	3765,18	17,3	240,0		534
12 x 2.5 RE	4562,37	17,8	288,0		630
14 x 2,5 RE	5205,99	18,6	336,0		660
16 x 2.5 RE	6280,95	20,1	384,0		765
19 x 2.5 RE	7019,46	21,1	456,0		873
24 x 2.5 RE	8612,21	24,8	576,0		1146
30 x 2.5 RE	11710,49	26,1	720,0		1331
7 x 4 RE	4235,55	16,5	268,8		541
10 x 4 RE	7006,04	21,1	384,0		827
14 x 4 RE	9175,12	26,0	537,6		1170
19 x 4 RE	12242,99	28,0	729,6		1360
7 x 6 RE	5569,20	18,0	403,2		704

<b>N2XH</b>					
Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	2040,63	9,8	153,6		226
1 x 25	2999,43	11,4	240,0		327
1 x 35	4394,75	12,6	336,0		429
1 x 50	5700,08	13,8	480,0		555
1 x 70	8049,37	15,7	672,0		765
1 x 95	11009,66	17,6	912,0		1024
1 x 120	13807,81	19,1	1152,0		1270
1 x 150	17722,93	20,9	1440,0		1550
1 x 185	20915,11	23,5	1776,0		1950
1 x 240	27319,78	25,8	2304,0		2550
1 x 300	33683,39	29,0	2880,0		3200
2 x 1.5	724,56	9,3	28,8		130
2 x 2,5	994,38	10,1	48,0		160
3 x 1.5 RE	619,15	9,7	43,2		142
3 x 2.5 RE	889,44	10,7	72,0		184
4 x 1.5 RE	950,03	10,4	57,6		166
4 x 2,5 RE	1372,83	11,4	96,0		220
4 x 4 RE	2152,83	13,8	153,6		305
4 x 6 RE	3004,14	13,8	230,4		400
4 x 10 RE	4807,47	16,3	384,0		601
4 x 16 RM	7341,66	19,2	614,4		900
4 x 25 RM	11116,43	24,0	960,0		1400
4 x 35 SM	14926,26	26,5	1344,0		1850
4 x 50 SM	21806,25	29,0	1920,0		2226
4 x 70 SM	29569,21	32,0	2688,0		3050
4 x 95 SM	39771,79	37,0	3648,0		4250

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 x 120 SM	49521,42	40,8	4608,0		5320
4 x 150 SM	62384,94	50,0	5760,0		6350
4 x 185 SM	82616,90	51,0	7104,0		7850
4 x 240 SM	107064,95	56,6	9216,0		10235
5 x 1.5 RE	1070,28	11,3	72,0		195
5 x 2.5 RE	1569,78	12,4	120,0		260
5 x 4 RE	2249,46	13,8	192,0		360
5 x 6 RE	3273,71	15,5	288,0		490
5 x 10 RE	5485,18	17,9	480,0		730
5 x 16 RM	8577,60	22,0	768,0		1120
5 x 25 RM	13051,57	27,1	1200,0		1460

<b>NYCY</b>					
					<b>PP40</b>
Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5 / 1,5	1156,19	12,5	48,0		198
2 x 2,5 / 2,5	1517,36	13,9	75,0		257
2 x 4 / 4	1923,08	15,5	110,0		345
2 x 6 / 6	2596,85	16,8	165,0		425
3 x 1,5 / 1,5	1336,56	13,4	59,0		215
3 x 2,5 / 2,5	1687,67	14,1	90,0		275
4 x 1,5 / 1,5	1573,13	14,1	72,0		245
4 x 2,5 / 2,5	2008,30	15,1	117,0		335
4 x 4 / 4	3228,72	17,4	182,0		455
4 x 6 / 6	4577,71	18,4	272,0		575
5 x 2,5 / 2,5	2661,98	16,2	139,0		380
7 x 1,5 / 2,5	2414,00	15,5	125,0		350
10 x 1,5 / 2,5	3446,66	18,1	165,0		451
12 x 1,5 / 2,5	3780,78	19,2	188,0		465
16 x 1,5 / 4	4372,61	20,5	262,0		645
19 x 1,5 / 4	5093,95	22,3	299,0		665
24 x 1,5 / 6	6753,43	25,2	388,0		915
7 x 2,5 / 2,5	3999,54	17,2	185,0		440
10 x 2,5 / 4	4519,78	20,1	270,0		600
12 x 2,5 / 4	5472,80	20,9	305,0		656
16 x 2,5 / 6	6480,06	22,4	428,0		815
19 x 2,5 / 6	9090,27	23,8	483,0		933
24 x 2,5 / 10	11080,34	26,6	636,0		1160

<b>NHXH FE180/E30</b>						<b>E30</b>
Cross-section (mm <sup>2</sup> )	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	3108,21		12,0	153,6		218
1 x 25	4514,90		13,0	240,0		324
1 x 35	5915,59		15,0	336,0		419
1 x 50	6759,29		16,0	480,0		554
1 x 70	9117,48		18,0	672,0		772
1 x 95	11875,31		20,0	912,0		1016
1 x 120	14776,39		22,0	1152,0		1286
1 x 150	18354,01		24,0	1440,0		1578
1 x 185	22370,01		27,0	1776,0		2088
1 x 240	28049,10		30,0	2304,0		2652
1 x 300	36875,80		33,0	2880,0		3331
2 x 1.5	1401,54		12,1	28,8		190
2 x 2,5	1782,01		12,2	48,0		220
3 x 1.5 RE	1495,08		13,0	43,2		210
3 x 2.5 RE	1953,81		14,0	72,0		260
3 x 4 RE	2875,07		15,0	115,2		320
3 x 6 RE	3889,52		16,0	172,8		400
4 x 1.5 RE	1815,02		15,0	57,6		240
4 x 2,5 RE	2371,70		16,0	96,0		300
4 x 4 RE	3981,42		17,0	153,6		390
4 x 6 RE	5129,05		18,0	230,4		490
4 x 10 RE	7344,75		21,0	384,0		670
4 x 16 RM	12439,48		25,0	614,4		950
4 x 25 RM	17183,01		26,0	960,0		1430
4 x 35 SM	22261,07		29,0	1344,0		1890
4 x 50 SM	29747,50		34,0	1920,0		2510
4 x 70 SM	39533,53		38,0	2688,0		3650
4 x 95 SM	56590,21		44,0	3648,0		4750
4 x 120 SM	73309,69		48,0	4608,0		5910
4 x 150 SM	88338,01		52,0	5760,0		7240
5 x 1.5 RE	2630,09		18,0	72,0		280
5 x 2.5 RE	3238,57		19,0	120,0		354
5 x 4 RE	5121,88		21,0	192,0		450
5 x 6 RE	6007,64		22,0	288,0		570
5 x 10 RE	9238,09		25,0	480,0		820
5 x 16 RM	14661,91		27,0	768,0		1140
5 x 25 RM	20544,99		31,0	1200,0		1710
7 x 1.5 RE	3586,93		16,0	100,8		330
12 x 1.5 RE	5523,25		20,5	172,8		500
19 x 1.5 RE	8410,72		24,0	273,6		720
24 x 1.5 RE	10164,75		28,0	345,6		890
30 x 1.5 RE	12177,25		31,0	432,0		1090
7 x 2.5 RE	4728,81		18,0	168,0		430
12 x 2.5 RE	6839,80		25,0	288,0		650
19 x 2.5 RE	12057,50		26,0	456,0		950
24 x 2.5 RE	14726,99		30,5	576,0		1210
30 x 2.5 RE	17704,71		32,5	720,0		1470

<b>NHXH FE180/E90</b>						<b>E90</b>
Cross-section (mm <sup>2</sup> )	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	5098,33		11,0	153,6		250
1 x 25	7245,49		13,0	240,0		355
1 x 35	8396,00		14,0	336,0		460
1 x 50	10700,54		16,0	480,0		610
1 x 70	16142,20		18,0	672,0		810
1 x 95	17828,18		20,0	912,0		1100
1 x 120	19890,83		21,0	1152,0		1350
1 x 150	25889,58		24,0	1440,0		1650
1 x 185	29433,52		26,0	1776,0		2050
1 x 240	36347,20		29,0	2304,0		2650
1 x 300	60959,12		32,0	2880,0		3275
2 x 1.5	2396,49		13,0	28,8		200
3 x 1.5 RE	2916,81		13,5	43,2		210
3 x 2.5 RE	3620,87		14,6	72,0		243
3 x 4 RE	4415,12		15,5	115,2		302
3 x 6 RE	7384,80		16,5	172,8		399
4 x 1.5 RE	4206,31		15,0	57,6		245
4 x 2,5 RE	5138,92		16,0	96,0		299
4 x 4 RE	6472,24		17,0	153,6		376
4 x 6 RE	7372,38		18,5	230,4		474
4 x 10 RE	9798,56		20,5	384,0		657
4 x 16 RM	16223,89		24,0	614,4		973
4 x 25 RM	24010,12		26,5	960,0		1422
4 x 35 SM	34571,40		30,0	1344,0		1858
4 x 50 SM	37245,17		35,0	1920,0		2900
4 x 70 SM	56419,93		40,5	2688,0		3900
4 x 95 SM	75847,95		45,5	3648,0		5200
4 x 120 SM	89583,94		50,0	4608,0		6300
4 x 150 SM	108559,42		55,0	5760,0		6800
5 x 1.5 RE	4346,47		15,5	72,0		290
5 x 2.5 RE	5231,29		17,0	120,0		359
5 x 4 RE	6980,82		18,5	192,0		457
5 x 6 RE	10301,70		20,0	288,0		577
5 x 10 RE	11858,93		22,0	480,0		807
5 x 16 RM	19317,81		26,5	768,0		1145
5 x 25 RM	28248,76		30,0	1200,0		1765
7 x 1.5 RE	6446,67		18,0	100,8		282
12 x 1.5 RE	11149,90		23,5	172,8		437
24 x 1.5 RE	22648,68		21,9	345,6		816

## FG7OR

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	1971,23	12,2	153,6		195
1 x 25	2880,78	13,8	240,0		288
1 x 35	3912,41	15,1	336,0		383
1 x 50	5522,79	17,1	480,0		525
1 x 70	7833,85	19,6	672,0		765
1 x 95	10323,24	22,2	912,0		1000
1 x 120	12918,47	24,2	1152,0		1230
1 x 150	15737,12	26,8	1440,0		1550
1 x 185	19143,21	29,1	1776,0		1880
1 x 240	25126,68	32,2	2304,0		2410
1 x 300	32824,77	35,4	2880,0		3000
1 x 400	44623,12	39,9	3840,0		3960
2 x 1,5	636,75	11,9	28,8		129
2 x 2,5	926,07	12,7	48,0		163
3 x 1,5	792,09	12,4	43,2		144
3 x 2,5	1132,94	13,3	72,0		187
4 x 1,5	1018,20	13,2	57,6		167
4 x 2,5	1498,76	14,2	96,0		220
4 x 4	2254,24	16,1	153,6		306
4 x 6	3172,10	18,1	230,4		397
4 x 10	5036,87	21,0	384,0		600
4 x 16	7716,82	25,6	614,4		888
4 x 25	12024,90	29,6	960,0		1310
3 x 35 + 1 x 25	14807,41	31,8	1248,0		1630
3 x 50 x 1 x 25	19684,99	35,9	1680,0		2110
3 x 70 + 1 x 35	28474,81	40,9	2352,0		3030
3 x 95 + 1 x 50	37618,58	44,6	3216,0		3910
3 x 120 + 1 x 70	49472,04	50,9	4128,0		5000
3 x 150 + 1 x 95	64096,32	56,3	5232,0		6340
5 x 1,5	1204,83	14,5	72,0		260
5 x 2,5	1747,59	15,6	120,0		368
5 x 4	2733,39	17,7	192,0		478
5 x 6	3842,04	19,9	288,0		740
5 x 10	6193,15	23,6	480,0		1070
5 x 16	9615,33	27,6	768,0		1620
5 x 25	14505,07	32,1	1200,0		2145
5 x 35	19796,39	36,1	1680,0		3000
7 x 1,5	2181,08	15,0	100,8		311

## FG16OR16

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	2099,93	11,4	153,6		220
1 x 25	3061,64	13,2	240,0		310
1 x 35	4159,83	14,6	336,0		410
1 x 50	5829,07	16,4	480,0		560
1 x 70	8306,52	18,3	672,0		760
1 x 95	10901,99	20,4	912,0		960
1 x 120	13791,52	22,4	1152,0		1210
1 x 150	16552,52	24,8	1440,0		1480
1 x 185	20134,63	27,0	1776,0		1790
1 x 240	26585,49	30,2	2304,0		2320
1 x 300	34441,13	33,0	2880,0		2840
1 x 400	47380,36	36,5	3840,0		3735
2 x 1,5	677,61	12,0	28,8		130
2 x 2,5	980,89	13,0	48,0		165
3 x 1,5	839,70	12,5	43,2		150
3 x 2,5	1200,73	13,6	72,0		190
3 x 4	1623,64	14,9	115,2		250
3 x 6	2312,52	16,2	172,8		320
3 x 10	3782,27	18,2	288,0		470
4 x 1,5	1078,88	13,4	57,6		170
4 x 2,5	1586,75	14,6	96,0		220
4 x 4	2383,94	16,0	153,6		295
4 x 6	3336,99	17,5	230,4		385
4 x 10	5363,26	19,8	384,0		575
4 x 16	8148,87	22,4	614,4		795
4 x 25	12646,51	26,8	960,0		1205
3 x 35 + 1 x 25	15725,33	29,2	1248,0		1535
3 x 50 + 1 x 25	20831,24	32,4	1680,0		2020
3 x 70 + 1 x 35	29850,08	37,0	2352,0		3030
3 x 95 + 1 x 50	39848,87	42,0	3216,0		3915
3 x 120 + 1 x 70	52667,94	46,9	4128,0		5040
3 x 150 + 1 x 95	68164,80	52,5	5232,0		6300
5 x 1,5	1276,39	14,4	72,0		195
5 x 2,5	1851,97	15,6	120,0		260
5 x 4	2894,10	17,3	192,0		345
5 x 6	4069,78	18,9	288,0		455
5 x 10	6557,39	21,5	480,0		680
5 x 16	10179,69	24,4	768,0		970
5 x 25	15409,25	29,3	1200,0		1470
5 x 35	20950,02	32,8	1680,0		1990
7 x 1,5	2337,92	15,4	100,8		260









<b>Solar</b>			<b>PV1-F</b>		
Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4	845,74	6,5	38,4		60
6	1010,60	7,0	57,6		79
10	1776,61	8,7	96,0		130
16	3455,94	9,4	153,6		210

<b>Copper rope</b>					
Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
25	2512,35	6,0	223,0		223
35	3277,55	7,0	309,0		309
50	4540,63	8,0	417,0		417
70	6853,25	10,0	616,0		616
95	9491,52	12,0	822,0		822

<b>Fe/Zn tape</b>					
Cross-section (mm <sup>2</sup> )	Price (€/t)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
20 x 3	1402,34				519
25 x 3	1463,61				647
25 x 4	1398,23				860
30 x 4	1392,77				1036
40 x 4	1460,72				1383

<b>E-AYY</b>			<b>PP00-A / NAYY</b>		
Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 x 16 RM	1441,68	20,1		220	780
4 x 25 RM	2129,48	25,3		290	852
4 x 35 SM	2612,32	25,6		406	771
4 x 50 SM	3331,12	28,4		580	1023
4 x 70 SM	4661,31	31,4		812	1349
4 x 95 SM	6228,11	36,9		1102	1846
4 x 120 SM	7764,19	39,9		1392	2206
4 x 150 SM	9247,12	46,0		1740	2617
4 x 185 SM	11676,56	51,7		2176	3570
4 x 240 SM	15962,57	57,9		2822	4380

<b>SKS</b>							<b>N1XD4-AR, N1XD9-AR</b>	
Cross-section (mm <sup>2</sup> )		Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
2 x 16		614,73				93	130	
4 x 16		1227,84				186	260	
3 x 35 + 70		3733,09				508	682	
3 x 35 + 70 + 2 x 16		4362,58				600	812	
3 x 70 + 70		5307,55				812	1018	
3 x 70 + 70 + 2 x 16		5861,27				907	1148	

<b>SiF</b>							
Cross-section (mm <sup>2</sup> )		Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
0,75		175,84		2,4	7,7		12
1		220,68		2,5	9,6		14
1,5		298,65		2,8	14,4		18
2,5		479,53		4,0	24,0		35
4		770,94		5,5	38,4		55
6		1168,56		5,2	57,6		71
10		1879,83		6,3	96,0		110
16		3481,59		8,0	153,6		188
25		5393,72		9,9	240,0		296
35		7591,12		11,2	336,0		400
50		10193,55		13,8	480,0		570
70		13629,53		15,0	672,0		740

<b>SiHF</b>							
Cross-section (mm <sup>2</sup> )		Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75		696,11		6,4	14,4		57
3 x 0,75		939,72		6,8	22,1		67
2 x 1,5		1077,15		7,5	28,8		81
3 x 1,5		1529,34		8,0	43,2		83
4 x 1,5		1902,32		8,8	57,6		120
5 x 1,5		2663,69		9,5	72,0		145
3 x 2,5		2356,30		9,5	72,0		125
4 x 2,5		3009,54		10,5	96,0		180
5 x 2,5		4034,21		11,7	120,0		270

## H07BQ-F

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	1092,51	8,8	28,8		88
3 x 1,5	1329,61	9,3	43,2		110
4 x 1,5	1702,16	10,3	57,6		140
5 x 1,5	2061,23	11,2	72,0		169
3 x 2,5	1949,86	11,0	72,0		163
4 x 2,5	2522,58	12,2	96,0		208
5 x 2,5	3040,58	13,5	120,0		257
4 x 4	4002,56	14,0	154,0		293
4 x 6	5974,25	15,2	230,0		346
4 x 10	10339,47	20,2	384,0		702
4 x 16	14847,62	22,8	614,4		981
5 x 4	4473,97	15,6	192,0		365
5 x 6	6533,36	17,6	288,0		504
5 x 10	11525,81	23,2	480,0		962
5 x 16	17255,52	27,1	768,0		1379

## JB-Y(St)Y

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 2 x 0,8	206,50	5,7	11,0		39
2 x 2 x 0,8	346,09	6,1	21,0		54
4 x 2 x 0,8	699,86	8,7	41,0		94
6 x 2 x 0,8	969,01	10,1	62,0		135
10 x 2 x 0,8	1694,90	13,1	103,0		205
20 x 2 x 0,8	3339,11	15,6	204,0		352
30 x 2 x 0,8	5006,67	19,4	304,0		522

## J-Y(St)Y

## TI-44

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 2 x 0,6	143,41	4,0	11,0		20
2 x 2 x 0,6	222,24	4,5	13,0		30
3 x 2 x 0,6	315,71	6,5	19,0		50
4 x 2 x 0,6	402,06	7,0	25,0		60
5 x 2 x 0,6	506,44	7,5	30,0		70
6 x 2 x 0,6	578,52	8,0	35,0		80
10 x 2 x 0,6	875,52	10,0	59,0		110
20 x 2 x 0,6	1703,37	12,0	115,0		190
30 x 2 x 0,6	2486,35	14,0	172,0		280
50 x 2 x 0,6	4326,53	17,0	286,0		430
100 x 2 x 0,6	8178,34	23,5	569,0		820

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 2 x 0,8	204,08	5,5	18,0		40
2 x 2 x 0,8	345,35	7,0	22,0		60
3 x 2 x 0,8	540,56	8,5	31,0		80
4 x 2 x 0,8	670,95	9,0	42,0		100
5 x 2 x 0,8	831,25	9,5	52,0		120
6 x 2 x 0,8	981,99	11,0	62,0		140
10 x 2 x 0,8	1691,07	14,0	103,0		220
20 x 2 x 0,8	3264,17	17,0	203,0		370
30 x 2 x 0,8	5513,86	21,0	304,0		550
50 x 2 x 0,8	8357,10	25,5	506,0		880
100x 2 x 0,8	16599,90	36,0	1008,0		1700

<b>TK 59</b>		<b>A-2YF(L)2Y</b>			
Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 2 x 0,6	434,31	8,3	11,0		69
6 x 2 x 0,6	1047,90	11,0	34,0		129
10 x 2 x 0,6	1544,91	12,5	54,0		185
20 x 2 x 0,6	2764,96	15,8	111,0		315
30 x 2 x 0,6	3962,95	19,0	165,0		425
50 x 2 x 0,6	6172,11	22,2	272,0		626
100 x 2 x 0,6	11968,61	30,3	547,0		1235
2 x 2 x 0,8	818,49	8,8	21,0		88
6 x 2 x 0,8	1563,07	12,0	60,0		169
10 x 2 x 0,8	2496,42	14,0	100,0		240
20 x 2 x 0,8	4484,51	19,1	200,0		459
30 x 2 x 0,8	6569,59	22,0	300,0		595
50 x 2 x 0,8	10578,62	26,0	500,0		1060

<b>YYSch</b>					
Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,6	121,15	3,0	5,6		12
3 x 0,6	162,21	3,2	8,4		16
4 x 0,6	213,24	3,4	11,2		20
5 x 0,6	257,03	3,7	14,0		26
6 x 0,6	305,52	4,0	16,8		29
10 x 0,6	502,01	6,0	28,0		54
16 x 0,6	880,39	6,8	45,0		78
20 x 0,6	1092,28	8,2	72,8		110

## JE-H(ST)H E30/E90

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 2 x 0,8 E30	614,46	5,5	19,0		40
1 x 2 x 0,8 E90	658,74	5,5	19,0		40
2 x 2 x 0,8 E30	988,86	6,8	25,0		61
2 x 2 x 0,8 E90	1127,11	6,8	25,0		61

## Koax

### RG / CATV

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
RG 6 75 Ω	144,11	5,0	20,0		45
RG 11 75 Ω	1311,38	10,3	55,6		188
RG 58 C/U 50 Ω	440,40	5,0	21,3		39
RG 59 B/U 75 Ω	374,54	6,2	26,0		57
RG 213 U 50 Ω	1547,41	10,3	85,0		157
RG 214 U 50 Ω	2916,67	10,8	90,0		200
1,13 / 4,8 Tri-shield	516,21	7,0	16,3		48
1,02 / 4,57 Tri-shield Coax10 AD	478,49	6,9	7,5		44

## Loudspeaker cables

### LFZ-XY/NYFAZ

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75 crveno/crni	240,10	2,20x4,40	14,4		22
2 x 1 crveno/crni	321,13	2,54x4,90	19,2		28
2 x 1,5 crveno/crni	453,11	2,90x5,90	28,8		36
2 x 2,5 crveno/crni	709,25	3,60x7,20	48,0		58
2 x 4 crveno/crni	1198,32	4,70x9,40	76,8		100
2 x 1,5 transparentni	590,20	2,90x5,90	28,8		40
2 x 2,5 transparentni	985,05	3,60x7,20	48,0		60
2 x 4 transparentni	1858,08	4,70x9,40	76,8		103

## Alarm AF CCA

### Security

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 AF 22	191,30	3,3			21
6 AF 22	246,18	4,2			28
8 AF 22	324,46	4,6			35
10 AF 22	389,17	5,2			41
12 AF 22	439,70	5,4			50
4 AF 22 + 2 x 0,50	328,05	4,2			40
6 AF 22 + 2 x 0,75	444,81	5,4			50

<b>Alarm AF Cu</b>			<b>Security</b>			
Cross-section (mm <sup>2</sup> )	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 AF 22	221,77		3,3			22
6 AF 22	284,43		4,2			29
8 AF 22	379,21		4,6			36
10 AF 22	455,62		5,2			42
12 AF 22	513,70		5,4			51
4 AF 22 + 2 x 0,50	390,53		4,2			41
6 AF 22 + 2 x 0,75	513,10		5,4			51

<b>LiYCY</b>						
Cross-section (mm <sup>2</sup> )	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,14	359,16		3,5	13,0		20
3 x 0,14	409,16		3,7	15,0		26
4 x 0,14	462,66		4,0	17,0		28
5 x 0,14	530,52		4,3	20,0		33
6 x 0,14	605,84		4,7	23,0		38
7 x 0,14	663,84		4,8	25,0		41
10 x 0,14	963,96		5,7	30,0		56
12 x 0,14	1063,58		6,1	33,0		63
14 x 0,14	1207,76		6,5	36,0		69
16 x 0,14	1422,32		6,8	42,0		80
2 x 0,25	347,81		3,7	15,0		25
3 x 0,25	488,02		4,1	18,0		32
4 x 0,25	589,72		4,7	22,0		40
5 x 0,25	709,49		5,0	26,0		47
6 x 0,25	798,98		5,2	30,0		54
7 x 0,25	842,71		5,4	35,0		56
10 x 0,25	1134,27		6,5	44,0		80
12 x 0,25	1323,64		7,0	50,0		95
16 x 0,25	1732,47		7,8	74,0		116
20 x 0,25	2559,94		9,5	83,0		124,7
2 x 0,34	442,65		4,6	18,0		33
3 x 0,34	584,56		5,0	22,0		41
4 x 0,34	725,46		5,4	26,0		54
5 x 0,34	865,17		5,8	32,0		60
2 x 0,50	509,07		5,1	24,0		43
3 x 0,50	724,61		5,4	32,0		54
4 x 0,50	865,16		6,1	37,0		64
5 x 0,50	1047,26		6,7	55,0		84
6 x 0,50	1255,14		7,2	63,0		95
7 x 0,50	1350,68		7,2	68,0		102
10 x 0,50	1906,42		8,6	93,0		137
2 x 0,75	580,44		5,4	32,0		53
3 x 0,75	723,19		5,8	40,0		66
4 x 0,75	885,19		6,4	60,0		78
5 x 0,75	1097,55		7,1	72,0		99
7 x 0,75	1481,55		7,9	92,0		129

Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
<b>2 x 1,0</b>	<b>784,45</b>	6,0	50,0		63
<b>3 x 1,0</b>	<b>1011,91</b>	6,4	60,0		82
<b>4 x 1,0</b>	<b>1246,65</b>	6,9	74,0		97
<b>5 x 1,0</b>	<b>1555,75</b>	7,8	89,0		121
<b>2 x 1,5</b>	<b>976,48</b>	7,1	57,0		84
<b>3 x 1,5</b>	<b>1251,29</b>	7,5	74,0		106
<b>4 x 1,5</b>	<b>1560,63</b>	8,4	92,0		136
<b>5 x 1,5</b>	<b>1906,95</b>	9,5	111,0		178

<b>LiYCY-TP</b>						<b>Twisted pair</b>
Cross-section (mm <sup>2</sup> )	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
<b>2 x 2 x 0,25</b>	<b>671,57</b>	5,1	28,0		44	
<b>3 x 2 x 0,25</b>	<b>827,41</b>	5,7	44,0		56	
<b>4 x 2 x 0,25</b>	<b>961,32</b>	6,6	57,0		71	
<b>5 x 2 x 0,25</b>	<b>1218,15</b>	7,4	63,0		82	
<b>6 x 2 x 0,25</b>	<b>1560,79</b>	7,5	68,0		99	
<b>2 x 2 x 0,34</b>	<b>793,97</b>	6,6	45,0		66	
<b>3 x 2 x 0,34</b>	<b>1062,96</b>	7,5	54,0		80	
<b>4 x 2 x 0,34</b>	<b>1279,62</b>	8,5	67,0		101	
<b>2 x 2 x 0,5</b>	<b>1031,56</b>	7,2	52,0		79	
<b>3 x 2 x 0,5</b>	<b>1318,24</b>	8,6	67,0		106	
<b>4 x 2 x 0,5</b>	<b>1668,18</b>	9,3	83,0		126	
<b>6 x 2 x 0,5</b>	<b>2317,57</b>	12,0	112,0		186	
<b>8 x 2 x 0,5</b>	<b>2824,82</b>	13,2	132,0		232	
<b>12 x 2 x 0,5</b>	<b>4100,34</b>	15,4	196,0		313	
<b>2 x 2 x 0,75</b>	<b>1126,86</b>	7,7	68,0		96	
<b>3 x 2 x 0,75</b>	<b>1675,62</b>	9,3	85,0		132	
<b>4 x 2 x 0,75</b>	<b>2070,10</b>	9,8	124,0		164	
<b>6 x 2 x 0,75</b>	<b>3231,14</b>	11,6	145,0		251	

LAN			Data			
Cross-section	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
Cat.5e U/UTP PVC	257,21	5,0	17,5		35	
Cat.5e U/UTP LSOH	262,55	5,1	17,5		35	
Cat.5e F/UTP	372,68	5,9	19,8		36	
Cat.5e S/FTP	522,77	6,4	30,0		46	
Cat.5e flex UTP	432,07	4,9	11,0		25	
Cat.5e flex FTP	521,35	5,0	12,0		25	
Cat.6 U/UTP PVC	424,66	6,2	18,0		39	
Cat.6 U/UTP LSOH	427,94	6,2	18,0		39	
Cat.6 F/UTP PVC	558,62	6,5	24,0		44	
Cat.6 F/UTP LSOH	572,93	6,5	24,0		44	
Cat.6 S/FTP	749,85	6,9	29,0		49	
Cat.5e FTP PE Outdoor	672,47	6,0	20,0		39	
Cat.6 FTP PE Outdoor	1030,53	6,5	24,0		53	
Cat.7 S/FTP PE Outdoor	1502,18	7,9	44,0		81	
Cat.7 S/FTP	730,87	7,5	44,0		75	

Fibre optic cables			Multimode			
Cross-section	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
A/J-DQ(ZN)H 4 G 50 / 125	806,47	7,5			35	
A/J-DQ(ZN)H 8 G 50 / 125	1203,90	7,5			35	
A/J-DQ(ZN)H 12 G 50 / 125	1356,48	7,5			35	
A/J-DQ(ZN)H 24 G 50 / 125	2388,16	7,5			35	

Fibre optic cables			Singlemode (without rodent protection)			
Cross-section	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
A-DQ(ZN)2Y 3x4 E9/125	978,67	9,7			70	
A-DQ(ZN)2Y 6x4 E9/125	1253,96	9,7			70	
A-DQ(ZN)2Y 6x8 E9/125	1877,81	9,7			70	
A-DQ(ZN)2Y 6x12 E9/125	2397,47	9,7			70	
A-DQ(ZN)2Y 8x12 E9/125	3282,60	9,7			70	

Fibre optic cables			Singlemode (with rodent protection)			
Cross-section	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
A-DQ(ZN)B2Y 3x4 E9/125	1011,16	11,5			100	
A-DQ(ZN)B2Y 6x4 E9/125	1297,07	11,5			100	
A-DQ(ZN)B2Y 6x8 E9/125	1944,13	11,5			100	
A-DQ(ZN)B2Y 6x12 E9/125	2486,39	11,5			100	
A-DQ(ZN)B2Y 8x12 E9/125	3402,91	11,5			100	





Price list is formed on 01.06.2018. and it depends on daily movement of Cu and Al on LME

**TESLA KABELI d.o.o.**

Industrijska 20, 10431 Sv. Nedelja

tel: +385 1 2362-900

fax: +385 1 2362-901

e-mail: [info@teslacables.com](mailto:info@teslacables.com)

**Contacts:**

Hrvoje Buljan	<a href="mailto:hrvoje.buljan@teslacables.com">hrvoje.buljan@teslacables.com</a>	01/2362-909
Igor Balentović	<a href="mailto:igor.balentovic@teslacables.com">igor.balentovic@teslacables.com</a>	01/2362-904
Saša Bogadi	<a href="mailto:sasa.bogadi@teslacables.com">sasa.bogadi@teslacables.com</a>	01/2362-906
Ivan Šuvar	<a href="mailto:ivan.suvar@teslacables.com">ivan.suvar@teslacables.com</a>	01/2362-903
Sandra Kostelac	<a href="mailto:sandra.kostelac@teslacables.com">sandra.kostelac@teslacables.com</a>	01/2362-905
Iskra Radman	<a href="mailto:iskra.radman@teslacables.com">iskra.radman@teslacables.com</a>	01/2362-907
Hrvoje Topčić	<a href="mailto:hrvoje.topcic@teslacables.com">hrvoje.topcic@teslacables.com</a>	01/2362-902
Antonio Šiljković	<a href="mailto:antonio.siljkovic@teslacables.com">antonio.siljkovic@teslacables.com</a>	01/2362-909
Alessandro Sošić	<a href="mailto:alessandro.sosic@teslacables.com">alessandro.sosic@teslacables.com</a>	01/2362-910