



TESLA CABLES

CABLES & WIRES

PRICE LIST - EXPORT

of cables and wires up to 1 kV

October 2017



CONTENT

PVC insulated wires

H07V-U	(P) (Ye)	1
H07V-R	(P/M) (Ym)	1
H07V-K	(P/F) (Yf)	1

PVC sheathed wires

YM	(PP) (NYM) ((N)YM)	2
PP/R	(NYIFY)	2
H03VH-H	(P/L)	2
H03VV-F	(PP/L)	2
H05VV-F	(PP/J)	3

Rubber insulated wires and cables

H05RR-F	(GG/J)	3
H07RN-F		4
H01N2-D		4

Control cables

YSLY	(LS-YY)(Y-JZ)	5-6
YSLCY	(LS-YYCVY)(CY-JZ)	6-7

Energy cables

E-YY	(PP00)(NYY)	7-8
N2XH		8-9
NYCY	(PP40)	9
NHXH FE180/E30		10
NHXH FE180/E90		11
FG7OR		12
FG16OR16		13
E-AYY	(PP00-A)(NAYY)	14

Solar cables

Solar		14
-------	--	----

Non-insulated rope and tape

Copper rope		14
Fe/Zn tape		14



TESLA CABLES

www.teslacables.com

Self-supported cable bundle

SKS	(X00-A, X00/0-A, N1XD4-AR)	14
-----	----------------------------	----

Silicone and PUR insulated wires and cables

SiF		15
SiHF		15
H07BQ-F		15

Fire alarm cables

JB-Y(St)Y		16
-----------	--	----

Telecommunication cables

J-Y(St)Y	(TI-44)	16
TK 59	(A-2YF(L)2Y)(xZTKMXpw)(TCEPKPFLE)	17
YYSch		17
JE-H(St)H E30/E90		18

Coaxial cables

Coax	(RG)(CATV)	18
------	------------	----

Loudspeaker cables

18

Alarm cables

Alarm AF CCu		18
Alarm AF Cu		19

Electronic cables



LiYCY		19
LiYCY-TP		20

Data cables LAN

21


















Fibre optic cables




Multimode		21
Singlemode		21

H07V-U						P / Ye
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1,5	 124,88		2,6	14,4		19
2,5	 199,58		3,2	24,0		31
4	347,53		3,7	38,4		46
6	516,82		4,2	57,6		62
10	868,63		5,3	96,0		104

H07V-R						P/M / Ym
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
10	856,94		5,7	96,0		108
16	1325,91		6,7	153,6		162
25	2147,63		8,2	240,0		253
35	3038,30		9,3	336,0		343
50	4287,65		10,7	480,0		500
70	6140,91		12,7	672,0		710
95	8247,52		14,5	912,0		980
120	10280,38		16,0	1152,0		1200
150	13249,88		17,7	1440,0		1500

H07V-K						P/F / Yf
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
0,5	62,32		2,0	4,8		8
0,75	85,35		2,2	7,2		11
1	107,85		2,4	9,6		13
1,5	122,02		2,8	14,4		20
2,5	205,03		3,5	24,0		31
4	328,51		4,0	38,4		45
6	484,65		5,0	57,6		64
10	835,94		6,7	96,0		110
16	1304,00		7,6	153,6		164
25	1969,60		8,1	240,0		290
35	2827,34		9,2	336,0		380
50	3923,10		11,6	480,0		550
70	5564,47		13,4	672,0		716
95	7404,11		15,5	912,0		976
120	9437,13		17,1	1152,0		1214
150	11481,67		22,0	1440,0		1530
185	14492,92		25,0	1776,0		1900
240	19891,17		28,0	2304,0		2450

YM			PP / NYM / (N)YM			
Cross-section (mm ²)		Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5		334,91	7,9	28,8		81
3 x 1,5 R50/R100		404,06	8,3	43,2		99
3 x 1,5 bubanj		409,96	8,3	43,2		99
4 x 1,5		558,06	9,9	57,6		121
5 x 1,5 R50/R100		666,96	9,7	72,0		144
5 x 1,5 bubanj		684,77	9,7	72,0		144
7 x 1,5		1213,63	10,4	100,8		208
2 x 2,5		731,37	9,2	48,0		135
3 x 2,5 R50/R100		652,61	9,7	72,0		141
3 x 2,5 bubanj		664,95	9,7	72,0		141
4 x 2,5		897,09	10,5	96,0		175
5 x 2,5 R50/R100		1079,34	11,5	120,0		209
5 x 2,5 bubanj		1090,54	11,5	120,0		209
3 x 4		1381,43	10,7	115,2		232
4 x 4		1450,49	12,0	153,6		271
5 x 4		1720,43	13,5	192,0		323
3 x 6		2165,82	12,3	172,8		322
4 x 6		2092,86	13,7	230,4		344
5 x 6		2500,03	15,0	288,0		410
4 x 10		3921,16	16,4	384,0		555
5 x 10		4501,89	18,0	480,0		665

PP/R			NYIFY			
Cross-section (mm ²)		Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5		331,57	3,0	28,8		60
3 x 1,5		441,42	3,2	43,2		86
3 x 2,5		711,70	4,0	72,0		130

H03VH-H			P/L			
Cross-section (mm ²)		Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75		187,23	2,7	9,6		33

H03VV-F			PP/L			
Cross-section (mm ²)		Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75		182,28	5,2	14,4		45
3 x 0,75		254,56	5,5	21,6		53
4 x 0,75		331,33	6,1	28,8		66
5 x 0,75		386,65	6,8	36,0		81

H05VV-F						PP/J
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1	247,66		6,2	19,2		67
3 x 1	330,71		6,6	28,8		79
4 x 1	513,55		7,4	38,4		86
5 x 1	633,44		8,1	48,0		102
7 x 1	1061,44		9,0	67,2		136
2 x 1,5	329,13		7,0	28,8		89
3 x 1,5	437,77		7,6	43,2		111
4 x 1,5	586,24		8,5	57,6		141
5 x 1,5	742,99		9,5	72,0		177
7 x 1,5	1344,48		10,6	100,8		189
2 x 2,5	1120,71		8,8	48,0		116
3 x 2,5	726,83		9,5	72,0		169
4 x 2,5	924,89		10,4	96,0		207
5 x 2,5	1185,14		11,5	120,0		259
4 x 4	1953,47		12,0	153,6		257
5 x 4	1947,25		13,3	192,0		311
4 x 6	2721,18		14,5	230,4		377
5 x 6	3739,90		16,0	288,0		455

H05RR-F						GG/J
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	659,10		8,5	28,8		110
3 x 1,5	760,93		9,0	43,2		130
4 x 1,5	1055,41		10,0	57,6		160
5 x 1,5	1243,40		11,5	72,0		200
2 x 2,5	1105,35		10,5	48,0		150
3 x 2,5	1194,25		11,0	72,0		190
4 x 2,5	1641,82		12,0	96,0		240
5 x 2,5	1982,48		13,0	120,0		290

H07RN-F

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	769,69	10,0	28,8		130
3 x 1,5	884,39	11,0	43,2		170
4 x 1,5	1178,13	12,0	57,6		200
5 x 1,5	1407,28	13,0	72,0		240
7 x 1,5	2673,16	16,0	100,8		342
12 x 1,5	4326,85	19,0	172,8		505
2 x 2,5	1127,66	12,0	48,0		190
3 x 2,5	1340,74	12,5	72,0		240
4 x 2,5	1778,22	14,0	96,0		275
5 x 2,5	2247,02	15,5	120,0		340
7 x 2,5	4113,93	18,0	168,0		485
12 x 2,5	6870,34	23,0	288,0		799
4 x 4	2609,37	16,5	153,6		410
5 x 4	3235,18	18,5	192,0		500
4 x 6	3661,79	19,0	230,4		500
5 x 6	4434,99	21,0	288,0		650
4 x 10	6901,51	24,5	384,0		930
5 x 10	8508,44	26,5	480,0		1120
4 x 16	9887,81	27,5	614,4		1260
5 x 16	12173,11	30,5	768,0		1550
4 x 25	15127,23	34,0	960,0		1890
5 x 25	19350,46	37,5	1200,0		2300
4 x 35	20001,32	37,0	1344,0		2410
5 x 35	25199,67	43,0	1680,0		3008
4 x 50	28351,54	43,5	1920,0		3350
4 x 70	38791,82	49,5	2688,0		4460
4 x 95	51448,15	55,5	3648,0		5750

H01N2-D

KZS

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
16	2967,25	9,5	153,6		210
25	3699,51	11,0	240,0		300
35	4313,74	12,0	336,0		400
50	6156,87	14,0	480,0		560
70	8777,90	16,5	672,0		780
95	13743,28	18,5	912,0		1010

YSLY		LS-YY / Y-JZ				
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,5	238,94		6,0	9,6		45
3 x 0,5	293,08		6,2	14,4		50
4 x 0,5	371,37		6,5	19,2		60
5 x 0,5	433,54		7,0	24,0		70
7 x 0,5	631,49		7,5	33,6		85
10 x 0,5	957,00		9,5	48,0		125
12 x 0,5	1120,00		10,0	57,6		140
14 x 0,5	1302,44		10,5	67,2		160
21 x 0,5	2061,47		12,5	100,8		230
25 x 0,5	2379,21		14,0	120,0		280
2 x 0,75	283,81		6,5	14,4		50
3 x 0,75	373,51		6,5	21,6		65
4 x 0,75	476,89		7,5	28,8		75
5 x 0,75	593,10		8,0	36,0		95
6 x 0,75	843,13		8,5	43,2		105
7 x 0,75	796,28		8,5	50,4		120
10 x 0,75	1214,55		11,0	72,0		160
12 x 0,75	1461,10		11,5	86,4		180
21 x 0,75	2635,75		14,0	151,2		310
25 x 0,75	3133,41		16,5	180,0		390
2 x 1	351,92		7,0	19,2		65
3 x 1	489,13		7,5	28,8		75
4 x 1	632,84		8,0	38,4		95
5 x 1	812,85		8,5	48,0		120
7 x 1	1124,13		9,0	67,2		140
10 x 1	1696,54		11,5	96,0		200
12 x 1	1969,93		12,0	115,2		220
14 x 1	2336,63		13,0	134,4		270
16 x 1	2435,13		14,0	153,6		300
18 x 1	2750,59		14,5	172,8		330
21 x 1	3494,86		15,5	201,6		390
25 x 1	3775,27		17,5	240,0		480
34 x 1	5591,68		20,0	326,4		640
2 x 1,5	478,06		7,5	28,8		80
3 x 1,5	630,81		8,0	43,2		100
4 x 1,5	815,76		8,5	57,6		120
5 x 1,5	1011,15		9,5	72,0		150
6 x 1,5	1490,78		10,5	86,4		170
7 x 1,5	1345,73		10,5	100,8		190
10 x 1,5	2239,70		13,5	144,0		290
12 x 1,5	2372,26		14,0	172,8		320
14 x 1,5	3290,86		15,0	201,6		380
16 x 1,5	3554,11		16,0	230,4		420
18 x 1,5	4084,90		17,0	259,2		470
21 x 1,5	4807,90		17,5	302,4		520
25 x 1,5	5649,52		20,5	360,0		660
2 x 2,5	740,18		9,0	48,0		120
3 x 2,5	954,35		9,5	72,0		140
4 x 2,5	1301,25		10,0	96,0		180
5 x 2,5	1649,92		11,0	120,0		220
7 x 2,5	2319,15		12,5	168,0		290
12 x 2,5	4285,91		17,0	288,0		490
18 x 2,5	6546,68		20,0	432,0		710

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
3 x 4	1808,14	11,0	115,2		220
4 x 4	2377,40	12,5	153,6		280
5 x 4	2902,79	13,5	192,0		350
7 x 4	3919,05	15,5	268,8		460
4 x 6	3185,16	14,5	230,4		400
5 x 6	4143,28	16,0	288,0		480
7 x 6	5700,16	17,5	403,2		640
4 x 10	5806,35	19,5	384,0		710
5 x 10	7106,51	21,5	480,0		870
7 x 10	9574,94	23,5	672,0		1140
4 x 16	8906,17	20,5	614,4		950
5 x 16	10940,44	23,0	768,0		1160
7 x 16	15080,64	25,0	1075,2		1530
4 x 25	13844,13	29,5	960,0		1590

YSLCY			LS-YCVY / C-JZ		
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75	624,73	8,5	41,3		120
3 x 0,75	802,11	9,0	49,9		130
4 x 0,75	965,37	9,5	58,6		150
5 x 0,75	1259,49	10,5	69,1		170
7 x 0,75	1647,09	11,0	85,4		200
12 x 0,75	2547,11	13,5	132,5		280
25 x 0,75	4902,89	19,5	268,8		570
34 x 0,75	7163,33	22,0	342,7		740
2 x 1	738,16	9,0	49,0		120
3 x 1	925,82	9,5	59,5		140
4 x 1	1226,71	10,0	71,0		160
5 x 1	1498,77	11,0	84,5		190
7 x 1	1814,86	11,5	107,5		220
12 x 1	3192,83	14,5	167,0		340
18 x 1	4520,67	17,5	257,3		500
25 x 1	5985,53	21,0	339,8		680
34 x 1	8899,81	23,5	439,7		870
2 x 1,5	949,91	10,0	62,4		150
3 x 1,5	1200,29	10,5	78,7		170
4 x 1,5	1517,77	11,0	96,0		200
5 x 1,5	2006,16	12,0	114,2		230
7 x 1,5	2643,53	13,0	147,8		280
12 x 1,5	4301,36	17,5	257,3		460
18 x 1,5	6208,90	20,0	358,1		660
25 x 1,5	8163,06	24,5	508,8		940
34 x 1,5	12096,05	26,5	658,6		1190
3 x 2,5	2003,55	11,5	114,2		230
4 x 2,5	2415,86	12,5	143,0		270
5 x 2,5	2939,68	13,5	171,8		320
7 x 2,5	4054,11	15,5	243,8		410
12 x 2,5	6338,16	20,0	390,7		670
18 x 2,5	11801,01	24,0	585,6		950

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 x 4	3631,93	15,0	229,4		410
5 x 4	4680,87	16,5	276,5		480
4 x 6	5251,37	17,5	320,6		560
5 x 6	6215,89	19,0	386,9		650
4 x 10	8515,51	22,5	497,3		920
5 x 10	11550,98	25,0	635,5		1150
4 x 16	13428,22	24,0	776,6		1220
5 x 16	15825,95	26,5	950,4		1470

E-YY						PP00 / NYY
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
1 x 16	1593,41	9,4	153,6		218	
1 x 25	2340,12	11,3	240,0		324	
1 x 35	3212,59	12,4	336,0		419	
1 x 50	4466,81	13,8	480,0		554	
1 x 70	6255,41	15,8	672,0		772	
1 x 95	8330,27	17,6	912,0		1016	
1 x 120	10138,44	19,1	1152,0		1286	
1 x 150	12561,18	20,8	1440,0		1578	
1 x 185	15939,10	25,5	1776,0		2088	
1 x 240	20943,70	27,9	2304,0		2652	
1 x 300	25668,96	30,7	2880,0		3331	
2 x 1.5	479,58	10,1	28,8		152	
2 x 2,5	674,45	10,9	48,0		189	
3 x 1.5 RE	481,47	10,5	43,2		135	
3 x 2.5 RE	730,98	11,4	72,0		183	
3 x 4 RE	1358,22	13,1	115,2		305	
3 x 6 RE	1974,52	14,1	172,8		383	
4 x 1.5 RE	624,19	11,2	57,6		159	
4 x 2,5 RE	948,07	12,2	96,0		213	
4 x 4 RE	1535,34	14,1	153,6		322	
4 x 6 RE	2179,84	15,3	230,4		402	
4 x 10 RE	3491,86	17,2	384,0		606	
4 x 16 RM	5567,46	21,1	614,4		913	
4 x 25 RM	8638,38	25,3	960,0		1379	
4 x 35 SM	12177,74	26,0	1344,0		1578	
4 x 50 SM	16558,15	28,4	1920,0		2125	
4 x 70 SM	23421,16	31,4	2688,0		2975	
4 x 95 SM	32027,45	39,3	3648,0		4079	
4 x 120 SM	41978,69	41,8	4608,0		5060	
4 x 150 SM	50877,09	49,0	5760,0		6258	
4 x 185 SM	63644,71	52,0	7104,0		7787	
4 x 240 SM	84560,48	58,9	9216,0		10094	
5 x 1.5 RE	758,32	12,0	72,0		185	
5 x 2.5 RE	1178,14	13,1	120,0		248	
5 x 4 RE	1851,60	15,3	192,0		379	
5 x 6 RE	2645,41	16,6	288,0		481	
5 x 10 RE	4367,99	18,8	480,0		737	
5 x 16 RM	6882,76	23,7	768,0		1118	

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
7 x 1.5 RE	1407,49	12,9	100,8		282
10 x 1.5 RE	2253,86	15,7	144,0		401
12 x 1.5 RE	2574,37	16,1	172,8		437
14 x 1.5 RE	3282,19	16,8	201,6		484
16 x 1.5 RE	3826,49	17,7	230,4		539
19 x 1.5 RE	3984,16	18,5	273,6		609
24 x 1.5 RE	5151,53	21,9	345,6		816
30 x 1.5 RE	6567,28	23,0	432,0		937
7 x 2.5 RE	2398,18	14,1	168,0		374
10 x 2.5 RE	3686,12	17,3	240,0		534
12 x 2.5 RE	4432,29	17,8	288,0		630
14 x 2,5 RE	5051,25	18,6	336,0		660
16 x 2.5 RE	6072,07	20,1	384,0		765
19 x 2.5 RE	6856,86	21,1	456,0		873
24 x 2.5 RE	8409,92	24,8	576,0		1146
30 x 2.5 RE	11387,57	26,1	720,0		1331
7 x 4 RE	4110,77	16,5	268,8		541
10 x 4 RE	6791,23	21,1	384,0		827
14 x 4 RE	8952,84	26,0	537,6		1170
19 x 4 RE	11924,26	28,0	729,6		1360
7 x 6 RE	5402,15	18,0	403,2		704

N2XH					
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	1982,94	9,8	153,6		226
1 x 25	2916,59	11,4	240,0		327
1 x 35	4267,95	12,6	336,0		429
1 x 50	5518,65	13,8	480,0		555
1 x 70	7836,77	15,7	672,0		765
1 x 95	10597,73	17,6	912,0		1024
1 x 120	13290,46	19,1	1152,0		1270
1 x 150	17044,04	20,9	1440,0		1550
1 x 185	20151,58	23,5	1776,0		1950
1 x 240	26237,97	25,8	2304,0		2550
1 x 300	32333,71	29,0	2880,0		3200
2 x 1.5	711,97	9,3	28,8		130
2 x 2,5	979,60	10,1	48,0		160
3 x 1.5 RE	605,06	9,7	43,2		142
3 x 2.5 RE	873,10	10,7	72,0		184
4 x 1.5 RE	925,64	10,4	57,6		166
4 x 2,5 RE	1337,39	11,4	96,0		220
4 x 4 RE	2090,01	13,8	153,6		305
4 x 6 RE	2928,48	13,8	230,4		400
4 x 10 RE	4694,87	16,3	384,0		601
4 x 16 RM	7177,11	19,2	614,4		900
4 x 25 RM	10710,82	24,0	960,0		1400
4 x 35 SM	14345,88	26,5	1344,0		1850
4 x 50 SM	20890,29	29,0	1920,0		2226

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 x 120 SM	48119,91	40,8	4608,0		5320
4 x 150 SM	60547,87	50,0	5760,0		6350
4 x 185 SM	79222,19	51,0	7104,0		7850
4 x 240 SM	103216,52	56,6	9216,0		10235
5 x 1.5 RE	1042,72	11,3	72,0		195
5 x 2.5 RE	1530,83	12,4	120,0		260
5 x 4 RE	2203,41	13,8	192,0		360
5 x 6 RE	3193,70	15,5	288,0		490
5 x 10 RE	5304,99	17,9	480,0		730
5 x 16 RM	8253,78	22,0	768,0		1120
5 x 25 RM	12596,07	27,1	1200,0		1460

NYCY						PP40
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
2 x 1,5 / 1,5	1140,64	12,5	48,0		198	
2 x 2,5 / 2,5	1494,46	13,9	75,0		257	
2 x 4 / 4	1883,91	15,5	110,0		345	
2 x 6 / 6	2546,85	16,8	165,0		425	
3 x 1,5 / 1,5	1313,76	13,4	59,0		215	
3 x 2,5 / 2,5	1649,15	14,1	90,0		275	
4 x 1,5 / 1,5	1542,95	14,1	72,0		245	
4 x 2,5 / 2,5	1964,08	15,1	117,0		335	
4 x 4 / 4	3165,46	17,4	182,0		455	
4 x 6 / 6	4411,89	18,4	272,0		575	
5 x 2,5 / 2,5	2580,86	16,2	139,0		380	
7 x 1,5 / 2,5	2385,03	15,5	125,0		350	
10 x 1,5 / 2,5	3368,72	18,1	165,0		451	
12 x 1,5 / 2,5	3695,10	19,2	188,0		465	
16 x 1,5 / 4	4267,04	20,5	262,0		645	
19 x 1,5 / 4	4948,98	22,3	299,0		665	
24 x 1,5 / 6	6578,19	25,2	388,0		915	
7 x 2,5 / 2,5	3913,46	17,2	185,0		440	
10 x 2,5 / 4	4406,59	20,1	270,0		600	
12 x 2,5 / 4	5224,66	20,9	305,0		656	
16 x 2,5 / 6	6320,35	22,4	428,0		815	
19 x 2,5 / 6	8923,99	23,8	483,0		933	
24 x 2,5 / 10	10677,14	26,6	636,0		1160	

NHXX FE180/E30**E30**

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	3031,07	12,0	153,6		218
1 x 25	4402,84	13,0	240,0		324
1 x 35	5768,77	15,0	336,0		419
1 x 50	6591,52	16,0	480,0		554
1 x 70	8891,18	18,0	672,0		772
1 x 95	11580,56	20,0	912,0		1016
1 x 120	14409,64	22,0	1152,0		1286
1 x 150	17898,46	24,0	1440,0		1578
1 x 185	21814,79	27,0	1776,0		2088
1 x 240	27352,92	30,0	2304,0		2652
1 x 300	35960,54	33,0	2880,0		3331
2 x 1.5	1366,75	12,1	28,8		190
2 x 2,5	1737,78	12,2	48,0		220
3 x 1.5 RE	1457,97	13,0	43,2		210
3 x 2.5 RE	1905,31	14,0	72,0		260
3 x 4 RE	2803,72	15,0	115,2		320
3 x 6 RE	3792,98	16,0	172,8		400
4 x 1.5 RE	1769,97	15,0	57,6		240
4 x 2,5 RE	2312,84	16,0	96,0		300
4 x 4 RE	3882,60	17,0	153,6		390
4 x 6 RE	5001,75	18,0	230,4		490
4 x 10 RE	7162,45	21,0	384,0		670
4 x 16 RM	12130,73	25,0	614,4		950
4 x 25 RM	16756,53	26,0	960,0		1430
4 x 35 SM	21708,55	29,0	1344,0		1890
4 x 50 SM	29009,17	34,0	1920,0		2510
4 x 70 SM	38552,30	38,0	2688,0		3650
4 x 95 SM	55185,64	44,0	3648,0		4750
4 x 120 SM	71490,14	48,0	4608,0		5910
4 x 150 SM	86145,46	52,0	5760,0		7240
5 x 1.5 RE	2564,82	18,0	72,0		280
5 x 2.5 RE	3158,18	19,0	120,0		354
5 x 4 RE	4994,75	21,0	192,0		450
5 x 6 RE	5858,53	22,0	288,0		570
5 x 10 RE	9008,80	25,0	480,0		820
5 x 16 RM	14298,00	27,0	768,0		1140
5 x 25 RM	20035,06	31,0	1200,0		1710
7 x 1.5 RE	3497,90	16,0	100,8		330
12 x 1.5 RE	5386,17	20,5	172,8		500
19 x 1.5 RE	8201,97	24,0	273,6		720
24 x 1.5 RE	9912,46	28,0	345,6		890
30 x 1.5 RE	11875,01	31,0	432,0		1090
7 x 2.5 RE	4611,44	18,0	168,0		430
12 x 2.5 RE	6670,04	25,0	288,0		650
19 x 2.5 RE	11758,23	26,0	456,0		950
24 x 2.5 RE	14361,46	30,5	576,0		1210
30 x 2.5 RE	17265,28	32,5	720,0		1470

NHXX FE180/E90**E90**

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	4971,79	11,0	153,6		250
1 x 25	7065,66	13,0	240,0		355
1 x 35	8187,61	14,0	336,0		460
1 x 50	10434,95	16,0	480,0		610
1 x 70	15741,55	18,0	672,0		810
1 x 95	17385,69	20,0	912,0		1100
1 x 120	19397,14	21,0	1152,0		1350
1 x 150	25247,00	24,0	1440,0		1650
1 x 185	28702,98	26,0	1776,0		2050
1 x 240	35445,06	29,0	2304,0		2650
1 x 300	59446,11	32,0	2880,0		3275
2 x 1.5	2337,01	13,0	28,8		200
3 x 1.5 RE	2844,41	13,5	43,2		210
3 x 2.5 RE	3531,00	14,6	72,0		243
3 x 4 RE	4305,53	15,5	115,2		302
3 x 6 RE	7201,51	16,5	172,8		399
4 x 1.5 RE	4101,91	15,0	57,6		245
4 x 2,5 RE	5011,37	16,0	96,0		299
4 x 4 RE	6311,60	17,0	153,6		376
4 x 6 RE	7189,40	18,5	230,4		474
4 x 10 RE	9555,36	20,5	384,0		657
4 x 16 RM	15821,21	24,0	614,4		973
4 x 25 RM	23414,19	26,5	960,0		1422
4 x 35 SM	33713,33	30,0	1344,0		1858
4 x 50 SM	36320,74	35,0	1920,0		2900
4 x 70 SM	55019,59	40,5	2688,0		3900
4 x 95 SM	73965,40	45,5	3648,0		5200
4 x 120 SM	87360,46	50,0	4608,0		6300
4 x 150 SM	105864,96	55,0	5760,0		6800
5 x 1.5 RE	4238,59	15,5	72,0		290
5 x 2.5 RE	5101,45	17,0	120,0		359
5 x 4 RE	6807,55	18,5	192,0		457
5 x 6 RE	10046,01	20,0	288,0		577
5 x 10 RE	11564,59	22,0	480,0		807
5 x 16 RM	18838,34	26,5	768,0		1145
5 x 25 RM	27547,63	30,0	1200,0		1765
7 x 1.5 RE	6286,67	18,0	100,8		282
12 x 1.5 RE	10873,15	23,5	172,8		437
24 x 1.5 RE	22086,54	21,9	345,6		816



FG70R

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	1861,20	12,2	153,6		195
1 x 25	2757,52	13,8	240,0		288
1 x 35	3736,36	15,1	336,0		383
1 x 50	5267,44	17,1	480,0		525
1 x 70	7443,90	19,6	672,0		765
1 x 95	9793,48	22,2	912,0		1000
1 x 120	12410,77	24,2	1152,0		1230
1 x 150	14876,50	26,8	1440,0		1550
1 x 185	18103,87	29,1	1776,0		1880
1 x 240	23967,25	32,2	2304,0		2410
1 x 300	31225,51	35,4	2880,0		3000
1 x 400	42996,87	39,9	3840,0		3960
2 x 1,5	619,95	11,9	28,8		129
2 x 2,5	887,54	12,7	48,0		163
3 x 1,5	765,30	12,4	43,2		144
3 x 2,5	1089,26	13,3	72,0		187
4 x 1,5	981,22	13,2	57,6		167
4 x 2,5	1440,90	14,2	96,0		220
4 x 4	2160,71	16,1	153,6		306
4 x 6	3042,00	18,1	230,4		397
4 x 10	4846,19	21,0	384,0		600
4 x 16	7391,86	25,6	614,4		888
4 x 25	11524,65	29,6	960,0		1310
3 x 35 + 1 x 25	14139,96	31,8	1248,0		1630
3 x 50 + 1 x 25	18901,91	35,9	1680,0		2110
3 x 70 + 1 x 35	27194,19	40,9	2352,0		3030
3 x 95 + 1 x 50	35922,34	44,6	3216,0		3910
3 x 120 + 1 x 70	47281,38	50,9	4128,0		5000
3 x 150 + 1 x 95	61452,80	56,3	5232,0		6340
5 x 1,5	1170,00	14,5	72,0		260
5 x 2,5	1680,46	15,6	120,0		368
5 x 4	2621,46	17,7	192,0		478
5 x 6	3680,76	19,9	288,0		740
5 x 10	5928,21	23,6	480,0		1070
5 x 16	9194,47	27,6	768,0		1620
5 x 25	13873,88	32,1	1200,0		2145
5 x 35	19018,58	36,1	1680,0		3000
7 x 1,5	2123,68	15,0	100,8		311









FG16OR16

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	2001,29	11,4	153,6		220
1 x 25	2965,07	13,2	240,0		310
1 x 35	4017,59	14,6	336,0		410
1 x 50	5663,92	16,4	480,0		560
1 x 70	8004,19	18,3	672,0		760
1 x 95	10530,63	20,4	912,0		960
1 x 120	13344,91	22,4	1152,0		1210
1 x 150	15996,23	24,8	1440,0		1480
1 x 185	19466,53	27,0	1776,0		1790
1 x 240	25771,24	30,2	2304,0		2320
1 x 300	33575,82	33,0	2880,0		2840
1 x 400	46233,19	36,5	3840,0		3735
2 x 1,5	666,62	12,0	28,8		130
2 x 2,5	954,34	13,0	48,0		165
3 x 1,5	822,90	12,5	43,2		150
3 x 2,5	1171,25	13,6	72,0		190
3 x 4	1651,00	14,9	115,2		250
3 x 6	2329,00	16,2	172,8		320
3 x 10	3888,00	18,2	288,0		470
4 x 1,5	1055,08	13,4	57,6		170
4 x 2,5	1549,35	14,6	96,0		220
4 x 4	2323,34	16,0	153,6		295
4 x 6	3270,97	17,5	230,4		385
4 x 10	5210,96	19,8	384,0		575
4 x 16	7948,24	22,4	614,4		795
4 x 25	12392,10	26,8	960,0		1205
3 x 35 + 1 x 25	15204,25	29,2	1248,0		1535
3 x 50 x 1 x 25	20324,63	32,4	1680,0		2020
3 x 70 + 1 x 35	29241,06	37,0	2352,0		3030
3 x 95 + 1 x 50	38626,17	42,0	3216,0		3915
3 x 120 + 1 x 70	50840,20	46,9	4128,0		5040
3 x 150 + 1 x 95	66078,28	52,5	5232,0		6300
5 x 1,5	1258,06	14,4	72,0		195
5 x 2,5	1806,95	15,6	120,0		260
5 x 4	2818,77	17,3	192,0		345
5 x 6	3957,80	18,9	288,0		455
5 x 10	6374,42	21,5	480,0		680
5 x 16	9886,52	24,4	768,0		970
5 x 25	14918,15	29,3	1200,0		1470
5 x 35	20450,09	32,8	1680,0		1990
7 x 1,5	2283,53	15,4	100,8		260

Solar						PV1-F
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4	824,43		6,5	38,4		60
6	984,28		7,0	57,6		79
10	1729,27		8,7	96,0		130
16	3409,57		9,4	153,6		210

Copper rope						
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
25	2437,18		6,0	223,0		223
35	3162,36		7,0	309,0		309
50	4392,48		8,0	417,0		417
70	6635,20		10,0	616,0		616
95	9190,46		12,0	822,0		822

Fe/Zn tape						
Cross-section (mm ²)	Price (€/t)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
20 x 3	1325,71					519
25 x 3	1381,78					647
25 x 4	1317,41					860
30 x 4	1316,66					1036
40 x 4	1394,95					1383

E-AYY						PP00-A / NAYY
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 x 16 RM	1367,83		20,1		220	780
4 x 25 RM	2014,50		25,3		290	852
4 x 35 SM	2452,09		25,6		406	771
4 x 50 SM	3123,69		28,4		580	1023
4 x 70 SM	4334,97		31,4		812	1349
4 x 95 SM	5773,77		36,9		1102	1846
4 x 120 SM	7175,62		39,9		1392	2206
4 x 150 SM	8546,76		46,0		1740	2617
4 x 185 SM	10913,47		51,7		2176	3570
4 x 240 SM	14635,65		57,9		2822	4380

SKS		N1XD4-AR, N1XD9-AR				
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
2 x 16	578,84			93	130	
4 x 16	1153,96			186	260	
3 x 35 + 70	3534,76			508	682	
3 x 35 + 70 + 2 x 16	4129,50			600	812	
3 x 70 + 70	4978,93			812	1018	
3 x 70 + 70 + 2 x 16	5536,92			907	1148	

SiF						
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
0,75	171,41	2,4	7,7		12	
1	213,85	2,5	9,6		14	
1,5	289,98	2,8	14,4		18	
2,5	467,86	4,0	24,0		35	
4	751,14	5,5	38,4		55	
6	1120,41	5,2	57,6		71	
10	1829,47	6,3	96,0		110	
16	3384,89	8,0	153,6		188	
25	5271,85	9,9	240,0		296	
35	7363,54	11,2	336,0		400	
50	9952,60	13,8	480,0		570	
70	13375,17	15,0	672,0		740	

SiHF						
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
2 x 0,75	707,73	6,4	14,4		57	
3 x 0,75	955,34	6,8	22,1		67	
2 x 1,5	1086,79	7,5	28,8		81	
3 x 1,5	1537,63	8,0	43,2		83	
4 x 1,5	1922,47	8,8	57,6		120	
5 x 1,5	2623,31	9,5	72,0		145	
3 x 2,5	2359,00	9,5	72,0		125	
4 x 2,5	3001,61	10,5	96,0		180	
5 x 2,5	3971,55	11,7	120,0		270	

H07BQ-F

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	1074,51	8,8	28,8		88
3 x 1,5	1317,39	9,3	43,2		110
4 x 1,5	1669,80	10,3	57,6		140
5 x 1,5	2027,47	11,2	72,0		169
3 x 2,5	1928,21	11,0	72,0		163
4 x 2,5	2488,31	12,2	96,0		208
5 x 2,5	2980,29	13,5	120,0		257
4 x 4	3897,28	14,0	154,0		293
4 x 6	5808,89	15,2	230,0		346
4 x 10	10059,26	20,2	384,0		702
4 x 16	14393,86	22,8	614,4		981
5 x 4	4392,26	15,6	192,0		365
5 x 6	6383,05	17,6	288,0		504
5 x 10	11263,80	23,2	480,0		962
5 x 16	16901,26	27,1	768,0		1379

JB-Y(St)Y

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 2 x 0,8	203,49	5,7	11,0		39
2 x 2 x 0,8	337,64	6,1	21,0		54
4 x 2 x 0,8	680,43	8,7	41,0		94
6 x 2 x 0,8	948,73	10,1	62,0		135
10 x 2 x 0,8	1645,72	13,1	103,0		205
20 x 2 x 0,8	3264,86	15,6	204,0		352
30 x 2 x 0,8	4848,30	19,4	304,0		522

J-Y(St)Y

TI-44

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 2 x 0,6	141,41	4,0	11,0		20
2 x 2 x 0,6	216,79	4,5	13,0		30
3 x 2 x 0,6	313,75	6,5	19,0		50
4 x 2 x 0,6	390,89	7,0	25,0		60
5 x 2 x 0,6	494,85	7,5	30,0		70
6 x 2 x 0,6	565,85	8,0	35,0		80
10 x 2 x 0,6	851,26	10,0	59,0		110
20 x 2 x 0,6	1666,83	12,0	115,0		190
30 x 2 x 0,6	2418,93	14,0	172,0		280
50 x 2 x 0,6	4198,10	17,0	286,0		430
100 x 2 x 0,6	7953,81	23,5	569,0		820

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 2 x 0,8	201,09	5,5	18,0		40
2 x 2 x 0,8	336,91	7,0	22,0		60
3 x 2 x 0,8	528,54	8,5	31,0		80
4 x 2 x 0,8	655,57	9,0	42,0		100
5 x 2 x 0,8	812,45	9,5	52,0		120
6 x 2 x 0,8	959,07	11,0	62,0		140
10 x 2 x 0,8	1656,48	14,0	103,0		220
20 x 2 x 0,8	3158,26	17,0	203,0		370
30 x 2 x 0,8	5336,39	21,0	304,0		550
50 x 2 x 0,8	8041,00	25,5	506,0		880
100x 2 x 0,8	16020,45	36,0	1008,0		1700

TK 59		A-2YF(L)2Y			
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 2 x 0,6	432,15	8,3	11,0		69
6 x 2 x 0,6	1029,16	11,0	34,0		129
10 x 2 x 0,6	1514,25	12,5	54,0		185
20 x 2 x 0,6	2705,43	15,8	111,0		315
30 x 2 x 0,6	3903,97	19,0	165,0		425
50 x 2 x 0,6	6058,47	22,2	272,0		626
100 x 2 x 0,6	11717,85	30,3	547,0		1235
2 x 2 x 0,8	806,86	8,8	21,0		88
6 x 2 x 0,8	1534,13	12,0	60,0		169
10 x 2 x 0,8	2439,84	14,0	100,0		240
20 x 2 x 0,8	4372,66	19,1	200,0		459
30 x 2 x 0,8	6365,16	22,0	300,0		595
50 x 2 x 0,8	10354,39	26,0	500,0		1060

YYSch					
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,6	120,28	3,0	5,6		12
3 x 0,6	158,62	3,2	8,4		16
4 x 0,6	208,33	3,4	11,2		20
5 x 0,6	249,82	3,7	14,0		26
6 x 0,6	299,43	4,0	16,8		29
10 x 0,6	492,47	6,0	28,0		54
16 x 0,6	860,39	6,8	45,0		78
20 x 0,6	1056,22	8,2	72,8		110

JE-H(ST)H E30/E90

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 2 x 0,8 E30	612,80	5,5	19,0		40
1 x 2 x 0,8 E90	648,79	5,5	19,0		40
2 x 2 x 0,8 E30	971,28	6,8	25,0		61
2 x 2 x 0,8 E90	1107,70	6,8	25,0		61

Koax

RG / CATV

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
RG 6 75 Ω	143,03	5,0	20,0		45
RG 11 75 Ω	1277,09	10,3	55,6		188
RG 58 C/U 50 Ω	433,06	5,0	21,3		39
RG 59 B/U 75 Ω	371,12	6,2	26,0		57
RG 213 U 50 Ω	1518,77	10,3	85,0		157
RG 214 U 50 Ω	2852,29	10,8	90,0		200
1,13 / 4,8 Tri-shield	507,00	7,0	16,3		48
1,02 / 4,57 Tri-shield Coax10 AD	468,48	6,9	7,5		44

Loudspeaker cables

LFZ-XY/NYFAZ

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75 crveno/crni	234,47	2,20x4,40	14,4		22
2 x 1 crveno/crni	315,90	2,54x4,90	19,2		28
2 x 1,5 crveno/crni	442,45	2,90x5,90	28,8		36
2 x 2,5 crveno/crni	692,62	3,60x7,20	48,0		58
2 x 4 crveno/crni	1175,13	4,70x9,40	76,8		100
2 x 1,5 transparentni	575,32	2,90x5,90	28,8		40
2 x 2,5 transparentni	966,71	3,60x7,20	48,0		60
2 x 4 transparentni	1805,09	4,70x9,40	76,8		103

Alarm AF CCA

Security

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 AF 22	184,11	3,3			21
6 AF 22	240,06	4,2			28
8 AF 22	314,56	4,6			35
10 AF 22	377,92	5,2			41
12 AF 22	427,87	5,4			50
4 AF 22 + 2 x 0,50	318,10	4,2			40
6 AF 22 + 2 x 0,75	431,12	5,4			50

Alarm AF Cu						Security
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 AF 22	215,63		3,3			22
6 AF 22	278,77		4,2			29
8 AF 22	366,12		4,6			36
10 AF 22	440,28		5,2			42
12 AF 22	496,08		5,4			51
4 AF 22 + 2 x 0,50	374,74		4,2			41
6 AF 22 + 2 x 0,75	493,65		5,4			51

LiYCY						
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,14	348,04		3,5	13,0		20
3 x 0,14	396,97		3,7	15,0		26
4 x 0,14	452,49		4,0	17,0		28
5 x 0,14	516,38		4,3	20,0		33
6 x 0,14	591,35		4,7	23,0		38
7 x 0,14	649,01		4,8	25,0		41
10 x 0,14	937,47		5,7	30,0		56
12 x 0,14	1021,12		6,1	33,0		63
14 x 0,14	1160,35		6,5	36,0		69
16 x 0,14	1371,67		6,8	42,0		80
2 x 0,25	337,98		3,7	15,0		25
3 x 0,25	479,31		4,1	18,0		32
4 x 0,25	597,86		4,7	22,0		40
5 x 0,25	699,54		5,0	26,0		47
6 x 0,25	782,24		5,2	30,0		54
7 x 0,25	825,67		5,4	35,0		56
10 x 0,25	1116,86		6,5	44,0		80
12 x 0,25	1300,43		7,0	50,0		95
16 x 0,25	1711,49		7,8	74,0		116
20 x 0,25	2533,43		9,5	83,0		124,7
2 x 0,34	428,53		4,6	18,0		33
3 x 0,34	570,44		5,0	22,0		41
4 x 0,34	712,14		5,4	26,0		54
5 x 0,34	850,83		5,8	32,0		60
2 x 0,50	497,38		5,1	24,0		43
3 x 0,50	707,19		5,4	32,0		54
4 x 0,50	849,47		6,1	37,0		64
5 x 0,50	1035,79		6,7	55,0		84
6 x 0,50	1225,34		7,2	63,0		95
7 x 0,50	1332,91		7,2	68,0		102
10 x 0,50	1872,72		8,6	93,0		137
2 x 0,75	569,84		5,4	32,0		53
3 x 0,75	709,45		5,8	40,0		66
4 x 0,75	866,30		6,4	60,0		78
5 x 0,75	1083,85		7,1	72,0		99

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,0	777,28	6,0	50,0		63
3 x 1,0	985,42	6,4	60,0		82
4 x 1,0	1222,19	6,9	74,0		97
5 x 1,0	1526,15	7,8	89,0		121
2 x 1,5	965,27	7,1	57,0		84
3 x 1,5	1228,18	7,5	74,0		106
4 x 1,5	1512,01	8,4	92,0		136
5 x 1,5	1864,40	9,5	111,0		178

LiYCY-TP

Twisted pair

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 2 x 0,25	655,31	5,1	28,0		44
3 x 2 x 0,25	817,93	5,7	44,0		56
4 x 2 x 0,25	944,66	6,6	57,0		71
5 x 2 x 0,25	1194,93	7,4	63,0		82
6 x 2 x 0,25	1523,69	7,5	68,0		99
2 x 2 x 0,34	778,52	6,6	45,0		66
3 x 2 x 0,34	1033,65	7,5	54,0		80
4 x 2 x 0,34	1261,87	8,5	67,0		101
2 x 2 x 0,5	1019,95	7,2	52,0		79
3 x 2 x 0,5	1287,34	8,6	67,0		106
4 x 2 x 0,5	1618,42	9,3	83,0		126
6 x 2 x 0,5	2262,33	12,0	112,0		186
8 x 2 x 0,5	2751,92	13,2	132,0		232
12 x 2 x 0,5	3997,31	15,4	196,0		313
2 x 2 x 0,75	1116,50	7,7	68,0		96
3 x 2 x 0,75	1634,04	9,3	85,0		132
4 x 2 x 0,75	2013,69	9,8	124,0		164
6 x 2 x 0,75	3157,24	11,6	145,0		251

LAN			Data		
Cross-section	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
Cat.5e U/UTP PVC	250,97	5,0	17,5		35
Cat.5e U/UTP LSOH	254,62	5,1	17,5		35
Cat.5e F/UTP	364,63	5,9	19,8		36
Cat.5e S/FTP	517,63	6,4	30,0		46
Cat.5e flex UTP	422,31	4,9	11,0		25
Cat.5e flex FTP	513,78	5,0	12,0		25
Cat.6 U/UTP PVC	417,16	6,2	18,0		39
Cat.6 U/UTP LSOH	420,68	6,2	18,0		39
Cat.6 F/UTP PVC	551,09	6,5	24,0		44
Cat.6 F/UTP LSOH	563,73	6,5	24,0		44
Cat.6 S/FTP	728,57	6,9	29,0		49
Cat.5e FTP PE Outdoor	662,06	6,0	20,0		39
Cat.6 FTP PE Outdoor	1005,59	6,5	24,0		53
Cat.7 S/FTP PE Outdoor	1471,61	7,9	44,0		81
Cat.7 S/FTP	726,50	7,5	44,0		75

Fibre optic cables			Multimode		
Cross-section	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
A/J-DQ(ZN)H 4 G 50 / 125	815,79	7,5			35
A/J-DQ(ZN)H 8 G 50 / 125	1211,84	7,5			35
A/J-DQ(ZN)H 12 G 50 / 125	1368,42	7,5			35
A/J-DQ(ZN)H 24 G 50 / 125	2388,16	7,5			35

Fibre optic cables			Singlemode (without rodent protection)		
Cross-section	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
A-DQ(ZN)2Y 3x4 E9/125	918,42	9,7			70
A-DQ(ZN)2Y 6x4 E9/125	1143,42	9,7			70
A-DQ(ZN)2Y 6x8 E9/125	1672,37	9,7			70
A-DQ(ZN)2Y 6x12 E9/125	2039,47	9,7			70
A-DQ(ZN)2Y 8x12 E9/125	2825,00	9,7			70

Fibre optic cables			Singlemode (with rodent protection)		
Cross-section	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
A-DQ(ZN)B2Y 3x4 E9/125	966,76	11,5			100
A-DQ(ZN)B2Y 6x4 E9/125	1203,60	11,5			100
A-DQ(ZN)B2Y 6x8 E9/125	1760,39	11,5			100
A-DQ(ZN)B2Y 6x12 E9/125	2146,81	11,5			100
A-DQ(ZN)B2Y 8x12 E9/125	2973,68	11,5			100



Price list is formed on 02.10.2017. and it depends on daily movement of Cu and Al on LME

TESLA KABELI d.o.o.

Industrijska 20, 10431 Sv. Nedelja

tel: +385 1 2362-900

fax: +385 1 2362-901

e-mail: info@teslacables.com

Contacts:

Hrvoje Buljan	hrvoje.buljan@teslacables.com	01/2362-909
Igor Balentović	igor.balentovic@teslacables.com	01/2362-904
Saša Bogadi	sasa.bogadi@teslacables.com	01/2362-906
Ivan Šuvar	ivan.suvar@teslacables.com	01/2362-903
Sandra Kostelac	sandra.kostelac@teslacables.com	01/2362-905
Iskra Radman	iskra.radman@teslacables.com	01/2362-907
Hrvoje Topčić	hrvoje.topcic@teslacables.com	01/2362-902
Antonio Šiljković	antonio.siljkovic@teslacables.com	01/2362-909
Alessandro Sošić	alessandro.sosic@teslacables.com	01/2362-910