



TESLA CABLES

CABLES & WIRES

PRICE LIST - EXPORT

of cables and wires up to 1 kV

March 2017



TESLA CABLES

www.teslacables.com

CONTENT

PVC insulated wires

H07V-U	(P) (Ye)	1
H07V-R	(P/M) (Ym)	1
H07V-K	(P/F) (Yf)	1

PVC sheathed wires

YM	(PP) (NYM) ((N)YM)	2
PP/R	(NYIFY)	2
H03VH-H	(P/L)	2
H03VV-F	(PP/L)	2
H05VV-F	(PP/J)	3

Rubber insulated wires and cables

H05RR-F	(GG/J)	3
H07RN-F		4
H01N2-D		4

Control cables

YSLY	(LS-YY)(Y-JZ)	5
YSLCY	(LS-YYCVY)(CY-JZ)	6

Energy cables

E-YY	(PP00)(NYY)	7-8
N2XH		8-9
NYCY	(PP40)	9
NHXH FE180/E30		10
NHXH FE180/E90		11
FG7OR		12
E-AYY	(PP00-A)(NAYY)	13

Solar cables

Solar		12
-------	--	----

Non-insulated rope and tape

Copper rope		13
Fe/Zn tape		13



Self-supported cable bundle

SKS	(X00-A, X00/0-A, N1XD4-AR)	13
-----	----------------------------	----

Silicone and PUR insulated wires and cables

SiF		14
SiHF		14
H07BQ-F		14

Fire alarm cables

JB-Y(St)Y		15
-----------	--	----

Telecommunication cables

J-Y(St)Y	(TI-44)	15
TK 59	(A-2YF(L)2Y)(xZTKMXpw)(TCEPKPFLE)	16
YYSch		16
JE-H(St)H E30/E90		16

Coaxial cables

Coax	(RG)(CATV)	16
------	------------	----

Loudspeaker cables

17

Alarm cables

Alarm AF CCu		17
Alarm AF Cu		17

Electronic cables

LiYCY		18
LiYCY-TP		19

Data cables LAN

19


















Fibre optic cables




Multimode		20
Singlemode		20

H07V-U						P / Ye
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1,5	126,01		2,6	14,4		19
2,5	205,04		3,2	24,0		31
4	353,10		3,7	38,4		46
6	525,75		4,2	57,6		62
10	886,04		5,3	96,0		104

H07V-R						P/M / Ym
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
10	875,48		5,7	96,0		108
16	1362,83		6,7	153,6		162
25	2182,28		8,2	240,0		253
35	3015,48		9,3	336,0		343
50	4220,99		10,7	480,0		500
70	6191,58		12,7	672,0		710
95	8287,36		14,5	912,0		980
120	10230,69		16,0	1152,0		1200
150	12880,96		17,7	1440,0		1500

H07V-K						P/F / Yf
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
0,5	62,32		2,0	4,8		8
0,75	85,35		2,2	7,2		11
1	110,27		2,4	9,6		13
1,5	126,16		2,8	14,4		20
2,5	208,25		3,5	24,0		31
4	333,88		4,0	38,4		45
6	492,28		5,0	57,6		64
10	851,56		6,7	96,0		110
16	1326,39		7,6	153,6		164
25	2004,28		8,1	240,0		290
35	2878,84		9,2	336,0		380
50	3993,32		11,6	480,0		550
70	5662,37		13,4	672,0		716
95	7541,02		15,5	912,0		976
120	9646,99		17,1	1152,0		1214
150	11706,82		22,0	1440,0		1530
185	14823,58		25,0	1776,0		1900
240	20159,42		28,0	2304,0		2450

YM			PP / NYM / (N)YM			
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	 339,71		7,9	28,8		81
3 x 1,5 R50/R100	 408,53		8,3	43,2		99
3 x 1,5 bubanj	 415,56		8,3	43,2		99
4 x 1,5	 565,75		9,9	57,6		121
5 x 1,5 R50/R100	 676,93		9,7	72,0		144
5 x 1,5 bubanj	 686,98		9,7	72,0		144
7 x 1,5			10,4	100,8		208
2 x 2,5			9,2	48,0		135
3 x 2,5 R50/R100	 662,50		9,7	72,0		141
3 x 2,5 bubanj	 674,87		9,7	72,0		141
4 x 2,5	 908,97		10,5	96,0		175
5 x 2,5 R50/R100	 1092,80		11,5	120,0		209
5 x 2,5 bubanj	 1113,14		11,5	120,0		209
3 x 4			10,7	115,2		232
4 x 4	 1470,97		12,0	153,6		271
5 x 4	 1749,69		13,5	192,0		323
3 x 6			12,3	172,8		322
4 x 6	 2110,46		13,7	230,4		344
5 x 6	 2537,52		15,0	288,0		410
4 x 10	 3965,80		16,4	384,0		555
5 x 10	 4553,51		18,0	480,0		665

PP/R			NYIFY			
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	 328,38		3,0	28,8		60
3 x 1,5	 449,05		3,2	43,2		86
3 x 2,5	 725,11		4,0	72,0		130

H03VH-H			P/L			
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75			2,7	9,6		33

H03VV-F			PP/L			
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75			5,2	14,4		45
3 x 0,75			5,5	21,6		53
4 x 0,75			6,1	28,8		66
5 x 0,75			6,8	36,0		81

H05VV-F						PP/J
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1	251,04		6,2	19,2		67
3 x 1	333,95		6,6	28,8		79
4 x 1	516,87		7,4	38,4		86
5 x 1	642,30		8,1	48,0		102
7 x 1	1074,99		9,0	67,2		136
2 x 1,5	332,53		7,0	28,8		89
3 x 1,5	444,34		7,6	43,2		111
4 x 1,5	597,14		8,5	57,6		141
5 x 1,5	753,00		9,5	72,0		177
7 x 1,5	1363,85		10,6	100,8		189
2 x 2,5	1143,88		8,8	48,0		116
3 x 2,5	739,09		9,5	72,0		169
4 x 2,5	940,62		10,4	96,0		207
5 x 2,5	1204,05		11,5	120,0		259
4 x 4	1990,56		12,0	153,6		257
5 x 4	1962,80		13,3	192,0		311
4 x 6	2741,82		14,5	230,4		377
5 x 6	3793,23		16,0	288,0		455

H05RR-F						GG/J
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	665,66		8,5	28,8		110
3 x 1,5	768,39		9,0	43,2		130
4 x 1,5	1067,12		10,0	57,6		160
5 x 1,5	1273,00		11,5	72,0		200
2 x 2,5	1116,45		10,5	48,0		150
3 x 2,5	1208,26		11,0	72,0		190
4 x 2,5	1661,03		12,0	96,0		240
5 x 2,5	2006,65		13,0	120,0		290

H07RN-F

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	781,92	10,0	28,8		130
3 x 1,5	897,69	11,0	43,2		170
4 x 1,5	1185,00	12,0	57,6		200
5 x 1,5	1412,50	13,0	72,0		240
7 x 1,5	2707,17	16,0	100,8		342
12 x 1,5	4387,65	19,0	172,8		505
2 x 2,5	1131,67	12,0	48,0		190
3 x 2,5	1352,77	12,5	72,0		240
4 x 2,5	1797,17	14,0	96,0		275
5 x 2,5	2273,84	15,5	120,0		340
7 x 2,5	4158,15	18,0	168,0		485
12 x 2,5	6987,89	23,0	288,0		799
4 x 4	2638,52	16,5	153,6		410
5 x 4	3332,17	18,5	192,0		500
4 x 6	3702,45	19,0	230,4		500
5 x 6	4497,69	21,0	288,0		650
4 x 10	6986,67	24,5	384,0		930
5 x 10	8643,47	26,5	480,0		1120
4 x 16	10001,09	27,5	614,4		1260
5 x 16	12277,43	30,5	768,0		1550
4 x 25	15477,60	34,0	960,0		1890
5 x 25	19832,44	37,5	1200,0		2300
4 x 35	20332,10	37,0	1344,0		2410
5 x 35	25898,93	43,0	1680,0		3008
4 x 50	29159,45	43,5	1920,0		3350
4 x 70	39324,55	49,5	2688,0		4460
4 x 95	52269,38	55,5	3648,0		5750

H01N2-D

KZS

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
16	2982,58	9,5	153,6		210
25	3744,52	11,0	240,0		300
35	4364,49	12,0	336,0		400
50	6249,94	14,0	480,0		560
70	8927,42	16,5	672,0		780
95	13803,93	18,5	912,0		1010




























YSLY			LS-YY / Y-JZ			
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,5	241,15		6,0	9,6		45
3 x 0,5	295,36		6,2	14,4		50
4 x 0,5	380,46		6,5	19,2		60
5 x 0,5	442,54		7,0	24,0		70
7 x 0,5	640,40		7,5	33,6		85
10 x 0,5	971,73		9,5	48,0		125
12 x 0,5	1125,64		10,0	57,6		140
14 x 0,5	1322,81		10,5	67,2		160
21 x 0,5	2084,29		12,5	100,8		230
25 x 0,5	2408,54		14,0	120,0		280
2 x 0,75	290,65		6,5	14,4		50
3 x 0,75	378,02		6,5	21,6		65
4 x 0,75	483,62		7,5	28,8		75
5 x 0,75	598,80		8,0	36,0		95
6 x 0,75	853,38		8,5	43,2		105
7 x 0,75	804,12		8,5	50,4		120
10 x 0,75	1234,58		11,0	72,0		160
12 x 0,75	1464,49		11,5	86,4		180
21 x 0,75	2668,24		14,0	151,2		310
25 x 0,75	3168,63		16,5	180,0		390
2 x 1	351,92		7,0	19,2		65
3 x 1	499,04		7,5	28,8		75
4 x 1	639,56		8,0	38,4		95
5 x 1	820,81		8,5	48,0		120
7 x 1	1138,68		9,0	67,2		140
10 x 1	1723,93		11,5	96,0		200
12 x 1	1994,61		12,0	115,2		220
14 x 1	2356,97		13,0	134,4		270
16 x 1	2460,65		14,0	153,6		300
18 x 1	2776,57		14,5	172,8		330
21 x 1	3568,84		15,5	201,6		390
25 x 1	3827,32		17,5	240,0		480
34 x 1	5506,86		20,0	326,4		640
2 x 1,5	482,43		7,5	28,8		80
3 x 1,5	638,57		8,0	43,2		100
4 x 1,5	825,59		8,5	57,6		120
5 x 1,5	1032,87		9,5	72,0		150
6 x 1,5	1482,86		10,5	86,4		170
7 x 1,5	1363,51		10,5	100,8		190
10 x 1,5	2267,92		13,5	144,0		290
12 x 1,5	2402,41		14,0	172,8		320
14 x 1,5	3309,86		15,0	201,6		380
16 x 1,5	3603,49		16,0	230,4		420
18 x 1,5	4147,37		17,0	259,2		470
21 x 1,5	4840,04		17,5	302,4		520
25 x 1,5	5729,25		20,5	360,0		660
2 x 2,5	748,80		9,0	48,0		120
3 x 2,5	964,34		9,5	72,0		140
4 x 2,5	1329,03		10,0	96,0		180
5 x 2,5	1677,42		11,0	120,0		220
7 x 2,5	2336,69		12,5	168,0		290
12 x 2,5	4363,14		17,0	288,0		490
18 x 2,5	6617,21		20,0	432,0		710
50 x 2,5	22038,04		32,5	1200,0		1860

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
3 x 4	1830,14	11,0	115,2		220
4 x 4	2388,33	12,5	153,6		280
5 x 4	2948,54	13,5	192,0		350
7 x 4	3981,05	15,5	268,8		460
4 x 6	3223,12	14,5	230,4		400
5 x 6	4208,78	16,0	288,0		480
7 x 6	5797,65	17,5	403,2		640
4 x 10	5914,15	19,5	384,0		710
5 x 10	7250,91	21,5	480,0		870
7 x 10	9706,76	23,5	672,0		1140
4 x 16	9111,23	20,5	614,4		950
5 x 16	11127,43	23,0	768,0		1160
7 x 16	15311,77	25,0	1075,2		1530
4 x 25	14020,41	29,5	960,0		1590

YSLCY		LS-YCVY / C-JZ			
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75	632,30	8,5	41,3		120
3 x 0,75	811,96	9,0	49,9		130
4 x 0,75	982,11	9,5	58,6		150
5 x 0,75	1279,37	10,5	69,1		170
7 x 0,75	1677,59	11,0	85,4		200
12 x 0,75	2587,06	13,5	132,5		280
25 x 0,75	4983,64	19,5	268,8		570
34 x 0,75	7088,57	22,0	342,7		740
2 x 1	739,27	9,0	49,0		120
3 x 1	937,95	9,5	59,5		140
4 x 1	1244,17	10,0	71,0		160
5 x 1	1526,24	11,0	84,5		190
7 x 1	1831,59	11,5	107,5		220
12 x 1	3242,21	14,5	167,0		340
18 x 1	4613,57	17,5	257,3		500
25 x 1	6047,23	21,0	339,8		680
34 x 1	8753,62	23,5	439,7		870
2 x 1,5	930,27	10,0	62,4		150
3 x 1,5	1219,81	10,5	78,7		170
4 x 1,5	1530,74	11,0	96,0		200
5 x 1,5	2026,18	12,0	114,2		230
7 x 1,5	2670,43	13,0	147,8		280
12 x 1,5	4370,93	17,5	257,3		460
18 x 1,5	6304,43	20,0	358,1		660
25 x 1,5	8276,64	24,5	508,8		940
34 x 1,5	11921,34	26,5	658,6		1190
3 x 2,5	1985,89	11,5	114,2		230
4 x 2,5	2438,31	12,5	143,0		270
5 x 2,5	2978,95	13,5	171,8		320
7 x 2,5	4101,69	15,5	243,8		410
12 x 2,5	6450,94	20,0	390,7		670
18 x 2,5	11865,97	24,0	585,6		950

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 x 4	3700,77	15,0	229,4		410
5 x 4	4583,83	16,5	276,5		480
4 x 6	5344,45	17,5	320,6		560
5 x 6	6292,85	19,0	386,9		650
4 x 10	8607,84	22,5	497,3		920
5 x 10	11694,91	25,0	635,5		1150
4 x 16	13292,15	24,0	776,6		1220
5 x 16	16035,89	26,5	950,4		1470

E-YY**PP00 / NYY**

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	1615,33	9,4	153,6		218
1 x 25	 2373,58	11,3	240,0		324
1 x 35	 3266,55	12,4	336,0		419
1 x 50	 4550,47	13,8	480,0		554
1 x 70	 6383,79	15,8	672,0		772
1 x 95	 8471,93	17,6	912,0		1016
1 x 120	 10211,83	19,1	1152,0		1286
1 x 150	 12792,01	20,8	1440,0		1578
1 x 185	16091,98	25,5	1776,0		2088
1 x 240	21225,80	27,9	2304,0		2652
1 x 300	26095,23	30,7	2880,0		3331
2 x 1.5	482,01	10,1	28,8		152
2 x 2,5	678,03	10,9	48,0		189
3 x 1.5 RE	 487,01	10,5	43,2		135
3 x 2.5 RE	 742,08	11,4	72,0		183
3 x 4 RE	1376,62	13,1	115,2		305
3 x 6 RE	2017,23	14,1	172,8		383
4 x 1.5 RE	 630,71	11,2	57,6		159
4 x 2,5 RE	 961,04	12,2	96,0		213
4 x 4 RE	 1557,01	14,1	153,6		322
4 x 6 RE	 2212,02	15,3	230,4		402
4 x 10 RE	 3546,85	17,2	384,0		606
4 x 16 RM	 5656,32	21,1	614,4		913
4 x 25 RM	 8777,16	25,3	960,0		1379
4 x 35 SM	 12379,97	26,0	1344,0		1578
4 x 50 SM	 16848,56	28,4	1920,0		2125
4 x 70 SM	 23706,90	31,4	2688,0		2975
4 x 95 SM	 32603,50	39,3	3648,0		4079
4 x 120 SM	 42527,16	41,8	4608,0		5060
4 x 150 SM	 51604,74	49,0	5760,0		6258
4 x 185 SM	64411,73	52,0	7104,0		7787
4 x 240 SM	86070,76	58,9	9216,0		10094
5 x 1.5 RE	 768,20	12,0	72,0		185
5 x 2.5 RE	 1196,83	13,1	120,0		248
5 x 4 RE	 1879,64	15,3	192,0		379
5 x 6 RE	 2687,92	16,6	288,0		481
5 x 10 RE	 4437,71	18,8	480,0		737
5 x 16 RM	 6992,08	23,7	768,0		1118
5 x 25 RM	 10914,40	27,7	1200,0		1694
5 x 35 RM	 15730,06	31,0	1680,0		2233

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
7 x 1.5 RE	1434,85	12,9	100,8		282
10 x 1.5 RE	2261,94	15,7	144,0		401
12 x 1.5 RE	2580,33	16,1	172,8		437
14 x 1.5 RE	3313,01	16,8	201,6		484
16 x 1.5 RE	3863,75	17,7	230,4		539
19 x 1.5 RE	4043,28	18,5	273,6		609
24 x 1.5 RE	5232,74	21,9	345,6		816
30 x 1.5 RE	6654,40	23,0	432,0		937
7 x 2.5 RE	2428,72	14,1	168,0		374
10 x 2.5 RE	3746,54	17,3	240,0		534
12 x 2.5 RE	4503,17	17,8	288,0		630
14 x 2,5 RE	5104,03	18,6	336,0		660
16 x 2.5 RE	6175,05	20,1	384,0		765
19 x 2.5 RE	6909,51	21,1	456,0		873
24 x 2.5 RE	8544,56	24,8	576,0		1146
30 x 2.5 RE	11489,29	26,1	720,0		1331
7 x 4 RE	4158,96	16,5	268,8		541
10 x 4 RE	6738,42	21,1	384,0		827
14 x 4 RE	9016,70	26,0	537,6		1170
19 x 4 RE	12002,29	28,0	729,6		1360
7 x 6 RE	5442,10	18,0	403,2		704

N2XH			N2XH		
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	2003,93	9,8	153,6		226
1 x 25	2973,88	11,4	240,0		327
1 x 35	4350,89	12,6	336,0		429
1 x 50	5642,35	13,8	480,0		555
1 x 70	7896,77	15,7	672,0		765
1 x 95	10888,23	17,6	912,0		1024
1 x 120	13753,84	19,1	1152,0		1270
1 x 150	17353,97	20,9	1440,0		1550
1 x 185	20675,00	23,5	1776,0		1950
1 x 240	26828,05	25,8	2304,0		2550
1 x 300	33257,28	29,0	2880,0		3200
2 x 1.5	725,10	9,3	28,8		130
2 x 2,5	987,43	10,1	48,0		160
3 x 1.5 RE	614,30	9,7	43,2		142
3 x 2.5 RE	891,62	10,7	72,0		184
4 x 1.5 RE	946,63	10,4	57,6		166
4 x 2,5 RE	1353,99	11,4	96,0		220
4 x 4 RE	2121,40	13,8	153,6		305
4 x 6 RE	2955,85	13,8	230,4		400
4 x 10 RE	4769,20	16,3	384,0		601
4 x 16 RM	7253,80	19,2	614,4		900
4 x 25 RM	11020,11	24,0	960,0		1400
4 x 35 SM	14626,73	26,5	1344,0		1850
4 x 50 SM	21422,50	29,0	1920,0		2226
4 x 70 SM	29225,35	32,0	2688,0		3050
4 x 95 SM	39279,32	37,0	3648,0		4250

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 x 120 SM	49050,64	40,8	4608,0		5320
4 x 150 SM	61655,98	50,0	5760,0		6350
4 x 185 SM	81322,55	51,0	7104,0		7850
4 x 240 SM	106061,84	56,6	9216,0		10235
5 x 1.5 RE	1068,10	11,3	72,0		195
5 x 2.5 RE	1554,26	12,4	120,0		260
5 x 4 RE	2251,55	13,8	192,0		360
5 x 6 RE	3222,15	15,5	288,0		490
5 x 10 RE	5416,91	17,9	480,0		730
5 x 16 RM	8536,70	22,0	768,0		1120
5 x 25 RM	12907,55	27,1	1200,0		1460

NYCY		PP40			
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5 / 1,5	1153,30	12,5	48,0		198
2 x 2,5 / 2,5	1500,19	13,9	75,0		257
2 x 4 / 4	1883,91	15,5	110,0		345
2 x 6 / 6	2559,20	16,8	165,0		425
3 x 1,5 / 1,5	1319,31	13,4	59,0		215
3 x 2,5 / 2,5	1658,46	14,1	90,0		275
4 x 1,5 / 1,5	1555,81	14,1	72,0		245
4 x 2,5 / 2,5	1966,20	15,1	117,0		335
4 x 4 / 4	3183,49	17,4	182,0		455
4 x 6 / 6	4480,38	18,4	272,0		575
5 x 2,5 / 2,5	2616,46	16,2	139,0		380
7 x 1,5 / 2,5	2372,22	15,5	125,0		350
10 x 1,5 / 2,5	3397,04	18,1	165,0		451
12 x 1,5 / 2,5	3737,07	19,2	188,0		465
16 x 1,5 / 4	4328,47	20,5	262,0		645
19 x 1,5 / 4	5013,40	22,3	299,0		665
24 x 1,5 / 6	6672,23	25,2	388,0		915
7 x 2,5 / 2,5	3923,30	17,2	185,0		440
10 x 2,5 / 4	4460,92	20,1	270,0		600
12 x 2,5 / 4	5214,66	20,9	305,0		656
16 x 2,5 / 6	6369,31	22,4	428,0		815
19 x 2,5 / 6	9045,79	23,8	483,0		933
24 x 2,5 / 10	10898,43	26,6	636,0		1160

NHXX FE180/E30**E30**

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	2997,85	12,0	153,6		218
1 x 25	4354,58	13,0	240,0		324
1 x 35	5705,54	15,0	336,0		419
1 x 50	6519,28	16,0	480,0		554
1 x 70	8793,73	18,0	672,0		772
1 x 95	11453,63	20,0	912,0		1016
1 x 120	14251,71	22,0	1152,0		1286
1 x 150	17702,29	24,0	1440,0		1578
1 x 185	21575,69	27,0	1776,0		2088
1 x 240	27053,12	30,0	2304,0		2652
1 x 300	35566,40	33,0	2880,0		3331
2 x 1.5	1351,77	12,1	28,8		190
2 x 2,5	1718,74	12,2	48,0		220
3 x 1.5 RE	1441,99	13,0	43,2		210
3 x 2.5 RE	1884,43	14,0	72,0		260
3 x 4 RE	2772,99	15,0	115,2		320
3 x 6 RE	3751,41	16,0	172,8		400
4 x 1.5 RE	1750,57	15,0	57,6		240
4 x 2,5 RE	2287,49	16,0	96,0		300
4 x 4 RE	3840,05	17,0	153,6		390
4 x 6 RE	4946,93	18,0	230,4		490
4 x 10 RE	7083,95	21,0	384,0		670
4 x 16 RM	11997,77	25,0	614,4		950
4 x 25 RM	16572,87	26,0	960,0		1430
4 x 35 SM	21470,62	29,0	1344,0		1890
4 x 50 SM	28691,22	34,0	1920,0		2510
4 x 70 SM	38129,76	38,0	2688,0		3650
4 x 95 SM	54580,79	44,0	3648,0		4750
4 x 120 SM	70706,58	48,0	4608,0		5910
4 x 150 SM	85201,27	52,0	5760,0		7240
5 x 1.5 RE	2536,70	18,0	72,0		280
5 x 2.5 RE	3123,57	19,0	120,0		354
5 x 4 RE	4940,01	21,0	192,0		450
5 x 6 RE	5794,32	22,0	288,0		570
5 x 10 RE	8910,06	25,0	480,0		820
5 x 16 RM	14141,29	27,0	768,0		1140
5 x 25 RM	19815,47	31,0	1200,0		1710
7 x 1.5 RE	3459,56	16,0	100,8		330
12 x 1.5 RE	5327,13	20,5	172,8		500
19 x 1.5 RE	8112,07	24,0	273,6		720
24 x 1.5 RE	9803,82	28,0	345,6		890
30 x 1.5 RE	11744,86	31,0	432,0		1090
7 x 2.5 RE	4560,90	18,0	168,0		430
12 x 2.5 RE	6596,93	25,0	288,0		650
19 x 2.5 RE	11629,36	26,0	456,0		950
24 x 2.5 RE	14204,06	30,5	576,0		1210
30 x 2.5 RE	17076,05	32,5	720,0		1470

NHXH FE180/E90**E90**

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	4917,30	11,0	153,6		250
1 x 25	6988,22	13,0	240,0		355
1 x 35	8097,87	14,0	336,0		460
1 x 50	10320,58	16,0	480,0		610
1 x 70	15569,02	18,0	672,0		810
1 x 95	17195,13	20,0	912,0		1100
1 x 120	19184,54	21,0	1152,0		1350
1 x 150	24970,29	24,0	1440,0		1650
1 x 185	28388,39	26,0	1776,0		2050
1 x 240	35056,57	29,0	2304,0		2650
1 x 300	58794,56	32,0	2880,0		3275
2 x 1.5	2311,39	13,0	28,8		200
3 x 1.5 RE	2813,24	13,5	43,2		210
3 x 2.5 RE	3492,30	14,6	72,0		243
3 x 4 RE	4258,34	15,5	115,2		302
3 x 6 RE	7122,58	16,5	172,8		399
4 x 1.5 RE	4056,95	15,0	57,6		245
4 x 2,5 RE	4956,45	16,0	96,0		299
4 x 4 RE	6242,42	17,0	153,6		376
4 x 6 RE	7110,60	18,5	230,4		474
4 x 10 RE	9450,63	20,5	384,0		657
4 x 16 RM	15647,80	24,0	614,4		973
4 x 25 RM	23157,56	26,5	960,0		1422
4 x 35 SM	33343,82	30,0	1344,0		1858
4 x 50 SM	35922,66	35,0	1920,0		2900
4 x 70 SM	54416,55	40,5	2688,0		3900
4 x 95 SM	73154,71	45,5	3648,0		5200
4 x 120 SM	86402,96	50,0	4608,0		6300
4 x 150 SM	104704,65	55,0	5760,0		6800
5 x 1.5 RE	4192,13	15,5	72,0		290
5 x 2.5 RE	5045,54	17,0	120,0		359
5 x 4 RE	6732,94	18,5	192,0		457
5 x 6 RE	9935,91	20,0	288,0		577
5 x 10 RE	11437,84	22,0	480,0		807
5 x 16 RM	18631,87	26,5	768,0		1145
5 x 25 RM	27245,70	30,0	1200,0		1765
7 x 1.5 RE	6217,76	18,0	100,8		282
12 x 1.5 RE	10753,98	23,5	172,8		437
24 x 1.5 RE	21844,47	21,9	345,6		816

FG70R

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	1882,30	12,2	153,6		195
1 x 25	2805,89	13,8	240,0		288
1 x 35	3815,58	15,1	336,0		383
1 x 50	5414,67	17,1	480,0		525
1 x 70	7610,00	19,6	672,0		765
1 x 95	10062,57	22,2	912,0		1000
1 x 120	12775,58	24,2	1152,0		1230
1 x 150	15302,16	26,8	1440,0		1550
1 x 185	18533,31	29,1	1776,0		1880
1 x 240	24549,38	32,2	2304,0		2410
1 x 300	32078,51	35,4	2880,0		3000
1 x 400		39,9	3840,0		3960
2 x 1,5	617,35	11,9	28,8		129
2 x 2,5	896,22	12,7	48,0		163
3 x 1,5	763,28	12,4	43,2		144
3 x 2,5	1095,75	13,3	72,0		187
4 x 1,5	982,99	13,2	57,6		167
4 x 2,5	1452,64	14,2	96,0		220
4 x 4	2181,33	16,1	153,6		306
4 x 6	3064,35	18,1	230,4		397
4 x 10	4926,80	21,0	384,0		600
4 x 16	7555,79	25,6	614,4		888
4 x 25	11751,53	29,6	960,0		1310
3 x 35 + 1 x 25	14451,84	31,8	1248,0		1630
3 x 50 x 1 x 25	19210,64	35,9	1680,0		2110
3 x 70 + 1 x 35	27615,85	40,9	2352,0		3030
3 x 95 + 1 x 50	36949,73	44,6	3216,0		3910
3 x 120 + 1 x 70	48478,69	50,9	4128,0		5000
3 x 150 + 1 x 95	63339,91	56,3	5232,0		6340
5 x 1,5	1174,75	14,5	72,0		260
5 x 2,5	1692,99	15,6	120,0		368
5 x 4	2656,95	17,7	192,0		478
5 x 6	3741,22	19,9	288,0		740
5 x 10	6016,49	23,6	480,0		1070
5 x 16	9352,37	27,6	768,0		1620
5 x 25	14185,88	32,1	1200,0		2145
5 x 35	19472,32	36,1	1680,0		3000
7 x 1,5	2133,04	15,0	100,8		311

Solar

PV1-F

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4	833,03	6,5	38,4		60
6	990,65	7,0	57,6		79
10	1779,72	8,7	96,0		130
16	3474,88	9,4	153,6		210

Copper rope

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
25	2468,48	6,0	223,0		223
35	3221,84	7,0	309,0		309
50	4464,42	8,0	417,0		417
70	6802,63	10,0	616,0		616
95	9413,66	12,0	822,0		822

Fe/Zn tape

Cross-section (mm ²)	Price (€/t)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
20 x 3	1235,34				519
25 x 3	1288,72				647
25 x 4	1225,19				860
30 x 4	1228,07				1036
40 x 4	1288,72				1383

E-AYY

PP00-A / NAYY

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 x 16 RM	1347,95	20,1		220	780
4 x 25 RM	1983,29	25,3		290	852
4 x 35 SM	2400,21	25,6		406	771
4 x 50 SM	3056,27	28,4		580	1023
4 x 70 SM	4242,38	31,4		812	1349
4 x 95 SM	5702,85	36,9		1102	1846
4 x 120 SM	7037,78	39,9		1392	2206
4 x 150 SM	8355,99	46,0		1740	2617
4 x 185 SM	10681,19	51,7		2176	3570
4 x 240 SM	14509,11	57,9		2822	4380

SKS

N1XD4-AR, N1XD9-AR

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 16	560,43			93	130
4 x 16	1120,83			186	260
3 x 35 + 70	3436,80			508	682
3 x 35 + 70 + 2 x 16	4020,08			600	812
3 x 70 + 70	4851,41			812	1018
3 x 70 + 70 + 2 x 16	5380,98			907	1148

SiF

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
0,75	173,68	2,4	7,7		12
1	216,16	2,5	9,6		14
1,5	294,51	2,8	14,4		18
2,5	471,19	4,0	24,0		35
4	755,65	5,5	38,4		55
6	1132,90	5,2	57,6		71
10	1847,01	6,3	96,0		110
16	3444,76	8,0	153,6		188
25	5306,22	9,9	240,0		296
35	7504,19	11,2	336,0		400
50	10072,62	13,8	480,0		570
70	13467,14	15,0	672,0		740

SiHF

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75	694,90	6,4	14,4		57
3 x 0,75	942,75	6,8	22,1		67
2 x 1,5	1069,72	7,5	28,8		81
3 x 1,5	1514,68	8,0	43,2		83
4 x 1,5	1893,14	8,8	57,6		120
5 x 1,5	2641,44	9,5	72,0		145
3 x 2,5	2301,47	9,5	72,0		125
4 x 2,5	2959,61	10,5	96,0		180
5 x 2,5	4005,89	11,7	120,0		270

H07BQ-F

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	1076,79	8,8	28,8		88
3 x 1,5	1327,61	9,3	43,2		110
4 x 1,5	1682,32	10,3	57,6		140
5 x 1,5	2034,37	11,2	72,0		169
3 x 2,5	1945,05	11,0	72,0		163
4 x 2,5	2521,21	12,2	96,0		208
5 x 2,5	3022,98	13,5	120,0		257
4 x 4	3912,29	14,0	154,0		293
4 x 6	5777,44	15,2	230,0		346
4 x 10	9993,70	20,2	384,0		702
4 x 16	14340,95	22,8	614,4		981
5 x 4	4406,82	15,6	192,0		365
5 x 6	6499,36	17,6	288,0		504
5 x 10	11325,23	23,2	480,0		962
5 x 16	16727,45	27,1	768,0		1379

JB-Y(St)Y

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 2 x 0,8	205,60	5,7	11,0		39
2 x 2 x 0,8	339,85	6,1	21,0		54
4 x 2 x 0,8	689,38	8,7	41,0		94
6 x 2 x 0,8	963,15	10,1	62,0		135
10 x 2 x 0,8	1667,06	13,1	103,0		205
20 x 2 x 0,8	3269,16	15,6	204,0		352
30 x 2 x 0,8	4862,29	19,4	304,0		522

J-Y(St)Y

TI-44

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 2 x 0,6	143,57	4,0	11,0		20
2 x 2 x 0,6	219,04	4,5	13,0		30
3 x 2 x 0,6	311,61	6,5	19,0		50
4 x 2 x 0,6	398,53	7,0	25,0		60
5 x 2 x 0,6	500,34	7,5	30,0		70
6 x 2 x 0,6	569,15	8,0	35,0		80
10 x 2 x 0,6	858,86	10,0	59,0		110
20 x 2 x 0,6	1695,21	12,0	115,0		190
30 x 2 x 0,6	2451,25	14,0	172,0		280
50 x 2 x 0,6	4280,48	17,0	286,0		430
100 x 2 x 0,6	8029,64	23,5	569,0		820
1 x 2 x 0,8	203,17	5,5	18,0		40
2 x 2 x 0,8	339,12	7,0	22,0		60
3 x 2 x 0,8	534,15	8,5	31,0		80
4 x 2 x 0,8	663,45	9,0	42,0		100
5 x 2 x 0,8	827,52	9,5	52,0		120
6 x 2 x 0,8	978,89	11,0	62,0		140
10 x 2 x 0,8	1667,13	14,0	103,0		220
20 x 2 x 0,8	3201,88	17,0	203,0		370
30 x 2 x 0,8	5412,53	21,0	304,0		550
50 x 2 x 0,8	7906,38	25,5	506,0		880
100x 2 x 0,8	15924,37	36,0	1008,0		1700

TK 59			A-2YF(L)2Y			
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
2 x 2 x 0,6	432,15	8,3	11,0		69	
6 x 2 x 0,6	1035,18	11,0	34,0		129	
10 x 2 x 0,6	1519,02	12,5	54,0		185	
20 x 2 x 0,6	2742,79	15,8	111,0		315	
30 x 2 x 0,6	3917,10	19,0	165,0		425	
50 x 2 x 0,6	6095,11	22,2	272,0		626	
100 x 2 x 0,6	11746,20	30,3	547,0		1235	
2 x 2 x 0,8	867,99	8,8	21,0		88	
6 x 2 x 0,8	1552,11	12,0	60,0		169	
10 x 2 x 0,8	2444,62	14,0	100,0		240	
20 x 2 x 0,8	4419,61	19,1	200,0		459	
30 x 2 x 0,8	6446,25	22,0	300,0		595	
50 x 2 x 0,8	10482,82	26,0	500,0		1060	

YYSch					
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,6	121,25	3,0	5,6		12
3 x 0,6	162,42	3,2	8,4		16
4 x 0,6	209,35	3,4	11,2		20
5 x 0,6	253,56	3,7	14,0		26
6 x 0,6	304,05	4,0	16,8		29
10 x 0,6	497,01	6,0	28,0		54
16 x 0,6	858,27	6,8	45,0		78
20 x 0,6	1085,17	8,2	72,8		110

JE-H(ST)H E30/E90					
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 2 x 0,8 E30	613,80	5,5	19,0		40
1 x 2 x 0,8 E90	654,55	5,5	19,0		40
2 x 2 x 0,8 E30	968,49	6,8	25,0		61
2 x 2 x 0,8 E90	1114,08	6,8	25,0		61

Koax			RG / CATV			
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
RG 6 75 Ω	143,03	5,0	20,0		45	
RG 11 75 Ω	1298,89	10,3	55,6		188	
RG 58 C/U 50 Ω	438,08	5,0	21,3		39	
RG 59 B/U 75 Ω	373,43	6,2	26,0		57	
RG 213 U 50 Ω	1520,92	10,3	85,0		157	
RG 214 U 50 Ω	2875,19	10,8	90,0		200	
1,13 / 4,8 Tri-shield	512,36	7,0	16,3		48	
1,02 / 4,57 Tri-shield Coax10 AD	467,21	6,9	7,5		44	

Loudspeaker cables

LFZ-XY/NYFAZ

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75 crveno/crni	235,68	2,20x4,40	14,4		22
2 x 1 crveno/crni	319,26	2,54x4,90	19,2		28
2 x 1,5 crveno/crni	449,86	2,90x5,90	28,8		36
2 x 2,5 crveno/crni	701,92	3,60x7,20	48,0		58
2 x 4 crveno/crni	1183,87	4,70x9,40	76,8		100
2 x 1,5 transparentni	586,06	2,90x5,90	28,8		40
2 x 2,5 transparentni	977,29	3,60x7,20	48,0		60
2 x 4 transparentni	1806,34	4,70x9,40	76,8		103

Alarm AF CCA

Security

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 AF 22	189,12	3,3			21
6 AF 22	242,58	4,2			28
8 AF 22	319,12	4,6			35
10 AF 22	383,81	5,2			41
12 AF 22	435,71	5,4			50
4 AF 22 + 2 x 0,50	324,36	4,2			40
6 AF 22 + 2 x 0,75	437,84	5,4			50

Alarm AF Cu

Security

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 AF 22	216,24	3,3			22
6 AF 22	276,55	4,2			29
8 AF 22	362,55	4,6			36
10 AF 22	437,58	5,2			42
12 AF 22	494,44	5,4			51
4 AF 22 + 2 x 0,50	373,06	4,2			41
6 AF 22 + 2 x 0,75	493,12	5,4			51

LIYCY

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,14	342,37	3,5	13,0		20
3 x 0,14	399,24	3,7	15,0		26
4 x 0,14	444,79	4,0	17,0		28
5 x 0,14	521,91	4,3	20,0		33
6 x 0,14	598,45	4,7	23,0		38
7 x 0,14	657,54	4,8	25,0		41
10 x 0,14	934,86	5,7	30,0		56
12 x 0,14	1014,20	6,1	33,0		63
14 x 0,14	1147,31	6,5	36,0		69
16 x 0,14	1370,06	6,8	42,0		80
2 x 0,25	343,57	3,7	15,0		25
3 x 0,25	469,16	4,1	18,0		32
4 x 0,25	587,94	4,7	22,0		40
5 x 0,25	708,62	5,0	26,0		47
6 x 0,25	792,45	5,2	30,0		54
7 x 0,25	831,17	5,4	35,0		56
10 x 0,25	1122,47	6,5	44,0		80
12 x 0,25	1274,05	7,0	50,0		95
16 x 0,25	1676,12	7,8	74,0		116
20 x 0,25	2481,68	9,5	83,0		124,7

2 x 0,34	436,38	4,6	18,0		33
3 x 0,34	572,67	5,0	22,0		41
4 x 0,34	720,98	5,4	26,0		54
5 x 0,34	855,38	5,8	32,0		60
2 x 0,50	501,81	5,1	24,0		43
3 x 0,50	718,15	5,4	32,0		54
4 x 0,50	853,90	6,1	37,0		64
5 x 0,50	1054,97	6,7	55,0		84
6 x 0,50	1234,25	7,2	63,0		95
7 x 0,50	1342,09	7,2	68,0		102
10 x 0,50	1887,47	8,6	93,0		137
2 x 0,75	573,16	5,4	32,0		53
3 x 0,75	714,97	5,8	40,0		66
4 x 0,75	873,99	6,4	60,0		78
5 x 0,75	1086,04	7,1	72,0		99
7 x 0,75	1455,91	7,9	92,0		129
2 x 1,0	787,30	6,0	50,0		63
3 x 1,0	995,56	6,4	60,0		82
4 x 1,0	1240,96	6,9	74,0		97
5 x 1,0	1548,24	7,8	89,0		121
2 x 1,5	975,16	7,1	57,0		84
3 x 1,5	1230,36	7,5	74,0		106
4 x 1,5	1534,17	8,4	92,0		136
5 x 1,5	1875,34	9,5	111,0		178

LiYCY-TP						Twisted pair
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 2 x 0,25	665,55		5,1	28,0		44
3 x 2 x 0,25	822,54		5,7	44,0		56
4 x 2 x 0,25	959,48		6,6	57,0		71
5 x 2 x 0,25	1208,07		7,4	63,0		82
6 x 2 x 0,25	1517,00		7,5	68,0		99
2 x 2 x 0,34	788,79		6,6	45,0		66
3 x 2 x 0,34	1058,37		7,5	54,0		80
4 x 2 x 0,34	1264,09		8,5	67,0		101
2 x 2 x 0,5	1032,08		7,2	52,0		79
3 x 2 x 0,5	1299,74		8,6	67,0		106
4 x 2 x 0,5	1643,37		9,3	83,0		126
6 x 2 x 0,5	2286,81		12,0	112,0		186
8 x 2 x 0,5	2792,71		13,2	132,0		232
12 x 2 x 0,5	4041,73		15,4	196,0		313
2 x 2 x 0,75	1137,80		7,7	68,0		96
3 x 2 x 0,75	1656,18		9,3	85,0		132
4 x 2 x 0,75	2054,37		9,8	124,0		164
6 x 2 x 0,75	3192,50		11,6	145,0		251

LAN						Data
Cross-section	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
Cat.5e U/UTP PVC	253,54		5,0	17,5		35
Cat.5e U/UTP LSOH	255,83		5,1	17,5		35
Cat.5e F/UTP	368,75		5,9	19,8		36
Cat.5e S/FTP	521,60		6,4	30,0		46
Cat.5e flex UTP	428,55		4,9	11,0		25
Cat.5e flex FTP	515,05		5,0	12,0		25
Cat.6 U/UTP PVC	420,26		6,2	18,0		39
Cat.6 U/UTP LSOH	423,71		6,2	18,0		39
Cat.6 U/FTP PVC	552,64		6,5	24,0		44
Cat.6 U/FTP LSOH	568,43		6,5	24,0		44
Cat.6 S/FTP	739,58		6,9	29,0		49
Cat.5e FTP PE Outdoor	668,74		6,0	20,0		39
Cat.6 FTP PE Outdoor	1009,58		6,5	24,0		53
Cat.7 S/FTP PE Outdoor	1490,44		7,9	44,0		81
Cat.7 S/FTP	734,11		7,5	44,0		75

Fibre optic cables			Multimode			
Cross-section	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
A/J-DQ(ZN)H 4 G 50 / 125	815,79		7,5			35
A/J-DQ(ZN)H 8 G 50 / 125	1211,84		7,5			35
A/J-DQ(ZN)H 12 G 50 / 125	1368,42		7,5			35
A/J-DQ(ZN)H 24 G 50 / 125	2388,16		7,5			35
						35

Fibre optic cables			Singlemode (without rodent protection)			
Cross-section	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
A-DQ(ZN)2Y 3x4 E9/125	918,42		9,7			70
A-DQ(ZN)2Y 6x4 E9/125	1143,42		9,7			70
A-DQ(ZN)2Y 6x8 E9/125	1672,37		9,7			70
A-DQ(ZN)2Y 6x12 E9/125	2039,47		9,7			70
A-DQ(ZN)2Y 8x12 E9/125	2825,00		9,7			70

Fibre optic cables			Singlemode (with rodent protection)			
Cross-section	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
A-DQ(ZN)B2Y 3x4 E9/125	966,76		11,5			100
A-DQ(ZN)B2Y 6x4 E9/125	1203,60		11,5			100
A-DQ(ZN)B2Y 6x8 E9/125	1760,39		11,5			100
A-DQ(ZN)B2Y 6x12 E9/125	2146,81		11,5			100
A-DQ(ZN)B2Y 8x12 E9/125	2973,68		11,5			100

Price list is formed on 01.03.2017. and it depends on daily movement of Cu and Al on LME

TESLA KABELI d.o.o.

Industrijska 20, 10431 Sv. Nedelja

tel: +385 1 2362-900

fax: +385 1 2362-901

e-mail: info@teslacables.com

Contacts:

Hrvoje Buljan	hrvoje.buljan@teslacables.com	01/2362-909
Igor Balentović	igor.balentovic@teslacables.com	01/2362-904
Saša Bogadi	sasa.bogadi@teslacables.com	01/2362-906
Ivan Suvar	ivan.suvar@teslacables.com	01/2362-903
Sandra Kostelac	sandra.kostelac@teslacables.com	01/2362-905
Iskra Radman	iskra.radman@teslacables.com	01/2362-907
Hrvoje Topčić	hrvoje.topcic@teslacables.com	01/2362-902
Antonio Siljković	antonio.siljkovic@teslacables.com	01/2362-909
Alessandro Sošić	alessandro.sosic@teslacables.com	01/2362-910