



TESLA CABLES

CABLES & WIRES

PRICE LIST - EXPORT

of cables and wires up to 1 kV

June 2017



TESLA CABLES

www.teslacables.com

CONTENT

PVC insulated wires

H07V-U	(P) (Ye)	1
H07V-R	(P/M) (Ym)	1
H07V-K	(P/F) (Yf)	1

PVC sheathed wires

YM	(PP) (NYM) ((N)YM)	2
PP/R	(NYIFY)	2
H03VH-H	(P/L)	2
H03VV-F	(PP/L)	2
H05VV-F	(PP/J)	3

Rubber insulated wires and cables

H05RR-F	(GG/J)	3
H07RN-F		4
H01N2-D		4

Control cables

YSLY	(LS-YY)(Y-JZ)	5
YSLCY	(LS-YYCVY)(CY-JZ)	6

Energy cables

E-YY	(PP00)(NYY)	7-8
N2XH		8-9
NYCY	(PP40)	9
NHXH FE180/E30		10
NHXH FE180/E90		11
FG7OR		12
E-AYY	(PP00-A)(NAYY)	13

Solar cables

Solar		12
-------	--	----

Non-insulated rope and tape

Copper rope		13
Fe/Zn tape		13



Self-supported cable bundle

SKS	(X00-A, X00/0-A, N1XD4-AR)	13
-----	----------------------------	----

Silicone and PUR insulated wires and cables

SiF		14
SiHF		14
H07BQ-F		14

Fire alarm cables

JB-Y(St)Y		15
-----------	--	----

Telecommunication cables

J-Y(St)Y	(TI-44)	15
TK 59	(A-2YF(L)2Y)(xZTKMXpw)(TCEPKPFLE)	16
YYSch		16
JE-H(St)H E30/E90		16

Coaxial cables

Coax	(RG)(CATV)	16
------	------------	----

Loudspeaker cables

17

Alarm cables

Alarm AF CCu		17
Alarm AF Cu		17

Electronic cables

LiYCY		18
LiYCY-TP		19

Data cables LAN

19


















Fibre optic cables




Multimode		20
Singlemode		20

H07V-U						P / Ye
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1,5	115,88		2,6	14,4		19
2,5	187,59		3,2	24,0		31
4	321,91		3,7	38,4		46
6	485,56		4,2	57,6		62
10	808,76		5,3	96,0		104

H07V-R						P/M / Ym
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
10	800,25		5,7	96,0		108
16	1249,97		6,7	153,6		162
25	2007,92		8,2	240,0		253
35	2766,54		9,3	336,0		343
50	3825,74		10,7	480,0		500
70	5648,81		12,7	672,0		710
95	7607,26		14,5	912,0		980
120	9427,19		16,0	1152,0		1200
150	11989,84		17,7	1440,0		1500

H07V-K						P/F / Yf
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
0,5	58,86		2,0	4,8		8
0,75	79,34		2,2	7,2		11
1	103,00		2,4	9,6		13
1,5	114,78		2,8	14,4		20
2,5	191,08		3,5	24,0		31
4	305,97		4,0	38,4		45
6	450,89		5,0	57,6		64
10	779,02		6,7	96,0		110
16	1211,10		7,6	153,6		164
25	1833,87		8,1	240,0		290
35	2627,41		9,2	336,0		380
50	3646,94		11,6	480,0		550
70	5173,80		13,4	672,0		716
95	6867,13		15,5	912,0		976
120	8825,91		17,1	1152,0		1214
150	10748,52		22,0	1440,0		1530
185	13479,68		25,0	1776,0		1900
240	18461,10		28,0	2304,0		2450

YM		PP / NYM / (N)YM				
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
2 x 1,5 	315,72	7,9	28,8		81	
3 x 1,5 R50/R100 	379,51	8,3	43,2		99	
3 x 1,5 bubanj 	384,20	8,3	43,2		99	
4 x 1,5 	525,11	9,9	57,6		121	
5 x 1,5 R50/R100 	625,96	9,7	72,0		144	
5 x 1,5 bubanj 	638,38	9,7	72,0		144	
7 x 1,5	1119,35	10,4	100,8		208	
2 x 2,5	691,99	9,2	48,0		135	
3 x 2,5 R50/R100 	613,06	9,7	72,0		141	
3 x 2,5 bubanj 	624,14	9,7	72,0		141	
4 x 2,5 	842,03	10,5	96,0		175	
5 x 2,5 R50/R100 	1006,41	11,5	120,0		209	
5 x 2,5 bubanj 	1027,25	11,5	120,0		209	
3 x 4	1297,38	10,7	115,2		232	
4 x 4 	1355,66	12,0	153,6		271	
5 x 4 	1612,77	13,5	192,0		323	
3 x 6	2025,28	12,3	172,8		322	
4 x 6 	1952,01	13,7	230,4		344	
5 x 6 	2335,07	15,0	288,0		410	
4 x 10 	3661,80	16,4	384,0		555	
5 x 10 	4191,07	18,0	480,0		665	

PP/R		NYIFY				
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
2 x 1,5 	310,31	3,0	28,8		60	
3 x 1,5 	419,62	3,2	43,2		86	
3 x 2,5 	672,60	4,0	72,0		130	

H03VH-H		P/L				
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
2 x 0,75	179,47	2,7	9,6		33	

H03VV-F		PP/L				
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
2 x 0,75	171,43	5,2	14,4		45	
3 x 0,75	239,65	5,5	21,6		53	
4 x 0,75	313,30	6,1	28,8		66	
5 x 0,75	365,63	6,8	36,0		81	

H05VV-F						PP/J
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1	235,28		6,2	19,2		67
3 x 1	312,34		6,6	28,8		79
4 x 1	482,49		7,4	38,4		86
5 x 1	600,22		8,1	48,0		102
7 x 1	1007,24		9,0	67,2		136
2 x 1,5	311,04		7,0	28,8		89
3 x 1,5	412,60		7,6	43,2		111
4 x 1,5	557,91		8,5	57,6		141
5 x 1,5	699,62		9,5	72,0		177
7 x 1,5	1276,12		10,6	100,8		189
2 x 2,5	1065,94		8,8	48,0		116
3 x 2,5	685,58		9,5	72,0		169
4 x 2,5	877,70		10,4	96,0		207
5 x 2,5	1115,03		11,5	120,0		259
4 x 4	1833,21		12,0	153,6		257
5 x 4	1831,09		13,3	192,0		311
4 x 6	2564,33		14,5	230,4		377
5 x 6	3508,04		16,0	288,0		455

H05RR-F						GG/J
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	635,52		8,5	28,8		110
3 x 1,5	728,60		9,0	43,2		130
4 x 1,5	1008,56		10,0	57,6		160
5 x 1,5	1195,29		11,5	72,0		200
2 x 2,5	1058,20		10,5	48,0		150
3 x 2,5	1138,23		11,0	72,0		190
4 x 2,5	1556,02		12,0	96,0		240
5 x 2,5	1889,59		13,0	120,0		290

H07RN-F

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	745,21	10,0	28,8		130
3 x 1,5	857,79	11,0	43,2		170
4 x 1,5	1132,82	12,0	57,6		200
5 x 1,5	1347,23	13,0	72,0		240
7 x 1,5	2569,86	16,0	100,8		342
12 x 1,5	4168,48	19,0	172,8		505
2 x 2,5	1090,21	12,0	48,0		190
3 x 2,5	1285,93	12,5	72,0		240
4 x 2,5	1702,44	14,0	96,0		275
5 x 2,5	2152,45	15,5	120,0		340
7 x 2,5	3979,89	18,0	168,0		485
12 x 2,5	6607,74	23,0	288,0		799
4 x 4	2495,40	16,5	153,6		410
5 x 4	3146,16	18,5	192,0		500
4 x 6	3482,11	19,0	230,4		500
5 x 6	4229,89	21,0	288,0		650
4 x 10	6589,22	24,5	384,0		930
5 x 10	8101,97	26,5	480,0		1120
4 x 16	9412,87	27,5	614,4		1260
5 x 16	11495,02	30,5	768,0		1550
4 x 25	14426,49	34,0	960,0		1890
5 x 25	18577,58	37,5	1200,0		2300
4 x 35	19146,80	37,0	1344,0		2410
5 x 35	24186,96	43,0	1680,0		3008
4 x 50	27075,68	43,5	1920,0		3350
4 x 70	36640,29	49,5	2688,0		4460
4 x 95	48605,84	55,5	3648,0		5750

H01N2-D

KZS

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
16	2778,20	9,5	153,6		210
25	3464,88	11,0	240,0		300
35	4041,77	12,0	336,0		400
50	5801,64	14,0	480,0		560
70	8229,68	16,5	672,0		780
95	12716,27	18,5	912,0		1010



























YSLY		LS-YY / Y-JZ				
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,5	228,98		6,0	9,6		45
3 x 0,5	280,59		6,2	14,4		50
4 x 0,5	355,47		6,5	19,2		60
5 x 0,5	415,52		7,0	24,0		70
7 x 0,5	605,87		7,5	33,6		85
10 x 0,5	923,03		9,5	48,0		125
12 x 0,5	1055,71		10,0	57,6		140
14 x 0,5	1249,26		10,5	67,2		160
21 x 0,5	1967,93		12,5	100,8		230
25 x 0,5	2256,24		14,0	120,0		280
2 x 0,75	271,28		6,5	14,4		50
3 x 0,75	355,45		6,5	21,6		65
4 x 0,75	453,33		7,5	28,8		75
5 x 0,75	562,30		8,0	36,0		95
6 x 0,75	802,11		8,5	43,2		105
7 x 0,75	755,96		8,5	50,4		120
10 x 0,75	1149,98		11,0	72,0		160
12 x 0,75	1376,35		11,5	86,4		180
21 x 0,75	2514,77		14,0	151,2		310
25 x 0,75	2993,67		16,5	180,0		390
2 x 1	336,33		7,0	19,2		65
3 x 1	464,89		7,5	28,8		75
4 x 1	597,00		8,0	38,4		95
5 x 1	767,37		8,5	48,0		120
7 x 1	1068,21		9,0	67,2		140
10 x 1	1599,57		11,5	96,0		200
12 x 1	1867,84		12,0	115,2		220
14 x 1	2205,49		13,0	134,4		270
16 x 1	2311,99		14,0	153,6		300
18 x 1	2592,45		14,5	172,8		330
21 x 1	3332,34		15,5	201,6		390
25 x 1	3573,72		17,5	240,0		480
34 x 1	5175,48		20,0	326,4		640
2 x 1,5	448,59		7,5	28,8		80
3 x 1,5	594,23		8,0	43,2		100
4 x 1,5	766,62		8,5	57,6		120
5 x 1,5	955,76		9,5	72,0		150
6 x 1,5	1396,90		10,5	86,4		170
7 x 1,5	1266,83		10,5	100,8		190
10 x 1,5	2112,14		13,5	144,0		290
12 x 1,5	2229,29		14,0	172,8		320
14 x 1,5	3108,72		15,0	201,6		380
16 x 1,5	3336,40		16,0	230,4		420
18 x 1,5	3841,73		17,0	259,2		470
21 x 1,5	4560,74		17,5	302,4		520
25 x 1,5	5305,90		20,5	360,0		660
2 x 2,5	705,70		9,0	48,0		120
3 x 2,5	902,19		9,5	72,0		140
4 x 2,5	1230,13		10,0	96,0		180
5 x 2,5	1561,92		11,0	120,0		220
7 x 2,5	2173,31		12,5	168,0		290
12 x 2,5	4009,43		17,0	288,0		490
18 x 2,5	6203,91		20,0	432,0		710
50 x 2,5	20516,45		32,5	1200,0		1860

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
3 x 4	1698,16	11,0	115,2		220
4 x 4	2227,65	12,5	153,6		280
5 x 4	2723,07	13,5	192,0		350
7 x 4	3675,50	15,5	268,8		460
4 x 6	2969,69	14,5	230,4		400
5 x 6	3882,34	16,0	288,0		480
7 x 6	5343,08	17,5	403,2		640
4 x 10	5495,20	19,5	384,0		710
5 x 10	6685,43	21,5	480,0		870
7 x 10	8999,06	23,5	672,0		1140
4 x 16	8353,07	20,5	614,4		950
5 x 16	10358,70	23,0	768,0		1160
7 x 16	14087,09	25,0	1075,2		1530
4 x 25	12973,70	29,5	960,0		1590

YSLCY		LS-YCVY / C-JZ			
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75	589,07	8,5	41,3		120
3 x 0,75	758,34	9,0	49,9		130
4 x 0,75	907,34	9,5	58,6		150
5 x 0,75	1195,41	10,5	69,1		170
7 x 0,75	1561,23	11,0	85,4		200
12 x 0,75	2425,02	13,5	132,5		280
25 x 0,75	4684,64	19,5	268,8		570
34 x 0,75	6670,59	22,0	342,7		740
2 x 1	694,81	9,0	49,0		120
3 x 1	869,61	9,5	59,5		140
4 x 1	1159,05	10,0	71,0		160
5 x 1	1424,05	11,0	84,5		190
7 x 1	1699,97	11,5	107,5		220
12 x 1	3015,51	14,5	167,0		340
18 x 1	4283,02	17,5	257,3		500
25 x 1	5586,72	21,0	339,8		680
34 x 1	8308,41	23,5	439,7		870
2 x 1,5	868,11	10,0	62,4		150
3 x 1,5	1122,22	10,5	78,7		170
4 x 1,5	1431,28	11,0	96,0		200
5 x 1,5	1888,28	12,0	114,2		230
7 x 1,5	2494,42	13,0	147,8		280
12 x 1,5	4060,08	17,5	257,3		460
18 x 1,5	5837,85	20,0	358,1		660
25 x 1,5	7743,95	24,5	508,8		940
34 x 1,5	11282,58	26,5	658,6		1190
3 x 2,5	1857,91	11,5	114,2		230
4 x 2,5	2266,63	12,5	143,0		270
5 x 2,5	2776,06	13,5	171,8		320
7 x 2,5	3806,26	15,5	243,8		410
12 x 2,5	5919,75	20,0	390,7		670
18 x 2,5	11105,82	24,0	585,6		950

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 x 4	3409,86	15,0	229,4		410
5 x 4	4303,61	16,5	276,5		480
4 x 6	4972,10	17,5	320,6		560
5 x 6	5838,90	19,0	386,9		650
4 x 10	8028,56	22,5	497,3		920
5 x 10	10882,06	25,0	635,5		1150
4 x 16	12299,80	24,0	776,6		1220
5 x 16	14937,28	26,5	950,4		1470

E-YY**PP00 / NYY**

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	1505,74	9,4	153,6		218
1 x 25	 2192,89	11,3	240,0		324
1 x 35	 2999,02	12,4	336,0		419
1 x 50	 4169,47	13,8	480,0		554
1 x 70	 5848,89	15,8	672,0		772
1 x 95	 7727,92	17,6	912,0		1016
1 x 120	 9401,31	19,1	1152,0		1286
1 x 150	 11774,19	20,8	1440,0		1578
1 x 185	14751,33	25,5	1776,0		2088
1 x 240	19625,43	27,9	2304,0		2652
1 x 300	23846,11	30,7	2880,0		3331
2 x 1.5	451,66	10,1	28,8		152
2 x 2,5	638,64	10,9	48,0		189
3 x 1.5 RE	 456,02	10,5	43,2		135
3 x 2.5 RE	 690,98	11,4	72,0		183
3 x 4 RE	1282,46	13,1	115,2		305
3 x 6 RE	1865,51	14,1	172,8		383
4 x 1.5 RE	 589,39	11,2	57,6		159
4 x 2,5 RE	 895,10	12,2	96,0		213
4 x 4 RE	 1436,74	14,1	153,6		322
4 x 6 RE	 2050,03	15,3	230,4		402
4 x 10 RE	 3272,96	17,2	384,0		606
4 x 16 RM	 5221,63	21,1	614,4		913
4 x 25 RM	 8100,20	25,3	960,0		1379
4 x 35 SM	 11387,63	26,0	1344,0		1578
4 x 50 SM	 15423,88	28,4	1920,0		2125
4 x 70 SM	 21777,03	31,4	2688,0		2975
4 x 95 SM	 30177,50	39,3	3648,0		4079
4 x 120 SM	 38942,52	41,8	4608,0		5060
4 x 150 SM	 47194,23	49,0	5760,0		6258
4 x 185 SM	59204,50	52,0	7104,0		7787
4 x 240 SM	79389,18	58,9	9216,0		10094
5 x 1.5 RE	 715,52	12,0	72,0		185
5 x 2.5 RE	 1108,90	13,1	120,0		248
5 x 4 RE	 1743,76	15,3	192,0		379
5 x 6 RE	 2484,92	16,6	288,0		481
5 x 10 RE	 4092,31	18,8	480,0		737
5 x 16 RM	 6455,05	23,7	768,0		1118
5 x 25 RM	 10068,60	27,7	1200,0		1694
5 x 35 RM	 14552,52	31,0	1680,0		2233

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
7 x 1.5 RE	1330,16	12,9	100,8		282
10 x 1.5 RE	2136,02	15,7	144,0		401
12 x 1.5 RE	2427,98	16,1	172,8		437
14 x 1.5 RE	3122,17	16,8	201,6		484
16 x 1.5 RE	3642,50	17,7	230,4		539
19 x 1.5 RE	3761,59	18,5	273,6		609
24 x 1.5 RE	4878,47	21,9	345,6		816
30 x 1.5 RE	6219,95	23,0	432,0		937
7 x 2.5 RE	2269,90	14,1	168,0		374
10 x 2.5 RE	3494,76	17,3	240,0		534
12 x 2.5 RE	4158,91	17,8	288,0		630
14 x 2,5 RE	4783,79	18,6	336,0		660
16 x 2.5 RE	5774,30	20,1	384,0		765
19 x 2.5 RE	6437,96	21,1	456,0		873
24 x 2.5 RE	7957,66	24,8	576,0		1146
30 x 2.5 RE	10668,10	26,1	720,0		1331
7 x 4 RE	3866,20	16,5	268,8		541
10 x 4 RE	6312,46	21,1	384,0		827
14 x 4 RE	8412,88	26,0	537,6		1170
19 x 4 RE	11241,26	28,0	729,6		1360
7 x 6 RE	5021,49	18,0	403,2		704

N2XH			N2XH		
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	1871,37	9,8	153,6		226
1 x 25	2766,99	11,4	240,0		327
1 x 35	4047,16	12,6	336,0		429
1 x 50	5196,58	13,8	480,0		555
1 x 70	7355,75	15,7	672,0		765
1 x 95	9938,00	17,6	912,0		1024
1 x 120	12530,46	19,1	1152,0		1270
1 x 150	15998,59	20,9	1440,0		1550
1 x 185	18956,27	23,5	1776,0		1950
1 x 240	24720,14	25,8	2304,0		2550
1 x 300	30531,82	29,0	2880,0		3200
2 x 1.5	693,58	9,3	28,8		130
2 x 2,5	932,64	10,1	48,0		160
3 x 1.5 RE	585,66	9,7	43,2		142
3 x 2.5 RE	833,29	10,7	72,0		184
4 x 1.5 RE	896,25	10,4	57,6		166
4 x 2,5 RE	1268,91	11,4	96,0		220
4 x 4 RE	1976,36	13,8	153,6		305
4 x 6 RE	2766,37	13,8	230,4		400
4 x 10 RE	4397,57	16,3	384,0		601
4 x 16 RM	6736,11	19,2	614,4		900
4 x 25 RM	10241,97	24,0	960,0		1400
4 x 35 SM	13559,31	26,5	1344,0		1850
4 x 50 SM	19712,35	29,0	1920,0		2226
4 x 70 SM	26679,87	32,0	2688,0		3050
4 x 95 SM	36134,91	37,0	3648,0		4250

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 x 120 SM	45391,71	40,8	4608,0		5320
4 x 150 SM	56870,13	50,0	5760,0		6350
4 x 185 SM	75237,34	51,0	7104,0		7850
4 x 240 SM	97234,39	56,6	9216,0		10235
5 x 1.5 RE	1010,50	11,3	72,0		195
5 x 2.5 RE	1464,44	12,4	120,0		260
5 x 4 RE	2100,50	13,8	192,0		360
5 x 6 RE	3006,90	15,5	288,0		490
5 x 10 RE	5005,24	17,9	480,0		730
5 x 16 RM	7871,74	22,0	768,0		1120
5 x 25 RM	11889,74	27,1	1200,0		1460

NYCY						PP40
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
2 x 1,5 / 1,5	1104,96	12,5	48,0		198	
2 x 2,5 / 2,5	1421,11	13,9	75,0		257	
2 x 4 / 4	1787,30	15,5	110,0		345	
2 x 6 / 6	2396,70	16,8	165,0		425	
3 x 1,5 / 1,5	1260,50	13,4	59,0		215	
3 x 2,5 / 2,5	1560,11	14,1	90,0		275	
4 x 1,5 / 1,5	1477,49	14,1	72,0		245	
4 x 2,5 / 2,5	1867,89	15,1	117,0		335	
4 x 4 / 4	2995,30	17,4	182,0		455	
4 x 6 / 6	4157,34	18,4	272,0		575	
5 x 2,5 / 2,5	2438,47	16,2	139,0		380	
7 x 1,5 / 2,5	2239,53	15,5	125,0		350	
10 x 1,5 / 2,5	3170,49	18,1	165,0		451	
12 x 1,5 / 2,5	3519,03	19,2	188,0		465	
16 x 1,5 / 4	4096,64	20,5	262,0		645	
19 x 1,5 / 4	4691,27	22,3	299,0		665	
24 x 1,5 / 6	6218,83	25,2	388,0		915	
7 x 2,5 / 2,5	3644,78	17,2	185,0		440	
10 x 2,5 / 4	4181,78	20,1	270,0		600	
12 x 2,5 / 4	4894,78	20,9	305,0		656	
16 x 2,5 / 6	5966,38	22,4	428,0		815	
19 x 2,5 / 6	8434,37	23,8	483,0		933	
24 x 2,5 / 10	10111,62	26,6	636,0		1160	

NHXX FE180/E30**E30**

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	2837,08	12,0	153,6		218
1 x 25	4121,06	13,0	240,0		324
1 x 35	5399,57	15,0	336,0		419
1 x 50	6169,66	16,0	480,0		554
1 x 70	8322,15	18,0	672,0		772
1 x 95	10839,41	20,0	912,0		1016
1 x 120	13487,42	22,0	1152,0		1286
1 x 150	16752,96	24,0	1440,0		1578
1 x 185	20418,64	27,0	1776,0		2088
1 x 240	25602,33	30,0	2304,0		2652
1 x 300	33659,06	33,0	2880,0		3331
2 x 1.5	1279,28	12,1	28,8		190
2 x 2,5	1626,57	12,2	48,0		220
3 x 1.5 RE	1364,66	13,0	43,2		210
3 x 2.5 RE	1783,37	14,0	72,0		260
3 x 4 RE	2624,28	15,0	115,2		320
3 x 6 RE	3550,23	16,0	172,8		400
4 x 1.5 RE	1656,70	15,0	57,6		240
4 x 2,5 RE	2164,82	16,0	96,0		300
4 x 4 RE	3634,12	17,0	153,6		390
4 x 6 RE	4681,64	18,0	230,4		490
4 x 10 RE	6704,05	21,0	384,0		670
4 x 16 RM	11354,36	25,0	614,4		950
4 x 25 RM	15684,11	26,0	960,0		1430
4 x 35 SM	20319,20	29,0	1344,0		1890
4 x 50 SM	27152,58	34,0	1920,0		2510
4 x 70 SM	36084,96	38,0	2688,0		3650
4 x 95 SM	51653,76	44,0	3648,0		4750
4 x 120 SM	66914,77	48,0	4608,0		5910
4 x 150 SM	80632,15	52,0	5760,0		7240
5 x 1.5 RE	2400,67	18,0	72,0		280
5 x 2.5 RE	2956,06	19,0	120,0		354
5 x 4 RE	4675,09	21,0	192,0		450
5 x 6 RE	5483,58	22,0	288,0		570
5 x 10 RE	8432,24	25,0	480,0		820
5 x 16 RM	13382,93	27,0	768,0		1140
5 x 25 RM	18752,81	31,0	1200,0		1710
7 x 1.5 RE	3274,04	16,0	100,8		330
12 x 1.5 RE	5041,45	20,5	172,8		500
19 x 1.5 RE	7677,04	24,0	273,6		720
24 x 1.5 RE	9278,06	28,0	345,6		890
30 x 1.5 RE	11115,01	31,0	432,0		1090
7 x 2.5 RE	4316,31	18,0	168,0		430
12 x 2.5 RE	6243,15	25,0	288,0		650
19 x 2.5 RE	11005,71	26,0	456,0		950
24 x 2.5 RE	13442,33	30,5	576,0		1210
30 x 2.5 RE	16160,30	32,5	720,0		1470

NHXX FE180/E90**E90**

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	4653,59	11,0	153,6		250
1 x 25	6613,46	13,0	240,0		355
1 x 35	7663,60	14,0	336,0		460
1 x 50	9767,11	16,0	480,0		610
1 x 70	14734,09	18,0	672,0		810
1 x 95	16273,00	20,0	912,0		1100
1 x 120	18155,73	21,0	1152,0		1350
1 x 150	23631,20	24,0	1440,0		1650
1 x 185	26865,99	26,0	1776,0		2050
1 x 240	33176,58	29,0	2304,0		2650
1 x 300	55641,56	32,0	2880,0		3275
2 x 1.5	2187,44	13,0	28,8		200
3 x 1.5 RE	2662,37	13,5	43,2		210
3 x 2.5 RE	3305,02	14,6	72,0		243
3 x 4 RE	4029,98	15,5	115,2		302
3 x 6 RE	6740,61	16,5	172,8		399
4 x 1.5 RE	3839,39	15,0	57,6		245
4 x 2,5 RE	4690,64	16,0	96,0		299
4 x 4 RE	5907,65	17,0	153,6		376
4 x 6 RE	6729,28	18,5	230,4		474
4 x 10 RE	8943,81	20,5	384,0		657
4 x 16 RM	14808,65	24,0	614,4		973
4 x 25 RM	21915,68	26,5	960,0		1422
4 x 35 SM	31555,68	30,0	1344,0		1858
4 x 50 SM	33996,22	35,0	1920,0		2900
4 x 70 SM	51498,33	40,5	2688,0		3900
4 x 95 SM	69231,61	45,5	3648,0		5200
4 x 120 SM	81769,39	50,0	4608,0		6300
4 x 150 SM	99089,61	55,0	5760,0		6800
5 x 1.5 RE	3967,32	15,5	72,0		290
5 x 2.5 RE	4774,96	17,0	120,0		359
5 x 4 RE	6371,87	18,5	192,0		457
5 x 6 RE	9403,07	20,0	288,0		577
5 x 10 RE	10824,45	22,0	480,0		807
5 x 16 RM	17632,69	26,5	768,0		1145
5 x 25 RM	25784,58	30,0	1200,0		1765
7 x 1.5 RE	5884,32	18,0	100,8		282
12 x 1.5 RE	10177,27	23,5	172,8		437
24 x 1.5 RE	20673,00	21,9	345,6		816

FG70R

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	1752,01	12,2	153,6		195
1 x 25	2590,45	13,8	240,0		288
1 x 35	3513,73	15,1	336,0		383
1 x 50	4975,75	17,1	480,0		525
1 x 70	6993,73	19,6	672,0		765
1 x 95	9133,16	22,2	912,0		1000
1 x 120	11684,58	24,2	1152,0		1230
1 x 150	14061,82	26,8	1440,0		1550
1 x 185	16937,48	29,1	1776,0		1880
1 x 240	22488,63	32,2	2304,0		2410
1 x 300	29123,33	35,4	2880,0		3000
1 x 400	40461,00	39,9	3840,0		3960
2 x 1,5	593,77	11,9	28,8		129
2 x 2,5	843,75	12,7	48,0		163
3 x 1,5	723,25	12,4	43,2		144
3 x 2,5	1029,01	13,3	72,0		187
4 x 1,5	929,24	13,2	57,6		167
4 x 2,5	1359,19	14,2	96,0		220
4 x 4	2029,79	16,1	153,6		306
4 x 6	2865,45	18,1	230,4		397
4 x 10	4599,06	21,0	384,0		600
4 x 16	6925,02	25,6	614,4		888
4 x 25	10747,24	29,6	960,0		1310
3 x 35 + 1 x 25	13233,76	31,8	1248,0		1630
3 x 50 x 1 x 25	17724,32	35,9	1680,0		2110
3 x 70 + 1 x 35	25568,18	40,9	2352,0		3030
3 x 95 + 1 x 50	33885,24	44,6	3216,0		3910
3 x 120 + 1 x 70	44398,71	50,9	4128,0		5000
3 x 150 + 1 x 95	57850,63	56,3	5232,0		6340
5 x 1,5	1112,35	14,5	72,0		260
5 x 2,5	1584,48	15,6	120,0		368
5 x 4	2468,44	17,7	192,0		478
5 x 6	3464,30	19,9	288,0		740
5 x 10	5581,24	23,6	480,0		1070
5 x 16	8649,63	27,6	768,0		1620
5 x 25	12976,17	32,1	1200,0		2145
5 x 35	18035,29	36,1	1680,0		3000
7 x 1,5	2019,27	15,0	100,8		311

Solar

PV1-F

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4	791,25	6,5	38,4		60
6	939,68	7,0	57,6		79
10	1667,01	8,7	96,0		130
16	3227,09	9,4	153,6		210

Copper rope

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
25	2299,67	6,0	223,0		223
35	2990,52	7,0	309,0		309
50	4085,69	8,0	417,0		417
70	6202,87	10,0	616,0		616
95	8592,95	12,0	822,0		822

Fe/Zn tape

Cross-section (mm ²)	Price (€/t)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
20 x 3	1325,71				519
25 x 3	1381,78				647
25 x 4	1317,41				860
30 x 4	1316,66				1036
40 x 4	1394,95				1383

E-AYY

PP00-A / NAYY

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 x 16 RM	1347,95	20,1		220	780
4 x 25 RM	1983,29	25,3		290	852
4 x 35 SM	2413,84	25,6		406	771
4 x 50 SM	3058,52	28,4		580	1023
4 x 70 SM	4240,13	31,4		812	1349
4 x 95 SM	5702,85	36,9		1102	1846
4 x 120 SM	7051,14	39,9		1392	2206
4 x 150 SM	8296,78	46,0		1740	2617
4 x 185 SM	10638,55	51,7		2176	3570
4 x 240 SM	14377,83	57,9		2822	4380

SKS

N1XD4-AR, N1XD9-AR

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 16	563,61			93	130
4 x 16	1120,83			186	260
3 x 35 + 70	3436,80			508	682
3 x 35 + 70 + 2 x 16	4020,08			600	812
3 x 70 + 70	4851,41			812	1018
3 x 70 + 70 + 2 x 16	5380,98			907	1148

SiF

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
0,75	163,47	2,4	7,7		12
1	203,44	2,5	9,6		14
1,5	277,52	2,8	14,4		18
2,5	443,47	4,0	24,0		35
4	710,60	5,5	38,4		55
6	1072,74	5,2	57,6		71
10	1737,39	6,3	96,0		110
16	3255,17	8,0	153,6		188
25	5042,40	9,9	240,0		296
35	7107,72	11,2	336,0		400
50	9448,97	13,8	480,0		570
70	12621,45	15,0	672,0		740

SiHF

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75	673,92	6,4	14,4		57
3 x 0,75	915,29	6,8	22,1		67
2 x 1,5	1028,75	7,5	28,8		81
3 x 1,5	1456,16	8,0	43,2		83
4 x 1,5	1810,78	8,8	57,6		120
5 x 1,5	2521,32	9,5	72,0		145
3 x 2,5	2203,32	9,5	72,0		125
4 x 2,5	2815,43	10,5	96,0		180
5 x 2,5	3845,26	11,7	120,0		270

H07BQ-F

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	1051,69	8,8	28,8		88
3 x 1,5	1271,96	9,3	43,2		110
4 x 1,5	1620,85	10,3	57,6		140
5 x 1,5	1952,81	11,2	72,0		169
3 x 2,5	1858,63	11,0	72,0		163
4 x 2,5	2390,73	12,2	96,0		208
5 x 2,5	2871,32	13,5	120,0		257
4 x 4	3692,89	14,0	154,0		293
4 x 6	5468,17	15,2	230,0		346
4 x 10	9476,68	20,2	384,0		702
4 x 16	13488,22	22,8	614,4		981
5 x 4	4196,27	15,6	192,0		365
5 x 6	6143,30	17,6	288,0		504
5 x 10	10823,18	23,2	480,0		962
5 x 16	15956,65	27,1	768,0		1379

JB-Y(St)Y						
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
1 x 2 x 0,8	195,06	5,7	11,0		39	
2 x 2 x 0,8	322,14	6,1	21,0		54	
4 x 2 x 0,8	649,59	8,7	41,0		94	
6 x 2 x 0,8	903,55	10,1	62,0		135	
10 x 2 x 0,8	1569,94	13,1	103,0		205	
20 x 2 x 0,8	3085,92	15,6	204,0		352	
30 x 2 x 0,8	4592,64	19,4	304,0		522	

J-Y(St)Y					TI-44
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 2 x 0,6	134,94	4,0	11,0		20
2 x 2 x 0,6	206,68	4,5	13,0		30
3 x 2 x 0,6	295,55	6,5	19,0		50
4 x 2 x 0,6	376,70	7,0	25,0		60
5 x 2 x 0,6	477,30	7,5	30,0		70
6 x 2 x 0,6	537,28	8,0	35,0		80
10 x 2 x 0,6	803,48	10,0	59,0		110
20 x 2 x 0,6	1579,51	12,0	115,0		190
30 x 2 x 0,6	2293,94	14,0	172,0		280
50 x 2 x 0,6	3982,55	17,0	286,0		430
100 x 2 x 0,6	7530,86	23,5	569,0		820
1 x 2 x 0,8	192,75	5,5	18,0		40
2 x 2 x 0,8	321,45	7,0	22,0		60
3 x 2 x 0,8	503,85	8,5	31,0		80
4 x 2 x 0,8	626,28	9,0	42,0		100
5 x 2 x 0,8	780,17	9,5	52,0		120
6 x 2 x 0,8	910,62	11,0	62,0		140
10 x 2 x 0,8	1561,82	14,0	103,0		220
20 x 2 x 0,8	2999,83	17,0	203,0		370
30 x 2 x 0,8	5090,19	21,0	304,0		550
50 x 2 x 0,8	7534,71	25,5	506,0		880
100x 2 x 0,8	15067,05	36,0	1008,0		1700

TK 59			A-2YF(L)2Y			
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 2 x 0,6	421,35		8,3	11,0		69
6 x 2 x 0,6	991,85		11,0	34,0		129
10 x 2 x 0,6	1455,78		12,5	54,0		185
20 x 2 x 0,6	2611,44		15,8	111,0		315
30 x 2 x 0,6	3718,98		19,0	165,0		425
50 x 2 x 0,6	5784,21		22,2	272,0		626
100 x 2 x 0,6	11066,99		30,3	547,0		1235
2 x 2 x 0,8	784,69		8,8	21,0		88
6 x 2 x 0,8	1473,00		12,0	60,0		169
10 x 2 x 0,8	2324,91		14,0	100,0		240
20 x 2 x 0,8	4173,10		19,1	200,0		459
30 x 2 x 0,8	6108,95		22,0	300,0		595
50 x 2 x 0,8	9783,57		26,0	500,0		1060

YYSch						
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,6	114,46		3,0	5,6		12
3 x 0,6	153,88		3,2	8,4		16
4 x 0,6	197,10		3,4	11,2		20
5 x 0,6	241,40		3,7	14,0		26
6 x 0,6	287,41		4,0	16,8		29
10 x 0,6	477,02		6,0	28,0		54
16 x 0,6	815,82		6,8	45,0		78
20 x 0,6	1007,71		8,2	72,8		110

JE-H(ST)H E30/E90						
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 2 x 0,8 E30	593,77		5,5	19,0		40
1 x 2 x 0,8 E90	628,45		5,5	19,0		40
2 x 2 x 0,8 E30	932,17		6,8	25,0		61
2 x 2 x 0,8 E90	1072,09		6,8	25,0		61

Koax			RG / CATV			
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
RG 6 75 Ω	138,41		5,0	20,0		45
RG 11 75 Ω	1233,50		10,3	55,6		188
RG 58 C/U 50 Ω	420,50		5,0	21,3		39
RG 59 B/U 75 Ω	360,75		6,2	26,0		57
RG 213 U 50 Ω	1458,40		10,3	85,0		157
RG 214 U 50 Ω	2762,98		10,8	90,0		200
1,13 / 4,8 Tri-shield	492,25		7,0	16,3		48
1,02 / 4,57 Tri-shield Coax10 AD	446,84		6,9	7,5		44

Loudspeaker cables

LFZ-XY/NYFAZ

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75 crveno/crni	224,85	2,20x4,40	14,4		22
2 x 1 crveno/crni	303,58	2,54x4,90	19,2		28
2 x 1,5 crveno/crni	425,15	2,90x5,90	28,8		36
2 x 2,5 crveno/crni	663,57	3,60x7,20	48,0		58
2 x 4 crveno/crni	1121,62	4,70x9,40	76,8		100
2 x 1,5 transparentni	555,03	2,90x5,90	28,8		40
2 x 2,5 transparentni	930,25	3,60x7,20	48,0		60
2 x 4 transparentni	1717,65	4,70x9,40	76,8		103

Alarm AF CCA

Security

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 AF 22	177,85	3,3			21
6 AF 22	228,75	4,2			28
8 AF 22	300,88	4,6			35
10 AF 22	359,08	5,2			41
12 AF 22	405,47	5,4			50
4 AF 22 + 2 x 0,50	303,50	4,2			40
6 AF 22 + 2 x 0,75	408,72	5,4			50

Alarm AF Cu

Security

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 AF 22	208,06	3,3			22
6 AF 22	265,96	4,2			29
8 AF 22	348,87	4,6			36
10 AF 22	420,17	5,2			42
12 AF 22	474,57	5,4			51
4 AF 22 + 2 x 0,50	358,22	4,2			41
6 AF 22 + 2 x 0,75	473,61	5,4			51

LIYCY

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,14	328,76	3,5	13,0		20
3 x 0,14	383,36	3,7	15,0		26
4 x 0,14	424,36	4,0	17,0		28
5 x 0,14	498,08	4,3	20,0		33
6 x 0,14	570,11	4,7	23,0		38
7 x 0,14	626,93	4,8	25,0		41
10 x 0,14	892,73	5,7	30,0		56
12 x 0,14	967,53	6,1	33,0		63
14 x 0,14	1099,46	6,5	36,0		69
16 x 0,14	1299,69	6,8	42,0		80
2 x 0,25	327,90	3,7	15,0		25
3 x 0,25	448,86	4,1	18,0		32
4 x 0,25	557,05	4,7	22,0		40
5 x 0,25	675,69	5,0	26,0		47
6 x 0,25	757,26	5,2	30,0		54
7 x 0,25	791,59	5,4	35,0		56
10 x 0,25	1062,98	6,5	44,0		80
12 x 0,25	1227,24	7,0	50,0		95
16 x 0,25	1621,36	7,8	74,0		116
20 x 0,25	2384,87	9,5	83,0		124,7

2 x 0,34	411,70	4,6	18,0		33
3 x 0,34	541,42	5,0	22,0		41
4 x 0,34	686,75	5,4	26,0		54
5 x 0,34	807,67	5,8	32,0		60
2 x 0,50	470,79	5,1	24,0		43
3 x 0,50	677,58	5,4	32,0		54
4 x 0,50	809,60	6,1	37,0		64
5 x 0,50	988,40	6,7	55,0		84
6 x 0,50	1174,09	7,2	63,0		95
7 x 0,50	1268,62	7,2	68,0		102
10 x 0,50	1787,65	8,6	93,0		137
2 x 0,75	543,28	5,4	32,0		53
3 x 0,75	677,40	5,8	40,0		66
4 x 0,75	824,58	6,4	60,0		78
5 x 0,75	1018,23	7,1	72,0		99
7 x 0,75	1379,92	7,9	92,0		129
2 x 1,0	739,42	6,0	50,0		63
3 x 1,0	940,37	6,4	60,0		82
4 x 1,0	1158,16	6,9	74,0		97
5 x 1,0	1462,10	7,8	89,0		121
2 x 1,5	918,00	7,1	57,0		84
3 x 1,5	1157,47	7,5	74,0		106
4 x 1,5	1435,58	8,4	92,0		136
5 x 1,5	1765,99	9,5	111,0		178

LiYCY-TP		Twisted pair				
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
2 x 2 x 0,25	634,83	5,1	28,0		44	
3 x 2 x 0,25	784,47	5,7	44,0		56	
4 x 2 x 0,25	913,90	6,6	57,0		71	
5 x 2 x 0,25	1157,88	7,4	63,0		82	
6 x 2 x 0,25	1460,07	7,5	68,0		99	
2 x 2 x 0,34	747,70	6,6	45,0		66	
3 x 2 x 0,34	996,57	7,5	54,0		80	
4 x 2 x 0,34	1205,22	8,5	67,0		101	
2 x 2 x 0,5	978,05	7,2	52,0		79	
3 x 2 x 0,5	1239,99	8,6	67,0		106	
4 x 2 x 0,5	1565,12	9,3	83,0		126	
6 x 2 x 0,5	2163,29	12,0	112,0		186	
8 x 2 x 0,5	2665,92	13,2	132,0		232	
12 x 2 x 0,5	3851,86	15,4	196,0		313	
2 x 2 x 0,75	1068,30	7,7	68,0		96	
3 x 2 x 0,75	1554,33	9,3	85,0		132	
4 x 2 x 0,75	1941,37	9,8	124,0		164	
6 x 2 x 0,75	3023,04	11,6	145,0		251	

LAN		Data				
Cross-section	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
Cat.5e U/UTP PVC	241,96	5,0	17,5		35	
Cat.5e U/UTP LSOH	243,76	5,1	17,5		35	
Cat.5e F/UTP	350,87	5,9	19,8		36	
Cat.5e S/FTP	503,06	6,4	30,0		46	
Cat.5e flex UTP	417,31	4,9	11,0		25	
Cat.5e flex FTP	509,98	5,0	12,0		25	
Cat.6 U/UTP PVC	403,20	6,2	18,0		39	
Cat.6 U/UTP LSOH	407,06	6,2	18,0		39	
Cat.6 F/UTP PVC	532,57	6,5	24,0		44	
Cat.6 F/UTP LSOH	546,50	6,5	24,0		44	
Cat.6 S/FTP	699,64	6,9	29,0		49	
Cat.5e FTP PE Outdoor	646,01	6,0	20,0		39	
Cat.6 FTP PE Outdoor	984,28	6,5	24,0		53	
Cat.7 S/FTP PE Outdoor	1448,74	7,9	44,0		81	
Cat.7 S/FTP	708,22	7,5	44,0		75	

Fibre optic cables			Multimode			
Cross-section	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
A/J-DQ(ZN)H 4 G 50 / 125	815,79		7,5			35
A/J-DQ(ZN)H 8 G 50 / 125	1211,84		7,5			35
A/J-DQ(ZN)H 12 G 50 / 125	1368,42		7,5			35
A/J-DQ(ZN)H 24 G 50 / 125	2388,16		7,5			35
						35

Fibre optic cables			Singlemode (without rodent protection)			
Cross-section	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
A-DQ(ZN)2Y 3x4 E9/125	918,42		9,7			70
A-DQ(ZN)2Y 6x4 E9/125	1143,42		9,7			70
A-DQ(ZN)2Y 6x8 E9/125	1672,37		9,7			70
A-DQ(ZN)2Y 6x12 E9/125	2039,47		9,7			70
A-DQ(ZN)2Y 8x12 E9/125	2825,00		9,7			70

Fibre optic cables			Singlemode (with rodent protection)			
Cross-section	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
A-DQ(ZN)B2Y 3x4 E9/125	966,76		11,5			100
A-DQ(ZN)B2Y 6x4 E9/125	1203,60		11,5			100
A-DQ(ZN)B2Y 6x8 E9/125	1760,39		11,5			100
A-DQ(ZN)B2Y 6x12 E9/125	2146,81		11,5			100
A-DQ(ZN)B2Y 8x12 E9/125	2973,68		11,5			100

Price list is formed on 01.06.2017. and it depends on daily movement of Cu and Al on LME

TESLA KABELI d.o.o.

Industrijska 20, 10431 Sv. Nedelja

tel: +385 1 2362-900

fax: +385 1 2362-901

e-mail: info@teslacables.com

Contacts:

Hrvoje Buljan	hrvoje.buljan@teslacables.com	01/2362-909
Igor Balentović	igor.balentovic@teslacables.com	01/2362-904
Saša Bogadi	sasa.bogadi@teslacables.com	01/2362-906
Ivan Suvar	ivan.suvar@teslacables.com	01/2362-903
Sandra Kostelac	sandra.kostelac@teslacables.com	01/2362-905
Iskra Radman	iskra.radman@teslacables.com	01/2362-907
Hrvoje Topčić	hrvoje.topcic@teslacables.com	01/2362-902
Antonio Siljković	antonio.siljkovic@teslacables.com	01/2362-909
Alessandro Sošić	alessandro.sosic@teslacables.com	01/2362-910