



TESLA CABLES

CABLES & WIRES

PRICE LIST - EXPORT

of cables and wires up to 1 kV

August 2017



TESLA CABLES

www.teslacables.com

CONTENT

PVC insulated wires

H07V-U	(P) (Ye)	1
H07V-R	(P/M) (Ym)	1
H07V-K	(P/F) (Yf)	1

PVC sheathed wires

YM	(PP) (NYM) ((N)YM)	2
PP/R	(NYIFY)	2
H03VH-H	(P/L)	2
H03VV-F	(PP/L)	2
H05VV-F	(PP/J)	3

Rubber insulated wires and cables

H05RR-F	(GG/J)	3
H07RN-F		4
H01N2-D		4

Control cables

YSLY	(LS-YY)(Y-JZ)	5
YSLCY	(LS-YYCVY)(CY-JZ)	6

Energy cables

E-YY	(PP00)(NYY)	7-8
N2XH		8-9
NYCY	(PP40)	9
NHXH FE180/E30		10
NHXH FE180/E90		11
FG7OR		12
E-AYY	(PP00-A)(NAYY)	13

Solar cables

Solar		12
-------	--	----

Non-insulated rope and tape

Copper rope		13
Fe/Zn tape		13



Self-supported cable bundle

SKS	(X00-A, X00/0-A, N1XD4-AR)	13
-----	----------------------------	----

Silicone and PUR insulated wires and cables

SiF		14
SiHF		14
H07BQ-F		14

Fire alarm cables

JB-Y(St)Y		15
-----------	--	----

Telecommunication cables

J-Y(St)Y	(TI-44)	15
TK 59	(A-2YF(L)2Y)(xZTKMXpw)(TCEPKPFLE)	16
YYSch		16
JE-H(St)H E30/E90		16

Coaxial cables

Coax	(RG)(CATV)	16
------	------------	----

Loudspeaker cables

17

Alarm cables

Alarm AF CCu		17
Alarm AF Cu		17

Electronic cables



LiYCY		18
LiYCY-TP		19

Data cables LAN

19


















Fibre optic cables




Multimode		20
Singlemode		20

H07V-U						P / Ye
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1,5	 119,26		2,6	14,4		19
2,5	 190,86		3,2	24,0		31
4	331,93		3,7	38,4		46
6	497,84		4,2	57,6		62
10	830,53		5,3	96,0		104

H07V-R						P/M / Ym
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
10	816,60		5,7	96,0		108
16	1283,72		6,7	153,6		162
25	2045,82		8,2	240,0		253
35	2836,11		9,3	336,0		343
50	3940,03		10,7	480,0		500
70	5774,52		12,7	672,0		710
95	7734,36		14,5	912,0		980
120	9651,27		16,0	1152,0		1200
150	12297,27		17,7	1440,0		1500

H07V-K						P/F / Yf
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
0,5	60,01		2,0	4,8		8
0,75	81,75		2,2	7,2		11
1	104,21		2,4	9,6		13
1,5	115,82		2,8	14,4		20
2,5	196,45		3,5	24,0		31
4	312,41		4,0	38,4		45
6	460,69		5,0	57,6		64
10	797,99		6,7	96,0		110
16	1240,20		7,6	153,6		164
25	1876,47		8,1	240,0		290
35	2691,02		9,2	336,0		380
50	3734,25		11,6	480,0		550
70	5298,32		13,4	672,0		716
95	7038,03		15,5	912,0		976
120	8960,34		17,1	1152,0		1214
150	10966,10		22,0	1440,0		1530
185	13865,76		25,0	1776,0		1900
240	19008,35		28,0	2304,0		2450

YM			PP / NYM / (N)YM			
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	 321,47		7,9	28,8		81
3 x 1,5 R50/R100	 388,44		8,3	43,2		99
3 x 1,5 bubanj	 393,16		8,3	43,2		99
4 x 1,5	 536,09		9,9	57,6		121
5 x 1,5 R50/R100	 639,26		9,7	72,0		144
5 x 1,5 bubanj	 652,74		9,7	72,0		144
7 x 1,5			10,4	100,8		208
2 x 2,5			9,2	48,0		135
3 x 2,5 R50/R100	 625,14		9,7	72,0		141
3 x 2,5 bubanj	 637,38		9,7	72,0		141
4 x 2,5	 860,39		10,5	96,0		175
5 x 2,5 R50/R100	 1028,85		11,5	120,0		209
5 x 2,5 bubanj	 1049,86		11,5	120,0		209
3 x 4			10,7	115,2		232
4 x 4	 1381,52		12,0	153,6		271
5 x 4	 1646,22		13,5	192,0		323
3 x 6			12,3	172,8		322
4 x 6	 1993,83		13,7	230,4		344
5 x 6	 2386,49		15,0	288,0		410
4 x 10	 3753,22		16,4	384,0		555
5 x 10	 4283,08		18,0	480,0		665

PP/R			NYIFY			
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	 317,75		3,0	28,8		60
3 x 1,5	 423,98		3,2	43,2		86
3 x 2,5	 683,77		4,0	72,0		130

H03VH-H			P/L			
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75			2,7	9,6		33

H03VV-F			PP/L			
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75			5,2	14,4		45
3 x 0,75			5,5	21,6		53
4 x 0,75			6,1	28,8		66
5 x 0,75			6,8	36,0		81

H05VV-F						PP/J
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1	240,91		6,2	19,2		67
3 x 1	317,74		6,6	28,8		79
4 x 1	496,91		7,4	38,4		86
5 x 1	607,97		8,1	48,0		102
7 x 1	1023,05		9,0	67,2		136
2 x 1,5	316,69		7,0	28,8		89
3 x 1,5	421,35		7,6	43,2		111
4 x 1,5	566,63		8,5	57,6		141
5 x 1,5	711,85		9,5	72,0		177
7 x 1,5	1298,90		10,6	100,8		189
2 x 2,5	1078,58		8,8	48,0		116
3 x 2,5	697,85		9,5	72,0		169
4 x 2,5	890,29		10,4	96,0		207
5 x 2,5	1137,28		11,5	120,0		259
4 x 4	1871,42		12,0	153,6		257
5 x 4	1855,79		13,3	192,0		311
4 x 6	2606,64		14,5	230,4		377
5 x 6	3599,62		16,0	288,0		455

H05RR-F						GG/J
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	635,52		8,5	28,8		110
3 x 1,5	738,55		9,0	43,2		130
4 x 1,5	1029,38		10,0	57,6		160
5 x 1,5	1212,56		11,5	72,0		200
2 x 2,5	1079,00		10,5	48,0		150
3 x 2,5	1156,06		11,0	72,0		190
4 x 2,5	1584,19		12,0	96,0		240
5 x 2,5	1918,85		13,0	120,0		290

H07RN-F

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	754,73	10,0	28,8		130
3 x 1,5	867,10	11,0	43,2		170
4 x 1,5	1145,18	12,0	57,6		200
5 x 1,5	1360,28	13,0	72,0		240
7 x 1,5	2592,53	16,0	100,8		342
12 x 1,5	4237,77	19,0	172,8		505
2 x 2,5	1094,22	12,0	48,0		190
3 x 2,5	1301,98	12,5	72,0		240
4 x 2,5	1728,15	14,0	96,0		275
5 x 2,5	2180,68	15,5	120,0		340
7 x 2,5	4003,38	18,0	168,0		485
12 x 2,5	6700,87	23,0	288,0		799
4 x 4	2529,85	16,5	153,6		410
5 x 4	3192,66	18,5	192,0		500
4 x 6	3522,77	19,0	230,4		500
5 x 6	4299,13	21,0	288,0		650
4 x 10	6675,81	24,5	384,0		930
5 x 10	8219,27	26,5	480,0		1120
4 x 16	9614,86	27,5	614,4		1260
5 x 16	11720,61	30,5	768,0		1550
4 x 25	14746,22	34,0	960,0		1890
5 x 25	18767,41	37,5	1200,0		2300
4 x 35	19481,71	37,0	1344,0		2410
5 x 35	24477,51	43,0	1680,0		3008
4 x 50	27487,63	43,5	1920,0		3350
4 x 70	37295,27	49,5	2688,0		4460
4 x 95	49492,30	55,5	3648,0		5750

H01N2-D

KZS

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
16	2829,30	9,5	153,6		210
25	3559,00	11,0	240,0		300
35	4123,75	12,0	336,0		400
50	5914,37	14,0	480,0		560
70	8452,04	16,5	672,0		780
95	12958,87	18,5	912,0		1010














YSLY		LS-YY / Y-JZ				
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,5	233,41		6,0	9,6		45
3 x 0,5	282,86		6,2	14,4		50
4 x 0,5	358,88		6,5	19,2		60
5 x 0,5	420,02		7,0	24,0		70
7 x 0,5	611,44		7,5	33,6		85
10 x 0,5	930,96		9,5	48,0		125
12 x 0,5	1074,88		10,0	57,6		140
14 x 0,5	1259,44		10,5	67,2		160
21 x 0,5	1987,32		12,5	100,8		230
25 x 0,5	2291,22		14,0	120,0		280
2 x 0,75	273,55		6,5	14,4		50
3 x 0,75	358,84		6,5	21,6		65
4 x 0,75	461,18		7,5	28,8		75
5 x 0,75	572,57		8,0	36,0		95
6 x 0,75	814,64		8,5	43,2		105
7 x 0,75	767,16		8,5	50,4		120
10 x 0,75	1175,58		11,0	72,0		160
12 x 0,75	1406,86		11,5	86,4		180
21 x 0,75	2556,22		14,0	151,2		310
25 x 0,75	3032,30		16,5	180,0		390
2 x 1	338,56		7,0	19,2		65
3 x 1	474,80		7,5	28,8		75
4 x 1	609,32		8,0	38,4		95
5 x 1	783,29		8,5	48,0		120
7 x 1	1086,10		9,0	67,2		140
10 x 1	1640,64		11,5	96,0		200
12 x 1	1901,50		12,0	115,2		220
14 x 1	2255,23		13,0	134,4		270
16 x 1	2357,47		14,0	153,6		300
18 x 1	2661,35		14,5	172,8		330
21 x 1	3389,50		15,5	201,6		390
25 x 1	3640,16		17,5	240,0		480
34 x 1	5265,96		20,0	326,4		640
2 x 1,5	460,60		7,5	28,8		80
3 x 1,5	606,42		8,0	43,2		100
4 x 1,5	786,28		8,5	57,6		120
5 x 1,5	973,14		9,5	72,0		150
6 x 1,5	1412,73		10,5	86,4		170
7 x 1,5	1293,50		10,5	100,8		190
10 x 1,5	2139,23		13,5	144,0		290
12 x 1,5	2261,68		14,0	172,8		320
14 x 1,5	3165,71		15,0	201,6		380
16 x 1,5	3421,69		16,0	230,4		420
18 x 1,5	3926,50		17,0	259,2		470
21 x 1,5	4640,54		17,5	302,4		520
25 x 1,5	5414,83		20,5	360,0		660
2 x 2,5	711,09		9,0	48,0		120
3 x 2,5	919,95		9,5	72,0		140
4 x 2,5	1256,80		10,0	96,0		180
5 x 2,5	1593,82		11,0	120,0		220
7 x 2,5	2207,30		12,5	168,0		290
12 x 2,5	4123,60		17,0	288,0		490
18 x 2,5	6320,74		20,0	432,0		710
50 x 2,5	20878,43		32,5	1200,0		1860

Cross-section (mm ²)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
3 x 4	1739,95	11,0	115,2		220
4 x 4	2281,21	12,5	153,6		280
5 x 4	2786,25	13,5	192,0		350
7 x 4	3771,81	15,5	268,8		460
4 x 6	3038,91	14,5	230,4		400
5 x 6	3978,42	16,0	288,0		480
7 x 6	5471,24	17,5	403,2		640
4 x 10	5584,10	19,5	384,0		710
5 x 10	6846,36	21,5	480,0		870
7 x 10	9193,54	23,5	672,0		1140
4 x 16	8596,92	20,5	614,4		950
5 x 16	10553,35	23,0	768,0		1160
7 x 16	14371,90	25,0	1075,2		1530
4 x 25	13271,19	29,5	960,0		1590

YSLCY		LS-YCVY / C-JZ			
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75	600,96	8,5	41,3		120
3 x 0,75	773,66	9,0	49,9		130
4 x 0,75	929,66	9,5	58,6		150
5 x 0,75	1209,77	10,5	69,1		170
7 x 0,75	1589,48	11,0	85,4		200
12 x 0,75	2471,64	13,5	132,5		280
25 x 0,75	4763,21	19,5	268,8		570
34 x 0,75	6761,21	22,0	342,7		740
2 x 1	707,03	9,0	49,0		120
3 x 1	891,65	9,5	59,5		140
4 x 1	1180,87	10,0	71,0		160
5 x 1	1438,34	11,0	84,5		190
7 x 1	1730,09	11,5	107,5		220
12 x 1	3050,30	14,5	167,0		340
18 x 1	4371,60	17,5	257,3		500
25 x 1	5733,25	21,0	339,8		680
34 x 1	8421,38	23,5	439,7		870
2 x 1,5	884,47	10,0	62,4		150
3 x 1,5	1147,16	10,5	78,7		170
4 x 1,5	1453,99	11,0	96,0		200
5 x 1,5	1930,54	12,0	114,2		230
7 x 1,5	2533,66	13,0	147,8		280
12 x 1,5	4111,71	17,5	257,3		460
18 x 1,5	5962,27	20,0	358,1		660
25 x 1,5	7865,48	24,5	508,8		940
34 x 1,5	11479,13	26,5	658,6		1190
3 x 2,5	1893,22	11,5	114,2		230
4 x 2,5	2307,02	12,5	143,0		270
5 x 2,5	2828,42	13,5	171,8		320
7 x 2,5	3884,82	15,5	243,8		410
12 x 2,5	6055,08	20,0	390,7		670
18 x 2,5	11305,26	24,0	585,6		950

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 x 4	3513,12	15,0	229,4		410
5 x 4	4388,66	16,5	276,5		480
4 x 6	5071,76	17,5	320,6		560
5 x 6	5935,93	19,0	386,9		650
4 x 10	8222,02	22,5	497,3		920
5 x 10	11084,98	25,0	635,5		1150
4 x 16	12528,80	24,0	776,6		1220
5 x 16	15234,99	26,5	950,4		1470

E-YY**PP00 / NYY**

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	1534,24	9,4	153,6		218
1 x 25	 2243,08	11,3	240,0		324
1 x 35	 3038,36	12,4	336,0		419
1 x 50	 4247,48	13,8	480,0		554
1 x 70	 5994,16	15,8	672,0		772
1 x 95	 7951,01	17,6	912,0		1016
1 x 120	 9646,30	19,1	1152,0		1286
1 x 150	 12011,60	20,8	1440,0		1578
1 x 185	15172,56	25,5	1776,0		2088
1 x 240	19923,80	27,9	2304,0		2652
1 x 300	24459,98	30,7	2880,0		3331
2 x 1.5	461,37	10,1	28,8		152
2 x 2,5	648,19	10,9	48,0		189
3 x 1.5 RE	 462,66	10,5	43,2		135
3 x 2.5 RE	 704,31	11,4	72,0		183
3 x 4 RE	1307,36	13,1	115,2		305
3 x 6 RE	1904,85	14,1	172,8		383
4 x 1.5 RE	 600,27	11,2	57,6		159
4 x 2,5 RE	 911,31	12,2	96,0		213
4 x 4 RE	 1467,08	14,1	153,6		322
4 x 6 RE	 2090,80	15,3	230,4		402
4 x 10 RE	 3343,81	17,2	384,0		606
4 x 16 RM	 5329,77	21,1	614,4		913
4 x 25 RM	 8271,83	25,3	960,0		1379
4 x 35 SM	 11638,47	26,0	1344,0		1578
4 x 50 SM	 15783,34	28,4	1920,0		2125
4 x 70 SM	 22344,12	31,4	2688,0		2975
4 x 95 SM	 30549,46	39,3	3648,0		4079
4 x 120 SM	 40115,51	41,8	4608,0		5060
4 x 150 SM	 48234,36	49,0	5760,0		6258
4 x 185 SM	60855,73	52,0	7104,0		7787
4 x 240 SM	80676,60	58,9	9216,0		10094
5 x 1.5 RE	 729,79	12,0	72,0		185
5 x 2.5 RE	 1133,08	13,1	120,0		248
5 x 4 RE	 1778,27	15,3	192,0		379
5 x 6 RE	 2535,93	16,6	288,0		481
5 x 10 RE	 4180,27	18,8	480,0		737
5 x 16 RM	 6591,96	23,7	768,0		1118
5 x 25 RM	 10282,15	27,7	1200,0		1694
5 x 35 RM	 14840,54	31,0	1680,0		2233

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
7 x 1.5 RE	1367,04	12,9	100,8		282
10 x 1.5 RE	2159,13	15,7	144,0		401
12 x 1.5 RE	2477,97	16,1	172,8		437
14 x 1.5 RE	3174,32	16,8	201,6		484
16 x 1.5 RE	3690,24	17,7	230,4		539
19 x 1.5 RE	3823,03	18,5	273,6		609
24 x 1.5 RE	4966,75	21,9	345,6		816
30 x 1.5 RE	6380,43	23,0	432,0		937
7 x 2.5 RE	2304,11	14,1	168,0		374
10 x 2.5 RE	3541,76	17,3	240,0		534
12 x 2.5 RE	4280,41	17,8	288,0		630
14 x 2,5 RE	4850,65	18,6	336,0		660
16 x 2.5 RE	5890,93	20,1	384,0		765
19 x 2.5 RE	6546,78	21,1	456,0		873
24 x 2.5 RE	8062,39	24,8	576,0		1146
30 x 2.5 RE	10852,93	26,1	720,0		1331
7 x 4 RE	3964,99	16,5	268,8		541
10 x 4 RE	6542,09	21,1	384,0		827
14 x 4 RE	8604,48	26,0	537,6		1170
19 x 4 RE	11481,33	28,0	729,6		1360
7 x 6 RE	5155,42	18,0	403,2		704

N2XH			N2XH		
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	1903,41	9,8	153,6		226
1 x 25	2816,86	11,4	240,0		327
1 x 35	4122,25	12,6	336,0		429
1 x 50	5275,71	13,8	480,0		555
1 x 70	7462,88	15,7	672,0		765
1 x 95	10231,83	17,6	912,0		1024
1 x 120	12839,38	19,1	1152,0		1270
1 x 150	16313,15	20,9	1440,0		1550
1 x 185	19460,46	23,5	1776,0		1950
1 x 240	25298,21	25,8	2304,0		2550
1 x 300	31335,77	29,0	2880,0		3200
2 x 1.5	698,83	9,3	28,8		130
2 x 2,5	950,90	10,1	48,0		160
3 x 1.5 RE	593,05	9,7	43,2		142
3 x 2.5 RE	849,96	10,7	72,0		184
4 x 1.5 RE	899,40	10,4	57,6		166
4 x 2,5 RE	1288,63	11,4	96,0		220
4 x 4 RE	2009,92	13,8	153,6		305
4 x 6 RE	2815,84	13,8	230,4		400
4 x 10 RE	4478,09	16,3	384,0		601
4 x 16 RM	6888,49	19,2	614,4		900
4 x 25 RM	10458,66	24,0	960,0		1400
4 x 35 SM	13801,86	26,5	1344,0		1850
4 x 50 SM	20174,96	29,0	1920,0		2226
4 x 70 SM	27518,45	32,0	2688,0		3050
4 x 95 SM	37224,88	37,0	3648,0		4250

Cross-section (mm ²)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 x 120 SM	46217,47	40,8	4608,0		5320
4 x 150 SM	58157,49	50,0	5760,0		6350
4 x 185 SM	76381,42	51,0	7104,0		7850
4 x 240 SM	100079,72	56,6	9216,0		10235
5 x 1.5 RE	1017,33	11,3	72,0		195
5 x 2.5 RE	1483,97	12,4	120,0		260
5 x 4 RE	2130,71	13,8	192,0		360
5 x 6 RE	3077,07	15,5	288,0		490
5 x 10 RE	5140,51	17,9	480,0		730
5 x 16 RM	8049,77	22,0	768,0		1120
5 x 25 RM	12154,26	27,1	1200,0		1460

NYCY						PP40
Cross-section (mm ²)	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5 / 1,5	1113,02		12,5	48,0		198
2 x 2,5 / 2,5	1446,33		13,9	75,0		257
2 x 4 / 4	1806,25		15,5	110,0		345
2 x 6 / 6	2441,36		16,8	165,0		425
3 x 1,5 / 1,5	1274,93		13,4	59,0		215
3 x 2,5 / 2,5	1587,03		14,1	90,0		275
4 x 1,5 / 1,5	1502,04		14,1	72,0		245
4 x 2,5 / 2,5	1881,63		15,1	117,0		335
4 x 4 / 4	3052,77		17,4	182,0		455
4 x 6 / 6	4236,10		18,4	272,0		575
5 x 2,5 / 2,5	2476,44		16,2	139,0		380
7 x 1,5 / 2,5	2275,61		15,5	125,0		350
10 x 1,5 / 2,5	3233,93		18,1	165,0		451
12 x 1,5 / 2,5	3586,66		19,2	188,0		465
16 x 1,5 / 4	4159,06		20,5	262,0		645
19 x 1,5 / 4	4784,69		22,3	299,0		665
24 x 1,5 / 6	6334,14		25,2	388,0		915
7 x 2,5 / 2,5	3706,67		17,2	185,0		440
10 x 2,5 / 4	4224,40		20,1	270,0		600
12 x 2,5 / 4	4978,09		20,9	305,0		656
16 x 2,5 / 6	6090,83		22,4	428,0		815
19 x 2,5 / 6	8558,60		23,8	483,0		933
24 x 2,5 / 10	10297,26		26,6	636,0		1160

NHXX FE180/E30**E30**

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	2909,83	12,0	153,6		218
1 x 25	4226,73	13,0	240,0		324
1 x 35	5538,02	15,0	336,0		419
1 x 50	6327,86	16,0	480,0		554
1 x 70	8535,54	18,0	672,0		772
1 x 95	11117,34	20,0	912,0		1016
1 x 120	13833,26	22,0	1152,0		1286
1 x 150	17182,53	24,0	1440,0		1578
1 x 185	20942,20	27,0	1776,0		2088
1 x 240	26258,80	30,0	2304,0		2652
1 x 300	34522,12	33,0	2880,0		3331
2 x 1.5	1312,08	12,1	28,8		190
2 x 2,5	1668,27	12,2	48,0		220
3 x 1.5 RE	1399,65	13,0	43,2		210
3 x 2.5 RE	1829,10	14,0	72,0		260
3 x 4 RE	2691,57	15,0	115,2		320
3 x 6 RE	3641,26	16,0	172,8		400
4 x 1.5 RE	1699,17	15,0	57,6		240
4 x 2,5 RE	2220,32	16,0	96,0		300
4 x 4 RE	3727,30	17,0	153,6		390
4 x 6 RE	4801,68	18,0	230,4		490
4 x 10 RE	6875,95	21,0	384,0		670
4 x 16 RM	11645,50	25,0	614,4		950
4 x 25 RM	16086,27	26,0	960,0		1430
4 x 35 SM	20840,21	29,0	1344,0		1890
4 x 50 SM	27848,80	34,0	1920,0		2510
4 x 70 SM	37010,21	38,0	2688,0		3650
4 x 95 SM	52978,22	44,0	3648,0		4750
4 x 120 SM	68630,53	48,0	4608,0		5910
4 x 150 SM	82699,64	52,0	5760,0		7240
5 x 1.5 RE	2462,22	18,0	72,0		280
5 x 2.5 RE	3031,86	19,0	120,0		354
5 x 4 RE	4794,96	21,0	192,0		450
5 x 6 RE	5624,19	22,0	288,0		570
5 x 10 RE	8648,45	25,0	480,0		820
5 x 16 RM	13726,08	27,0	768,0		1140
5 x 25 RM	19233,66	31,0	1200,0		1710
7 x 1.5 RE	3357,99	16,0	100,8		330
12 x 1.5 RE	5170,72	20,5	172,8		500
19 x 1.5 RE	7873,89	24,0	273,6		720
24 x 1.5 RE	9515,96	28,0	345,6		890
30 x 1.5 RE	11400,01	31,0	432,0		1090
7 x 2.5 RE	4426,98	18,0	168,0		430
12 x 2.5 RE	6403,23	25,0	288,0		650
19 x 2.5 RE	11287,90	26,0	456,0		950
24 x 2.5 RE	13787,01	30,5	576,0		1210
30 x 2.5 RE	16574,67	32,5	720,0		1470

NHXX FE180/E90**E90**

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	4772,92	11,0	153,6		250
1 x 25	6783,03	13,0	240,0		355
1 x 35	7860,11	14,0	336,0		460
1 x 50	10017,55	16,0	480,0		610
1 x 70	15111,89	18,0	672,0		810
1 x 95	16690,26	20,0	912,0		1100
1 x 120	18621,26	21,0	1152,0		1350
1 x 150	24237,12	24,0	1440,0		1650
1 x 185	27554,86	26,0	1776,0		2050
1 x 240	34027,26	29,0	2304,0		2650
1 x 300	57068,27	32,0	2880,0		3275
2 x 1.5	2243,53	13,0	28,8		200
3 x 1.5 RE	2730,64	13,5	43,2		210
3 x 2.5 RE	3389,76	14,6	72,0		243
3 x 4 RE	4133,31	15,5	115,2		302
3 x 6 RE	6913,45	16,5	172,8		399
4 x 1.5 RE	3937,83	15,0	57,6		245
4 x 2,5 RE	4810,92	16,0	96,0		299
4 x 4 RE	6059,13	17,0	153,6		376
4 x 6 RE	6901,82	18,5	230,4		474
4 x 10 RE	9173,14	20,5	384,0		657
4 x 16 RM	15188,36	24,0	614,4		973
4 x 25 RM	22477,62	26,5	960,0		1422
4 x 35 SM	32364,80	30,0	1344,0		1858
4 x 50 SM	34867,91	35,0	1920,0		2900
4 x 70 SM	52818,80	40,5	2688,0		3900
4 x 95 SM	71006,78	45,5	3648,0		5200
4 x 120 SM	83866,04	50,0	4608,0		6300
4 x 150 SM	101630,37	55,0	5760,0		6800
5 x 1.5 RE	4069,04	15,5	72,0		290
5 x 2.5 RE	4897,39	17,0	120,0		359
5 x 4 RE	6535,25	18,5	192,0		457
5 x 6 RE	9644,17	20,0	288,0		577
5 x 10 RE	11102,00	22,0	480,0		807
5 x 16 RM	18084,81	26,5	768,0		1145
5 x 25 RM	26445,72	30,0	1200,0		1765
7 x 1.5 RE	6035,20	18,0	100,8		282
12 x 1.5 RE	10438,23	23,5	172,8		437
24 x 1.5 RE	21203,08	21,9	345,6		816

FG70R

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 16	1786,75	12,2	153,6		195
1 x 25	2647,22	13,8	240,0		288
1 x 35	3586,91	15,1	336,0		383
1 x 50	5056,74	17,1	480,0		525
1 x 70	7146,14	19,6	672,0		765
1 x 95	9401,74	22,2	912,0		1000
1 x 120	11914,34	24,2	1152,0		1230
1 x 150	14281,44	26,8	1440,0		1550
1 x 185	17379,71	29,1	1776,0		1880
1 x 240	23008,56	32,2	2304,0		2410
1 x 300	29976,49	35,4	2880,0		3000
1 x 400	41276,99	39,9	3840,0		3960
2 x 1,5	595,16	11,9	28,8		129
2 x 2,5	852,03	12,7	48,0		163
3 x 1,5	734,69	12,4	43,2		144
3 x 2,5	1045,69	13,3	72,0		187
4 x 1,5	941,97	13,2	57,6		167
4 x 2,5	1383,26	14,2	96,0		220
4 x 4	2074,28	16,1	153,6		306
4 x 6	2920,32	18,1	230,4		397
4 x 10	4652,35	21,0	384,0		600
4 x 16	7096,19	25,6	614,4		888
4 x 25	11063,66	29,6	960,0		1310
3 x 35 + 1 x 25	13574,36	31,8	1248,0		1630
3 x 50 x 1 x 25	18145,83	35,9	1680,0		2110
3 x 70 + 1 x 35	26106,42	40,9	2352,0		3030
3 x 95 + 1 x 50	34485,44	44,6	3216,0		3910
3 x 120 + 1 x 70	45390,13	50,9	4128,0		5000
3 x 150 + 1 x 95	58994,69	56,3	5232,0		6340
5 x 1,5	1123,20	14,5	72,0		260
5 x 2,5	1613,24	15,6	120,0		368
5 x 4	2516,60	17,7	192,0		478
5 x 6	3533,53	19,9	288,0		740
5 x 10	5691,08	23,6	480,0		1070
5 x 16	8826,69	27,6	768,0		1620
5 x 25	13318,92	32,1	1200,0		2145
5 x 35	18257,84	36,1	1680,0		3000
7 x 1,5	2038,73	15,0	100,8		311

Solar

PV1-F

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4	804,77	6,5	38,4		60
6	946,06	7,0	57,6		79
10	1700,29	8,7	96,0		130
16	3273,19	9,4	153,6		210

Copper rope

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
25	2345,51	6,0	223,0		223
35	3024,67	7,0	309,0		309
50	4183,02	8,0	417,0		417
70	6335,89	10,0	616,0		616
95	8838,23	12,0	822,0		822

Fe/Zn tape

Cross-section (mm ²)	Price (€/t)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
20 x 3	1325,71				519
25 x 3	1381,78				647
25 x 4	1317,41				860
30 x 4	1316,66				1036
40 x 4	1394,95				1383

E-AYY

PP00-A / NAYY

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 x 16 RM	1328,35	20,1		220	780
4 x 25 RM	1952,56	25,3		290	852
4 x 35 SM	2363,88	25,6		406	771
4 x 50 SM	3014,57	28,4		580	1023
4 x 70 SM	4171,56	31,4		812	1349
4 x 95 SM	5629,51	36,9		1102	1846
4 x 120 SM	6871,94	39,9		1392	2206
4 x 150 SM	8130,75	46,0		1740	2617
4 x 185 SM	10479,53	51,7		2176	3570
4 x 240 SM	14127,95	57,9		2822	4380

SKS

N1XD4-AR, N1XD9-AR

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 16	549,81			93	130
4 x 16	1088,65			186	260
3 x 35 + 70	3385,25			508	682
3 x 35 + 70 + 2 x 16	3959,78			600	812
3 x 70 + 70	4778,64			812	1018
3 x 70 + 70 + 2 x 16	5300,26			907	1148

SiF

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
0,75	164,60	2,4	7,7		12
1	205,76	2,5	9,6		14
1,5	282,05	2,8	14,4		18
2,5	449,01	4,0	24,0		35
4	720,74	5,5	38,4		55
6	1081,82	5,2	57,6		71
10	1775,76	6,3	96,0		110
16	3299,52	8,0	153,6		188
25	5082,31	9,9	240,0		296
35	7184,13	11,2	336,0		400
50	9568,99	13,8	480,0		570
70	12833,44	15,0	672,0		740

SiHF

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75	680,91	6,4	14,4		57
3 x 0,75	921,01	6,8	22,1		67
2 x 1,5	1042,40	7,5	28,8		81
3 x 1,5	1471,07	8,0	43,2		83
4 x 1,5	1827,70	8,8	57,6		120
5 x 1,5	2556,45	9,5	72,0		145
3 x 2,5	2239,42	9,5	72,0		125
4 x 2,5	2858,57	10,5	96,0		180
5 x 2,5	3899,54	11,7	120,0		270

H07BQ-F

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 1,5	1051,69	8,8	28,8		88
3 x 1,5	1286,72	9,3	43,2		110
4 x 1,5	1633,37	10,3	57,6		140
5 x 1,5	1965,44	11,2	72,0		169
3 x 2,5	1870,97	11,0	72,0		163
4 x 2,5	2413,42	12,2	96,0		208
5 x 2,5	2890,42	13,5	120,0		257
4 x 4	3741,39	14,0	154,0		293
4 x 6	5576,54	15,2	230,0		346
4 x 10	9656,89	20,2	384,0		702
4 x 16	13818,11	22,8	614,4		981
5 x 4	4272,43	15,6	192,0		365
5 x 6	6225,19	17,6	288,0		504
5 x 10	10968,48	23,2	480,0		962
5 x 16	16225,21	27,1	768,0		1379

JB-Y(St)Y						
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
1 x 2 x 0,8	197,17	5,7	11,0		39	
2 x 2 x 0,8	326,57	6,1	21,0		54	
4 x 2 x 0,8	661,53	8,7	41,0		94	
6 x 2 x 0,8	918,93	10,1	62,0		135	
10 x 2 x 0,8	1589,15	13,1	103,0		205	
20 x 2 x 0,8	3134,26	15,6	204,0		352	
30 x 2 x 0,8	4654,37	19,4	304,0		522	

J-Y(St)Y						TI-44
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
1 x 2 x 0,6	137,09	4,0	11,0		20	
2 x 2 x 0,6	210,05	4,5	13,0		30	
3 x 2 x 0,6	301,97	6,5	19,0		50	
4 x 2 x 0,6	381,06	7,0	25,0		60	
5 x 2 x 0,6	480,59	7,5	30,0		70	
6 x 2 x 0,6	544,97	8,0	35,0		80	
10 x 2 x 0,6	817,60	10,0	59,0		110	
20 x 2 x 0,6	1601,34	12,0	115,0		190	
30 x 2 x 0,6	2321,96	14,0	172,0		280	
50 x 2 x 0,6	4077,35	17,0	286,0		430	
100 x 2 x 0,6	7687,86	23,5	569,0		820	
1 x 2 x 0,8	194,84	5,5	18,0		40	
2 x 2 x 0,8	325,87	7,0	22,0		60	
3 x 2 x 0,8	513,95	8,5	31,0		80	
4 x 2 x 0,8	630,79	9,0	42,0		100	
5 x 2 x 0,8	784,48	9,5	52,0		120	
6 x 2 x 0,8	932,65	11,0	62,0		140	
10 x 2 x 0,8	1585,49	14,0	103,0		220	
20 x 2 x 0,8	3064,12	17,0	203,0		370	
30 x 2 x 0,8	5163,80	21,0	304,0		550	
50 x 2 x 0,8	7719,36	25,5	506,0		880	
100x 2 x 0,8	15379,63	36,0	1008,0		1700	

TK 59			A-2YF(L)2Y			
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
2 x 2 x 0,6	423,75	8,3	11,0		69	
6 x 2 x 0,6	1005,09	11,0	34,0		129	
10 x 2 x 0,6	1477,26	12,5	54,0		185	
20 x 2 x 0,6	2627,10	15,8	111,0		315	
30 x 2 x 0,6	3773,88	19,0	165,0		425	
50 x 2 x 0,6	5831,50	22,2	272,0		626	
100 x 2 x 0,6	11277,25	30,3	547,0		1235	
2 x 2 x 0,8	790,73	8,8	21,0		88	
6 x 2 x 0,8	1501,77	12,0	60,0		169	
10 x 2 x 0,8	2357,23	14,0	100,0		240	
20 x 2 x 0,8	4238,84	19,1	200,0		459	
30 x 2 x 0,8	6190,04	22,0	300,0		595	
50 x 2 x 0,8	9960,76	26,0	500,0		1060	

YYSch					
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,6	118,34	3,0	5,6		12
3 x 0,6	155,77	3,2	8,4		16
4 x 0,6	202,21	3,4	11,2		20
5 x 0,6	243,27	3,7	14,0		26
6 x 0,6	292,03	4,0	16,8		29
10 x 0,6	480,66	6,0	28,0		54
16 x 0,6	825,97	6,8	45,0		78
20 x 0,6	1013,97	8,2	72,8		110

JE-H(ST)H E30/E90					
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
1 x 2 x 0,8 E30	600,55	5,5	19,0		40
1 x 2 x 0,8 E90	635,82	5,5	19,0		40
2 x 2 x 0,8 E30	951,85	6,8	25,0		61
2 x 2 x 0,8 E90	1085,54	6,8	25,0		61

Koax			RG / CATV			
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
RG 6 75 Ω	140,72	5,0	20,0		45	
RG 11 75 Ω	1245,04	10,3	55,6		188	
RG 58 C/U 50 Ω	421,76	5,0	21,3		39	
RG 59 B/U 75 Ω	363,05	6,2	26,0		57	
RG 213 U 50 Ω	1468,10	10,3	85,0		157	
RG 214 U 50 Ω	2801,91	10,8	90,0		200	
1,13 / 4,8 Tri-shield	497,61	7,0	16,3		48	
1,02 / 4,57 Tri-shield Coax10 AD	458,30	6,9	7,5		44	

Loudspeaker cables

LFZ-XY/NYFAZ

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,75 crveno/crni	227,26	2,20x4,40	14,4		22
2 x 1 crveno/crni	308,06	2,54x4,90	19,2		28
2 x 1,5 crveno/crni	428,85	2,90x5,90	28,8		36
2 x 2,5 crveno/crni	671,70	3,60x7,20	48,0		58
2 x 4 crveno/crni	1133,63	4,70x9,40	76,8		100
2 x 1,5 transparentni	562,19	2,90x5,90	28,8		40
2 x 2,5 transparentni	936,13	3,60x7,20	48,0		60
2 x 4 transparentni	1746,38	4,70x9,40	76,8		103

Alarm AF CCA

Security

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 AF 22	180,36	3,3			21
6 AF 22	232,52	4,2			28
8 AF 22	304,30	4,6			35
10 AF 22	366,15	5,2			41
12 AF 22	415,55	5,4			50
4 AF 22 + 2 x 0,50	308,71	4,2			40
6 AF 22 + 2 x 0,75	419,92	5,4			50

Alarm AF Cu

Security

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
4 AF 22	211,23	3,3			22
6 AF 22	270,01	4,2			29
8 AF 22	354,18	4,6			36
10 AF 22	426,57	5,2			42
12 AF 22	481,80	5,4			51
4 AF 22 + 2 x 0,50	363,68	4,2			41
6 AF 22 + 2 x 0,75	480,83	5,4			51

LIYCY

Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
2 x 0,14	333,09	3,5	13,0		20
3 x 0,14	388,41	3,7	15,0		26
4 x 0,14	429,95	4,0	17,0		28
5 x 0,14	504,64	4,3	20,0		33
6 x 0,14	577,62	4,7	23,0		38
7 x 0,14	635,19	4,8	25,0		41
10 x 0,14	904,49	5,7	30,0		56
12 x 0,14	980,28	6,1	33,0		63
14 x 0,14	1113,94	6,5	36,0		69
16 x 0,14	1316,80	6,8	42,0		80
2 x 0,25	327,90	3,7	15,0		25
3 x 0,25	453,37	4,1	18,0		32
4 x 0,25	568,08	4,7	22,0		40
5 x 0,25	683,64	5,0	26,0		47
6 x 0,25	764,07	5,2	30,0		54
7 x 0,25	808,08	5,4	35,0		56
10 x 0,25	1077,57	6,5	44,0		80
12 x 0,25	1248,41	7,0	50,0		95
16 x 0,25	1643,03	7,8	74,0		116
20 x 0,25	2432,09	9,5	83,0		124,7

2 x 0,34	416,19	4,6	18,0		33
3 x 0,34	548,11	5,0	22,0		41
4 x 0,34	694,48	5,4	26,0		54
5 x 0,34	825,84	5,8	32,0		60
2 x 0,50	479,66	5,1	24,0		43
3 x 0,50	684,16	5,4	32,0		54
4 x 0,50	817,35	6,1	37,0		64
5 x 0,50	1007,58	6,7	55,0		84
6 x 0,50	1191,92	7,2	63,0		95
7 x 0,50	1293,87	7,2	68,0		102
10 x 0,50	1800,13	8,6	93,0		137
2 x 0,75	551,03	5,4	32,0		53
3 x 0,75	687,35	5,8	40,0		66
4 x 0,75	836,66	6,4	60,0		78
5 x 0,75	1040,10	7,1	72,0		99
7 x 0,75	1399,74	7,9	92,0		129
2 x 1,0	755,01	6,0	50,0		63
3 x 1,0	948,26	6,4	60,0		82
4 x 1,0	1184,65	6,9	74,0		97
5 x 1,0	1487,50	7,8	89,0		121
2 x 1,5	927,89	7,1	57,0		84
3 x 1,5	1182,49	7,5	74,0		106
4 x 1,5	1457,74	8,4	92,0		136
5 x 1,5	1795,51	9,5	111,0		178

LiYCY-TP		Twisted pair				
Cross-section (mm ²)	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
2 x 2 x 0,25	641,66	5,1	28,0		44	
3 x 2 x 0,25	799,47	5,7	44,0		56	
4 x 2 x 0,25	921,87	6,6	57,0		71	
5 x 2 x 0,25	1162,66	7,4	63,0		82	
6 x 2 x 0,25	1484,62	7,5	68,0		99	
2 x 2 x 0,34	759,11	6,6	45,0		66	
3 x 2 x 0,34	1016,80	7,5	54,0		80	
4 x 2 x 0,34	1217,44	8,5	67,0		101	
2 x 2 x 0,5	986,87	7,2	52,0		79	
3 x 2 x 0,5	1256,90	8,6	67,0		106	
4 x 2 x 0,5	1587,80	9,3	83,0		126	
6 x 2 x 0,5	2195,56	12,0	112,0		186	
8 x 2 x 0,5	2694,59	13,2	132,0		232	
12 x 2 x 0,5	3886,28	15,4	196,0		313	
2 x 2 x 0,75	1081,75	7,7	68,0		96	
3 x 2 x 0,75	1586,44	9,3	85,0		132	
4 x 2 x 0,75	1961,71	9,8	124,0		164	
6 x 2 x 0,75	3048,06	11,6	145,0		251	

LAN		Data				
Cross-section	Price (€/km)	Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)	
Cat.5e U/UTP PVC	243,24	5,0	17,5		35	
Cat.5e U/UTP LSOH	247,38	5,1	17,5		35	
Cat.5e F/UTP	357,75	5,9	19,8		36	
Cat.5e S/FTP	507,04	6,4	30,0		46	
Cat.5e flex UTP	418,56	4,9	11,0		25	
Cat.5e flex FTP	507,44	5,0	12,0		25	
Cat.6 U/UTP PVC	406,30	6,2	18,0		39	
Cat.6 U/UTP LSOH	411,60	6,2	18,0		39	
Cat.6 F/UTP PVC	538,74	6,5	24,0		44	
Cat.6 F/UTP LSOH	551,20	6,5	24,0		44	
Cat.6 S/FTP	713,42	6,9	29,0		49	
Cat.5e FTP PE Outdoor	652,69	6,0	20,0		39	
Cat.6 FTP PE Outdoor	992,27	6,5	24,0		53	
Cat.7 S/FTP PE Outdoor	1459,50	7,9	44,0		81	
Cat.7 S/FTP	714,31	7,5	44,0		75	

Fibre optic cables			Multimode			
Cross-section	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
A/J-DQ(ZN)H 4 G 50 / 125	815,79		7,5			35
A/J-DQ(ZN)H 8 G 50 / 125	1211,84		7,5			35
A/J-DQ(ZN)H 12 G 50 / 125	1368,42		7,5			35
A/J-DQ(ZN)H 24 G 50 / 125	2388,16		7,5			35
						35

Fibre optic cables			Singlemode (without rodent protection)			
Cross-section	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
A-DQ(ZN)2Y 3x4 E9/125	918,42		9,7			70
A-DQ(ZN)2Y 6x4 E9/125	1143,42		9,7			70
A-DQ(ZN)2Y 6x8 E9/125	1672,37		9,7			70
A-DQ(ZN)2Y 6x12 E9/125	2039,47		9,7			70
A-DQ(ZN)2Y 8x12 E9/125	2825,00		9,7			70

Fibre optic cables			Singlemode (with rodent protection)			
Cross-section	Price (€/km)		Diameter (mm)	Cu (kg/km)	Al (kg/km)	Weight (kg/km)
A-DQ(ZN)B2Y 3x4 E9/125	966,76		11,5			100
A-DQ(ZN)B2Y 6x4 E9/125	1203,60		11,5			100
A-DQ(ZN)B2Y 6x8 E9/125	1760,39		11,5			100
A-DQ(ZN)B2Y 6x12 E9/125	2146,81		11,5			100
A-DQ(ZN)B2Y 8x12 E9/125	2973,68		11,5			100

Price list is formed on 01.08.2017. and it depends on daily movement of Cu and Al on LME

TESLA KABELI d.o.o.

Industrijska 20, 10431 Sv. Nedelja

tel: +385 1 2362-900

fax: +385 1 2362-901

e-mail: info@teslacables.com

Contacts:

Hrvoje Buljan	hrvoje.buljan@teslacables.com	01/2362-909
Igor Balentović	igor.balentovic@teslacables.com	01/2362-904
Saša Bogadi	sasa.bogadi@teslacables.com	01/2362-906
Ivan Suvar	ivan.suvar@teslacables.com	01/2362-903
Sandra Kostelac	sandra.kostelac@teslacables.com	01/2362-905
Iskra Radman	iskra.radman@teslacables.com	01/2362-907
Hrvoje Topčić	hrvoje.topcic@teslacables.com	01/2362-902
Antonio Siljković	antonio.siljkovic@teslacables.com	01/2362-909
Alessandro Sošić	alessandro.sosic@teslacables.com	01/2362-910